





PRODUCT DATA

DATA	FR-HI
Form	Roll
Length	>40m
Width	1250mm
Roll area:	50m²
Nominal coverage once installed:	45m²
Mass per unit area g/m²	240
Reflectivity, %	97
Water Vapour penetration, ng/N.s	1.2
Fire rating: SANS 428 Part 5 & 10	B/B1/2
Tensile strength: Endwise, N/25mm	220
Tensile strength: Broadwise, N/25mm	170
Bursting strength, N	198
System Thermal Resistance, m ² K/W - (SANS 1381-4:2013)	1.49

INSTALLATION INSTRUCTIONS

For domestic applications, fit one layer of the Alufoil FR-HI across the rafters/trusses working from the eaves to the ridges, overlapping each layer by a minimum of 100mm. Tension and then staple to the trusses before the fitting of the tile brandering.

For industrial applications, fit one layer of the Alufoil FR-HI over-purlin directly below the roof sheeting, on and including 1,6mm galvanized steel straining wire spaced at 383mm centres, first wire positioned 50mm in from the gable end. Overlap each sheet by a minimum of 100mm, and hold in position until fitment of roof sheet using GDA grade double-sided tape on eave and apex purlins.



ALUCUSHION THERMAL INSULATION (PTY) LTD

TEL: 012-800 3606

MAIL: sales@alucushion.co.za

www.alucushion.co.za

