



## Betcrete Sills

This unique window Sill Range are especially designed to fit underneath our Betcrete Window.

These optional sills come in the same sizes as our window combinations,  
to fit perfectly and look great.

### INDEX with page numbers

PAGE 1/3



Window Sill sizes

2



Sill Installation

3





## WINDOW SILL RANGE

PAGE 2/3



### 140 BLOCK WALL

BCS600x185	: 590 x 185mm
BCS900x185	: 890 x 185mm
BCS1200x185	: 1190 x 185mm
BCS1500x185	: 1490 x 185mm



### 190 BLOCK WALL

BCS600x235	: 590 x 235mm
BCS900x235	: 890 x 235mm
BCS1200x235	: 1190 x 235mm
BCS1500x235	: 1490 x 235mm



### 230 BLOCK WALL

BCS600x260	: 590 x 260mm
BCS900x260	: 890 x 260mm
BCS1200x260	: 1190 x 260mm
BCS1500x260	: 1490 x 260mm




### 270 CAVITY WALL

BCS600x300	: 590 x 300mm
BCS900x300	: 890 x 300mm
BCS1200x300	: 1190 x 300mm
BCS1500x300	: 1490 x 300mm




## WINDOW SILL INSTALLATION

PAGE 3/3



1. Window sill is fitted on top of the brickwork and the window on top of the sill.  
Check and ensure the vertical and horizontal to be level during the wet building phase



Special weight saving sill profile with integral drip design. No DPC required (cut block to fit sill height)

Tooled Plaster joint by contractor