



Above counter basin	Dimension	Weight	Order number
ground, with tap platform, back plane glazed, fixings include 500 mm	d,		
Colors			
00 White Alpin			
Variant			
● with overflow	500 x 470 mm	15.400 kilogram	2352500000
igodot $igodot$ with overflow	500 x 470 mm	15.400 kilogram	2352500030
● without overflow	500 x 470 mm	15.400 kilogram	2352500041
● ● ● without overflow	500 x 470 mm	15.400 kilogram	2352500044
$\otimes$ with overflow	500 x 470 mm	15.400 kilogram	2352500060
$\otimes$ without overflow	500 x 470 mm	15.400 kilogram	2352500070
Infobox Mounting with a distance to the wall is required			
Sanitary ceramics with the special WonderGliss surface finish time to come. When ordering WonderGliss please add a "1" as eleventh digi	9		
Accessory for ceramics			
Push-open waste for washbasins with overflow		0.400 kilogram	005052
Slotted waste for washbasins without overflow	75 mm	0.400 kilogram	005038
Accessory			
Design Siphon		1.500 kilogram	005036
Suitable products			
Vanity unit wall-mounted 1 pull-out compartment, counterto including one cut-out, for 1 above counter basin central, 800 550 mm			КТ6694



Vanity unit wall-mounted 1 pull-out compartment, countertop including one cut-out, for 1 above counter basin central, 1000 x 550 mm	1000 x 550 mm	КТ6695
Vanity unit wall-mounted 1 pull-out compartment, countertop including one cut-out, for 1 above counter basin central, 1200 x 550 mm	1200 x 550 mm	KT6696
Vanity unit wall-mounted 2 pull-out compartments, 1 countertop with one cut-out or two cut-outs, for 1 or 2 above counter basins, 1400 x 550 mm	1400 x 550 mm	KT6697 B/L/R
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, countertop including one cut-out, for 1 above counter basin central, 800 x 550 mm	800 x 550 mm	KT6654
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, countertop including one cut-out, for 1 above counter basin central, 1000 x 550 mm	1000 x 550 mm	KT6655
Vanity unit wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, countertop including one cut-out, for 1 above counter basin central, 1200 x 550 mm	1200 x 550 mm	KT6656
Vanity unit wall-mounted 4 drawers, drawer beneath basin including cut-out for siphon and siphon cover, 1 countertop with one cut-out or two cut-outs, for 1 or 2 above counter basins, 1400 x 550 mm	1400 x 550 mm	KT6657 B/L/R
Console including drawer for vanity basin countertop including one cut-out, 1 drawer beneath console, 1 cover beneath console, 3 console supports, 1500 x 565 mm	1500 x 565 mm	DL6891 L/R
Console including drawer for vanity basin countertop including one cut-out, 1 drawer beneath console, 1 cover beneath console, 3 console supports, 1800 x 565 mm	1800 x 565 mm	DL6892 L/R
Console including drawer for wash bowls or semi-recessed washbasin 1 countertop including one central cut-out, 1 drawer beneath console, 2 console supports, 800 x 565 mm	800 x 565 mm	DL6788
Console including drawer for wash bowls or semi-recessed washbasin 1 countertop including one central cut-out, 1 drawer beneath console, 2 console supports, 1000 x 565 mm	1000 x 565 mm	DL6789
Console including drawer for wash bowls or semi-recessed washbasin 1 countertop including one central cut-out, 1 drawer beneath console, 3 console supports, 1200 x 565 mm	1200 x 565 mm	DL6790
Console including drawer for wash bowls or semi-recessed washbasin countertop including one cut-out, 2 drawers beneath console, 3 console supports, 1500 x 565 mm	1500 x 565 mm	DL6791 L/R
Console including drawer for wash bowls or semi-recessed washbasin countertop including one cut-out, 2 drawers beneath console, 3 console supports, 1800 x 565 mm	1800 x 565 mm	DL6792 L/R
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 800 x 565 mm	800 x 565 mm	DL6799
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 800 x 478 mm	800 x 478 mm	XL6511
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 1000 x 478 mm	1000 x 478 mm	XL6512



Vanity unit for console 1 pull-out compartment, compartment consists of glass dividers and 2 boxes (small/large), 800 x 548 mm	800 x 548 mm	XL6713
Vanity unit for console 1 pull-out compartment, compartment consists of glass dividers and 2 boxes (small/large), 1000 x 548 mm	1000 x 548 mm	XL6715
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 800 x 548 mm	800 x 548 mm	XL6714
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 1000 x 548 mm	1000 x 548 mm	XL6716
Vanity unit for console 1 opened compartment including glass shelf, 800 x 548 mm	800 x 548 mm	XL6718
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 800 x 548 mm	800 x 548 mm	H26301
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 600 x 548 mm	600 x 548 mm	H26300
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 1000 x 548 mm	1000 x 548 mm	H26302
Vanity unit for console 1 opened compartment including towel rail, 600 x 518 mm	600 x 518 mm	VE6540
Vanity unit for console 1 opened compartment including towel rail, 800 x 518 mm	800 x 518 mm	VE6541
Vanity unit for console 1 opened compartment including towel rail, 1000 x 518 mm	1000 x 518 mm	VE6542
Vanity unit for console 1 pull-out compartment, pull-out compartment including cut-out for siphon and siphon cover, 800 x 518 mm	800 x 518 mm	VE6551
Vanity unit for console 1 pull-out compartment, pull-out compartment including cut-out for siphon and siphon cover, 1000 x 518 mm	1000 x 518 mm	VE6552
Vanity unit for console 1 drawer, drawer including cut-out for siphon and siphon cover, 600 x 518 mm	600 x 518 mm	VE6560
Vanity unit for console 1 drawer, drawer including cut-out for siphon and siphon cover, 800 x 518 mm	800 x 518 mm	VE6561
Vanity unit for console 1 drawer, drawer including cut-out for siphon and siphon cover, 1000 x 518 mm	1000 x 518 mm	VE6562
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 600 x 518 mm	600 x 518 mm	VE6570
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 800 x 518 mm	800 x 518 mm	VE6571
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 1000 x 518 mm	1000 x 518 mm	VE6572
Vanity unit for console 2 drawers, upper drawer including cut- out for siphon and siphon cover, 1000 x 565 mm	1000 x 565 mm	DL6798
Vanity unit for console 1 pull-out compartment, 620 x 547 mm	620 x 547 mm	LC6827
Vanity unit for console 1 pull-out compartment, 820 x 547 mm	820 x 547 mm	LC6828
Vanity unit for console 1 pull-out compartment, 1020 x 547 mm	1020 x 547 mm	LC6829

# DURAVIT

Vanity unit for console with 2 drawers, upper drawer including cut-out for siphon and siphon cover, 620 x 547 mm	620 x 547 mm	LC6837
Vanity unit for console with 2 drawers, upper drawer including cut-out for siphon and siphon cover, 820 x 547 mm	820 x 547 mm	LC6838
Vanity unit for console with 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1020 x 547 mm	1020 x 547 mm	LC6839
Vanit unit for console wall-mounted 1 pull-out compartment, 800 x 548 mm	800 x 548 mm	XS4900
Vanit unit for console wall-mounted 1 pull-out compartment, 1000 x 548 mm	1000 x 548 mm	XS4901
Vanit unit for console wall-mounted 1 pull-out compartment, 1200 x 548 mm	1200 x 548 mm	XS4902
Vanit unit for console wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 800 x 548 mm	800 x 548 mm	XS4910
Vanit unit for console wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1000 x 548 mm	1000 x 548 mm	XS4911
Vanit unit for console wall-mounted 2 drawers, upper drawer including cut-out for siphon and siphon cover, 1200 x 548 mm	1200 x 548 mm	XS4912
Vanit unit for console floor-standing 2 pull-out compartments, integrated base frame legs with height adjustement, 800 x 548 mm	800 x 548 mm	XS4920
Vanit unit for console floor-standing 2 pull-out compartments, integrated base frame legs with height adjustement, 1000 x 548 mm	1000 x 548 mm	XS4921
Vanit unit for console floor-standing 2 pull-out compartments, integrated base frame legs with height adjustement, 1200 x 548 mm	1200 x 548 mm	XS4922
Vanit unit for console wall-mounted 2 pull-out compartments, 1400 x 548 mm	1400 x 548 mm	XS4903 L/R
Vanit unit for console wall-mounted 2 pull-out compartments, 1600 x 548 mm	1600 x 548 mm	XS4904 R/L
Vanit unit for console wall-mounted 4 drawers, 1400 x 548 mm	1400 x 548 mm	XS4913 L/R
Vanit unit for console wall-mounted 4 drawers, 1600 x 548 mm	1600 x 548 mm	XS4914 L/R
Vanit unit for console floor-standing 4 pull-out compartments, integrated base frame legs with height adjustement, 1400 x 548 mm	1400 x 548 mm	XS4923 R/L
Vanit unit for console floor-standing 4 pull-out compartments, integrated base frame legs with height adjustement, 1600 x 548 mm	1600 x 548 mm	XS4924 L/R
Vanit unit for console wall-mounted 2 pull-out compartments, 1400 x 548 mm	1400 x 548 mm	XS4906 B
Vanit unit for console wall-mounted 2 pull-out compartments, 1600 x 548 mm	1600 x 548 mm	XS4907 B
Vanit unit for console wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1400 x 548 mm	1400 x 548 mm	XS4916 B
Vanit unit for console wall-mounted 4 drawers, upper drawer including cut-out for siphon and siphon cover, 1600 x 548 mm	1600 x 548 mm	XS4917 B



Vanit unit for console floor-standing 4 pull-out compartments, integrated base frame legs with height adjustement, 1400 x 1400 548 mm	) x 548 mm	XS4926 B
Vanit unit for console floor-standing 4 pull-out compartments, integrated base frame legs with height adjustement, 1600 x 1600 548 mm	) x 548 mm	XS4927 B
Recommended faucets		
Single lever basin mixer M ceramic cartridge, Projection 113 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, recommended operating pressure 3 - 5 bar, with pop-up waste set,		C11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,		B11020001
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, with pop-up waste set,		B21020001
3-hole basin mixer ceramic cartridge, projection 140 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, recommended operating pressure 3 - 5 bar, without pop-up waste set,		C11060003
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,		B11020002
Single lever basin mixer M ceramic cartridge, Projection 113 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, recommended operating pressure 3 - 5 bar, without pop-up waste set,		C11020002
3-hole basin mixer ceramic cartridge, projection 160 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, recommended operating pressure 3 - 5 bar, with pop-up waste set,		C11060006
3-hole basin mixer ceramic cartridge, projection 140 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, recommended operating pressure 3 - 5 bar, with pop-up waste set,		C11060005
3-hole basin mixer ceramic cartridge, projection 160 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, recommended operating pressure 3 - 5 bar, without pop-up waste set,		C11060004
Single lever basin mixer M ceramic cartridge, Projection 139 mm, flexible connection hoses 3/8", aerator adjustable, normal spray, surface chrome, maximum temperature can be adjusted on installation, recommended operating pressure 3 - 5 bar, without pop-up waste set,		B21020002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding.



|< 500 mm >|

### **Vero Air Above counter basin** # 2352500000 / 2352500030 / 2352500041 / 2352500044 / 2352500060 / 2352500070

Exact measurements, in particular for customised installation scenarios, can only be taken from the finished ceramic piece.