


Hilti Cable Transit system

Instruction for use for A-60 Applications

"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Date:	12.12.2001	Penetration Type SS-4
Revision:		Deck Steel
Revision:		DWG No: 120112X


Hilti Cable Transit system

Instruction for use for A-60 Applications

"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Dimensions in mm

(X) = Thermocouples

Date:	12.12.2001	Penetration Type SS-8 Bulkhead Steel
Revision:		
Revision:		DWG No: 120116X


Hilti Cable Transit system

Instruction for use for A-60 Applications

"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Dimensions in mm

(X) = Thermocouples

Date:	12.12.2001	Penetration Type SS-8 Deck Steel
Revision:		
Revision:		DWG No: 120117X


Hilti Cable Transit system

Instruction for use for A-60 Applications

"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Date:	12.12.2001	Penetration Type RR-50
Revision:		Bulkhead Steel
Revision:		DWG No: 120111X


Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Dimensions in mm



(X) = Thermocouples

Date:	12.12.2001	Penetration Type RR-50 Deck Steel
Revision:		
Revision:		DWG No: 120113X


Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Dimensions in mm



(X) = Thermocouples

Date:	07.09.2001	Penetration Type RR-200 Bulkhead Steel
Revision:		
Revision:		DWG No: 090102X


Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Dimensions in mm



(x) = Thermocouples

Date:	12.12.2001	Penetration Type RR-200 Deck Steel
Revision:		
Revision:		DWG No: 120114X

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x2



Date:	08.07.2008	SS/SSF-8x2
Revision:		Bulkhead, Steel
Revision:		DWG No: 080708b

Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH



Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x1



Multi Cable Transit Type SS / SSF-2x1



Date:	08.07.2008	SS/SSF-8x1 and 2x1
Revision:		Bulkhead, Steel
Revision:		DWG No: 080708ax

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8+8x1



Hazard Side

Dimensions in mm

Date:	08.07.2008	SS/SSF-8+8x1
Revision:		Bulkhead, Steel
Revision:		DWG No: 080708cx

Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH



Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x1



Multi Cable Transit Type SS / SSF-2x1



Date:	08.07.2008	SS/SSF-8x1 and 2x1
Revision:		Bulkhead, Steel
Revision:		DWG No: 080708dx

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x2



Date:	09.07.2008	SS/SSF-8x2
Revision:		Deck, Steel
Revision:		DWG No: 080709bx

Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH



Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x1



Multi Cable Transit Type SS / SSF-2x1



Date:	09.07.2008	SS/SSF-8x1 and 2x1
Revision:		Deck, Steel
Revision:		DWG No: 080709dx

Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH




Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x1



Multi Cable Transit Type SS / SSF-2x1



Date:	09.07.2008	SS/SSF-8x1 and 2x1
Revision:		Deck, Steel
Revision:		DWG No: 080709ax

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8+8x1



Dimensions in mm

Date:	09.07.2008	SS/SSF-8+8x1
Revision:		Deck, Steel
Revision:		DWG No: 080709cx

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-6x1



Date:	08.07.2008	SS/SSF-6x1
Revision:		Deck, Steel
Revision:		DWG No: 080708ex


Hilti Cable Transit system

Instruction for use for A-60 Applications

"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31



Dimensions in mm

(x) = Thermocouples

Date:	12.12.2001	Cable Penetration Type SS-4 Bulkhead Steel
Revision:		
Revision:		DWG No: 120110X

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x2



Dimensions in mm

Date:	08.07.2008	SS/SSF-8x2
Revision:		Bulkhead, Aluminium
Revision:		DWG No: 080708bx

Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH


Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8+8x1



Hazard Side



Dimensions in mm

Date:	08.07.2008	SS/SSF-8+8x1
Revision:		Bulkhead, Aluminium
Revision:		DWG No: 090616cx

Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH




Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x1



Multi Cable Transit Type SS / SSF-2x1



Date:	08.07.2008	SS/SSF-8x1 and 2x1
Revision:		Bulkhead, Aluminium
Revision:		DWG No: 090616ax

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x2



Dimensions in mm

Date:	09.07.2008	SS/SSF-8x2
Revision:		Deck, Aluminium
Revision:		DWG No: 090615bx

Hilti Cable Transit system

Instruction for use for A-60 Applications


"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH




Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8x1



Multi Cable Transit Type SS / SSF-2x1



Dimensions in mm

Date:	09.07.2008	SS/SSF-8x1 and 2x1
Revision:		Deck, Aluminium
Revision:		DWG No: 090615ax

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-8+8x1



Dimensions in mm

Date:	09.07.2008	SS/SSF-8+8x1
Revision:		Deck, Aluminium
Revision:		DWG No: 090615cx

Hilti Cable Transit system

Instruction for use for A-60 Applications



"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Fire Test SOLAS A60 / IMO 754(18)

Multi Cable Transit Type SS / SSF-6x1



Date:	08.07.2008	SS/SSF-8x1
Revision:		Deck, Aluminium
Revision:		DWG No: 090615ex

Dimensions in mm

Hilti Cable Transit system


Instruction for use for A-60 Applications

"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Plug Seal RR-050



Cable	Aluminium Sleeve	Sleeve length	Plug-Seal	Lenght of int. strips/profiles
MPRX 12x1,5 0,6/1kV	60 x 5	60mm	RR-50	-

Date: 10.05.2004	Plug Seal RR-50 Deck, Aluminium
Revision:	
Revision:	DWG No: 090615hx

Hilti Cable Transit system


Instruction for use for A-60 Applications

"Hilti Aktiengesellschaft"

Germanischer Lloyd: PDA Certificate No. 20 552 – 11 HH

Issuance date: 2011-11-16, Expiry date: 2013-08-31

Plug Seal RR-050



Dimensions in mm

Cable	Aluminium Sleeve	Sleeve length	Plug-Seal	Length of int. strips/profiles
MPRX 12x1,5 0,6/1kV	60 x 5	60mm	RR-50	-

Date: 10.05.2004	Plug Seal RR-50
Revision:	Bulkhead, Aluminium
Revision:	DWG No: 090616hx