



SAVIGNAC
BETTER EACH DAY
BORN 1969

**ALUMINIUM WINDOW
& DOOR HARDWARE**

HARDWARE CATALOGUE VOL 4

Savignac (Pty) Ltd | Reg no. 196901724307 | VAT no. 4190114795

www.savignac.co.za



ALUMINIUM WINDOW & DOOR HARDWARE

INDEX

DESCRIPTION	PAGE
SAVI Latch Locks	1
SAVI Roller Locks	1
SAVI Dead Locks	2
SAVI Hook Locks	2
SAVI Cylinders	3
SAVI Lock Accessories	4
SAVI Lever Door Handles (Aluminium)	4
QS Solid & Formed Lever Handles	5
QS Tube Lever Handles	5
SAVI Stainless Steel Pull Handles	6-7
SAVI Window Handles	8
SAVI Window Handle Accessories	8
SAVI Friction Stays	8
SAVI Restrictors	8
SAVI Measuring Tapes	9
SAVI Patio and Shower Door Rollers	10
SAVI Shopfront Sliding Door Hardware	10
SAVI Flush Pulls	10
SAVI Window Corner Cleats	11
SAVI Wispeco 540 Accessories	11
SAVI Aluminium Hinges	11

DESCRIPTION	PAGE
QS Stainless Steel Hinges	11
QS & GEZE Door Closers & Accessories	12-13
QS Floor Springs	14
QS Pivot Sets	14
QS Bolts	15
SAVI Flush Bolts	15
SAVI & QS Cabin Hooks	15
SAVI & QS Door Stops & Holders	15
SAVI Sliding Folding Door Hardware	16
SAVI Patio Door Accessories	16
SAVI Fly Screen Mesh	17
PHIFFER Pet Screen/BetterVue	17
SAVI Woolpile	17
SAVI Finpile	17
SAVI Bubbleseal	17
SAVI Gaskets	18
SAVI Glass Cutters	18
SAVI Protective Tape	19
NORTON Glazing Tape	19
BEN BRAVEN Silicone [Den Braven]	19

LATCH LOCKS

SAVI ^{EURO}		FOREND	SIZE	CODE
 SELL035 / 45	Latchlock - no Cyl	304SS	35mm	SELL035
	Latchlock - no Cyl	304SS	45mm	SELL045

SAVI ^{AFRIQ}		FOREND	SIZE	CODE	CYL
 SAFQLL025 / 35	Latchlock 25mm & 60mm Cyl	304SS	25mm	SAFQLL025	60mm
	Latchlock 25mm & 66mm Cyl	304SS	25mm	SAFQLL025/33	66mm
	Latchlock 25mm & 70mm Cyl	304SS	25mm	SAFQLL025/35	70mm
	Latchlock 35mm & 60mm Cyl	304SS	35mm	SAFQLL035	60mm
	Latchlock 35mm & 66mm Cyl	304SS	35mm	SAFQLL035/33	66mm
	Latchlock 35mm & 70mm Cyl	304SS	35mm	SAFQLL035/35	70mm

ROLLER LOCKS

SAVI ^{EURO}		FOREND	SIZE	CODE
 SERC035	Rollerlock - no Cyl	304SS	35mm	SERC035

SAVI ^{AFRIQ}		FOREND	SIZE	CODE	CYL
 SAFQRL025 / 35	Rollerlock 25mm & 60mm Cyl	304SS	25mm	SAFQRL025	60mm
	Rollerlock 25mm & 66mm Cyl	304SS	25mm	SAFQRL025/33	66mm
	Rollerlock 25mm & 70mm Cyl	304SS	25mm	SAFQRL025/35	70mm
	Rollerlock 35mm & 60mm Cyl	304SS	35mm	SAFQRL035	60mm
	Rollerlock 35mm & 66mm Cyl	304SS	35mm	SAFQRL035/33	66mm
	Rollerlock 35mm & 70mm Cyl	304SS	35mm	SAFQRL035/35	70mm

DEAD LOCKS

SAVI ^{EURO}		FOREND	SIZE	CODE
 SEDL025 / 35 / 45	Dead Lock - no Cyl	(short) 304SS	25mm	SEDL025
	Dead Lock - no Cyl	(short) 304SS	35mm	SEDL035
	Dead Lock - no Cyl	(short) 304SS	45mm	SEDL045
SAVI ^{EURO}		FOREND	SIZE	CODE
 SLDL035	Dead Lock - no Cyl	(long) 304SS	35mm	SLDL035

HOOK LOCKS

SAVI ^{EURO}		FOREND	SIZE	CODE	CYL
 SEHL025 / 35	Hook Lock - no Cyl	[short] 304SS	25mm	SEHL025	-
	Hook Lock 9mm throw & 66mm Cyl	[long] 304SS	25mm	SEHL025X	66mm
	Hook Lock 14mm throw & 66mm Cyl (Ideal for Palace & Galaxy systems)	[long] 304SS	25mm	SEHL025Z	66mm
 SELHB025Y / 35Y / 45Y	Manual Hook Lock Antilift Pin & 54mm oval Cyl	304SS	20mm	SESOHL20AL	54mm
	Hook Lock - no Cyl	[short] 304SS	35mm	SEHL035	-
	Hook Lock 9mm throw & 66mm Cyl	[long] 304SS	35mm	SEHL035X	66mm
	Hook Lock 14mm throw & 66mm Cyl (Ideal for Palace & Galaxy systems)	[long] 304SS	35mm	SEHL035Z	66mm
	Hook Lock 9mm throw & 66mm Cyl	[long] 304SS	45mm	SEHL045X	66mm
 SESOHL20AL	Hook-Latch (Ideal for folding doors) 9mm throw & 66mm Cyl	[long] 304SS	25mm	SELHB025Y	66mm
	Hook-Latch (Ideal for folding doors) 9mm throw & 66mm Cyl	[long] 304SS	35mm	SELHB035Y	66mm
	Hook-Latch (Ideal for folding doors) 9mm throw & 66mm Cyl	[long] 304SS	45mm	SELHB045Y	66mm
	Manual Hook Lock 16mm & 54mm oval Cyl	304SS	16mm	SESHL016X	54mm
	Slam Hook Lock 16mm with Antilift Pin & 54mm oval Cyl	304SS	16mm	SESHL016AL	54mm
SAVI ^{AFRIQ}					
 SHL025X / 35X / 35Z	Hook Lock 7mm throw & 60mm Cyl	[long] 304SS	25mm	SHL025X	60mm
	Hook Lock 7mm throw & 66mm Cyl	[long] 304SS	25mm	SHL025X/33	66mm
	Hook Lock 7mm throw & 60mm Cyl	[long] 304SS	35mm	SHL035X	60mm
	Hook Lock 7mm throw & 66mm Cyl	[long] 304SS	35mm	SHL035X/33	66mm
	Hook Lock 14mm throw & 60mm Cyl (Ideal for Palace & Galaxy systems)	[long] 304SS	35mm	SHL035Z	60mm
	Hook Latch 9mm throw & 60mm Cyl	[long] 304SS	35mm	SLHB035Y	60mm
 SLHB035Y					

CYLINDERS

SAVI	FINISH	SIZE	CODE
 SEOCYL54  SEOCYLT54  PCT1030  PCT3030 / PCT3333 / PCT3535  PCK1030  PCK3030 / PCK3333 / PCK3535  PCK1030  PCK3030 / PCK3333 / PCK3535	SMALL OVAL CYLINDERS		
	Small Oval	Nickel Plated	54mm [27/27] SEOCYL54
	Small Oval Thumbturn	Nickel Plated	54mm [27/27] SEOCYLT54
	EURO PROFILE CYLINDERS		
	THUMB TURN CYLINDERS		
	Thumbturn Single Profile	Nickel Plated	40mm [10/30] PCT1030
	Double Profile Thumbturn	Nickel Plated	60mm [30/30] PCT3030
	Double Profile Thumbturn	Nickel Plated	66mm [33/33] PCT3333
	Double Profile Thumbturn	Nickel Plated	70mm [35/35] PCT3535
	SINGLE PROFILE CYLINDERS		
	Single Profile	Nickel Plated	40mm [10/30] PCK1030
	DOUBLE PROFILE CYLINDERS		
	Double Profile	Nickel Plated	60mm [30/30] PCK3030
	Double Profile	Nickel Plated	66mm [33/33] PCK3333
	Double Profile	Nickel Plated	70mm [35/35] PCK3535
	SAVI FEATURES		
	- ALL SAVI DOUBLE EURO PROFILE HAVE KEYED CYLINDERS ON ONE SIDE; KEYED SIDE OF DOUBLE PROFILE THUMB TURN CYLINDERS HAVE ANTI-SNAP FEATURE. - ANTI-DRILL PIN INSTALLED ON ONE SIDE OF ALL DOUBLE KEYED AND THUMBTURN EURO PROFILE CYLINDERS.		
	QS KEYED-ALIKE, MASTER-KEYED AND GRAND MASTER-KEYED CYLINDERS ARE AVAILABLE ON REQUEST. - KA CYLINDERS SUPPLIED WITH 1 KEY PER CYLINDER - MK CYLINDERS SUPPLIED WITH 2 KEYS PER CYLINDER - SPARE MASTER KEYS AVAILABLE ON REQUEST AT ADDED COST - MK CYLINDERS HAVE A LEAD TIME OF 7-14 DAYS		

LOCK ACCESSORIES

SAVI		CODE
 SPLR001 SPLR002 SPLR003 SPDL001 SAVAL001/2	SAVI Striker Plate SS304 - Latchlock - Short Lip 3mm	SPLR001
	SAVI Striker Plate SS304 - Latchlock - Long Lip 10mm	SPLR001L
	SAVI Striker Plate SS304 - Rollerlock	SPLR002
	SAVI Striker Plate SS304 - Latchlock - NO LIP	SPLR003
	SAVI Striker Plate SS304 - Dead Lock Short	SPDL001
	SAVI Striker Plate SS304 - Hook-Latch	SPLRMK800
	SAVI Antilift Pin 18mm SS304 for SEHL-X-Z	SAVAL001
	SAVI Antilift Pin 28mm SS304 for SEHL-X-Z	SAVAL002

LEVER DOOR HANDLES (ALUMINIUM)

SAVI FOX	FINISH	CODE
 FOX SPRING-LOADED	BLACK	DHSFOXB
	CHARCOAL	DHSFOXC
	BRONZE	DHSFOXD
	NATURAL	DHSFOXN
	WHITE	DHSFOXW
	SATIN SILVER	DHSFOXSS

SAVI JAKARTA	FINISH	CODE
 JAKARTA SPRING-LOADED	BLACK	DHSJAKARTAB
	CHARCOAL	DHSJAKARTAC
	BRONZE	DHSJAKARTAD
	NATURAL	DHSJAKARTAN
	WHITE	DHSJAKARTAW
	SATIN SILVER	DHSJAKARTASS

SOLID & FORMED LEVER HANDLES (STAINLESS STEEL)

SAVI [®] QS		PIERCING	FINISH	CODE
	QSLAMU	PROFILE  QS4403 [Available on Request at a Cost]	STAINLESS STEEL	QSLAMU
	QSMOLO		STAINLESS STEEL	QSMOLO
	QSSAMBAVA		STAINLESS STEEL	QSSAMBAVA

TUBE LEVER HANDLES (STAINLESS STEEL)

SAVI [®] QS		BACKPLATE	FINISH	CODE
	QSOSLO / QS4428	HANDLE SS WITH NARROW BACKPLATE 26X225MM	STAINLESS STEEL 85MM CENTRES	QSOSLO [QS4428]CYL

TUBE LEVER HANDLES (STAINLESS STEEL)

SAVI [®] QS		PIERCING		
	QSKIRUNA		QSOULU	PROFILE [Narrow Rose & Escutcheon]   
	QSOSLO			
	QSUMEA		QSUMEA	QS4427 standard rose when ordering QS4405
	QSUMEA		QSUMEA	QS4405 [Available on Request at a Cost]
	QSUMEA		QSUMEA	QS4403 [Available on Request at a Cost]

QS PRODUCTS LEAD TIME 2-5 DAYS

SAVI STAINLESS STEEL PULL HANDLES

				
	T CRANKED	CRANKED D	CRANKED C	T HANDLE
SIZE	32x150x400mm	32x1050x1500mm	32x300x332mm	32x350x382mm
CODE	SAVSS01PH	SAVSS30PH	SAVSS03PH	SAVSS04PH

			
	SEMI C	SAVI S - SHAPE	SAVI BOW
SIZE	32x350x420mm	32x400x600mm	25x400x600mm
CODE	SAVSS35PH	SAVSS40PH	SAVSS41PH

			
	MITRED-T [Offset]	MITRED-T [Offset]	MITRED-T [Offset]
SIZE	22x125x200mm	25x200x250mm	32x200x300mm
CODE	SETH125BB200	SETH200BB250	SETH200BB300

				
	MITRED-T [Offset]	MITRED-T [Offset]	CRANKED - D	MITRED - D
SIZE	25x350x400mm	32x500x600mm	19x130mm	19x130x150mm
CODE	SETH350BB400	SETH500BB600	SEDC130BB	SAVSS02PH

SAVI SS PULL HANDLES - FEATURES

- SAVI PULL HANDLES ARE MADE FROM AISI 304 STAINLESS STEEL USING A 1.2MM THICK TUBING WITH A SATIN FINISH.
- ALL OUR PULL HANDLES ARE SUPPLIED BACK TO BACK.
- ANY CRANKED OR SHAPED HANDLES HAVE THE ARMS WELDED TO THE HANDLE FOR EXTRA STRENGTH.
- 4 STAINLESS STEEL WASHERS FOR MOUNTING ARE SUPPLIED TOGETHER WITH FIXING KIT.

SAVI[®]QS STAINLESS STEEL PULL HANDLES

			
D HANDLE			
			
D 200			
SIZE	30x300x330mm	30x300x330mm	19x200mm
CODE	QS2201BTB	QS2201BoltThru	QS2204BTB

	
SQUARED	
SIZE	30X425X455mm
CODE	QS2601BTB

	
ROUND	
SIZE	25x300x325mm
CODE	QS2604BL

	
T HANDLE	
SIZE	22x125x200mm
CODE	QS2503BTB
	
T HANDLE	
SIZE	30x200x300mm
CODE	QS2506BTB
SIZE	25x350x500mm
CODE	QS2502BTB
SIZE	30x400x500mm
CODE	QS2501BTB
SIZE	30x300x400mm
CODE	QS2507BTB

			
T HANDLE			
SIZE	25x900x1070mm	30x1200x1800mm	38x2000mm
CODE	QS2508BTB	QS2509BTB	QS2510BTB

			
SQUARE SECTION			
SIZE	19x225x244mm	19x450x469mm	19x600x619mm
CODE	QS2621BTB	QS2623BTB	QS2624BTB


	
OBLONG SECTION	
SIZE	10x20x225x265mm
CODE	QS2611BTB

QS PRODUCTS LEAD TIME 2-5 DAYS

SAVI WINDOW HANDLES

SAVI		HAND	COLOUR	CODE	CASE QTY
 WH005B / W	SAVI LITE Euroline Window Handle	LEFT	BLACK	WHL005B	100
	SAVI LITE Euroline Window Handle	RIGHT	BLACK	WHR005B	100
	SAVI LITE Euroline Window Handle	LEFT	WHITE	WHL005W	100
	SAVI LITE Euroline Window Handle	RIGHT	WHITE	WHR005W	100

WINDOW HANDLE ACCESSORIES

SAVI		CODE	CASE QTY
	WINDOW SCREW SS304 FOR CASEMENT HANDLES	WSBLUNT4295PK	100

FRICTION STAYS

SAVI		SIZE	FINISH	(mm) STACK HEIGHT	(mm) VENT SIZE	MAX WEIGHT	MAX OPEN	CODE	CASE QTY (Pairs)
	TOP HUNG	200mm	SS304	13.5	300X1100	7kg	70°	FS200TH	25
	TOP HUNG	300mm	SS304	13.5	450x1100	10kg	90°	FS300TH18	25
	TOP HUNG	300mm	SS430	13.5	450x1100	10kg	90°	FS300TH430	25
	TOP HUNG	400mm	SS304	13.5	600x1100	13kg	90°	FS400TH	25
	TOP HUNG	400mm	SS430	13.5	600x1100	13kg	90°	FS400TH430	25
	SIDE HUNG [5 BAR]	300mm	SS304	13.5	1300x600	22kg	60°	FS300SH	25
	SIDE HUNG [5 BAR]	400mm	SS304	13.5	1300x700	24kg	60°	FS400SH	25

RESTRICTORS

SAVI		SIZE	FINISH	STACK HEIGHT	CODE
 RESTAY150 / 200	RESTRICTOR STAY	150mm	SS304	13.5mm	RESTAY150
	RESTRICTOR STAY	200mm	SS304	13.5mm	RESTAY200

SAVI MEASURING TAPES



SAVI	SIZE	CODE
MEASURING TAPE	3M LENGTH X 16MM WIDTH	SAVIMT3M
MEASURING TAPE	5M LENGTH X 25MM WIDTH	SAVIMT5M
MEASURING TAPE	8M LENGTH X 25MM WIDTH	SAVIMT8M
MEASURING TAPE	10M LENGTH X 25MM WIDTH	SAVIMT10M

SAVI AUTO LOCKING TAPES



SAVI	SIZE	CODE
MEASURING TAPE	8M LENGTH X 25MM WIDTH	SAVIMT8MA

SAVI TAPE MEASURE FEATURES

- ABS SHELL WITH RUBBER COVERING
- 25MM WIDE TAPE IN 5M , 8M & 10M
- DOUBLE SIDE PRINTED TAPE WITH NYLON COATING FOR ABRASION RESISTANCE
- DOUBLE CLAW END
- CE ACCURACY CERTIFIED.

PATIO & SHOWER DOOR ROLLERS

SAVI			SIZE	MAX WEIGHT	FINISH	CODE
 PDR015A	 PDR018M / PDR018S	PATIO DOOR SINGLE ROLLER	15mm	40kg/pr	Aluminium Casing	PDR015A
		PATIO DOOR SINGLE ROLLER	18mm	50kg/pr	SS304 CASING	PDR018S
		PATIO DOOR DOUBLE ROLLER	15mm	100kg/pr	SS304 CASING	PDRD15S
 PDRD15M / PDRD15S		PATIO DOOR SINGLE ROLLER	18mm	20kg/pr	Mild Steel Casing	PDR018M
		PATIO DOOR DOUBLE ROLLER	15mm	40kg/pr	Mild Steel Casing	PDRD15M
 SDR001	 SDR006	 SDR002	SHOWER DOOR ROLLER - ROUND PROFILE		Acetyl/SS304/Nylon	SDR001
			SHOWER DOOR ROLLER - SQUARE PROFILE		Acetyl/SS304/Nylon	SDR006
			SHOWER DOOR ROLLER - SQUARE PROFILE		Acetyl/SS304/Nylon	SDR005
			SHOWER DOOR ROLLER - SPIDER TYPE		Polypropylene	SDR002

SHOPFRONT SLIDING DOOR HARDWARE

SAVI			MAX WEIGHT	MATERIAL	CODE
 SSDHDN / SSDHDB	 PDRHD991ASS PDRHD991AMS	HEAVY DUTY BOTTOM ROLLER	90kg/pr	Nylon Roller	SSDHDN
		HEAVY DUTY BOTTOM ROLLER	140kg/pr	Brass Roller	SSDHDB
		HEAVY DUTY TANDEM ROLLER	50kg	SS304 BODY	PDRHD991ASS
		HEAVY DUTY TANDEM ROLLER	50kg	SS201 BODY	PDRHD991AMS

FLUSH PULLS

SAVI		MATERIAL	SIZE	FINISH	CODE
 FPH001	ALUMINIUM				
	FLUSH PULL	Aluminium	130X35mm	Natural Anodised	FPH001N
	FLUSH PULL	Aluminium	130X35mm	Mill Finish	FPH001MF
	FLUSH PULL [without holes]	Aluminium	130X35mm	Mill Finish	FPH001MF2
 SAVSS06FPH	FLUSH PULL	Aluminium	130X35mm	Black	FPH001B
	FLUSH PULL	Aluminium	130X35mm	Charcoal	FPH001C
	FLUSH PULL	Aluminium	130X35mm	Bronze	FPH001D
	FLUSH PULL	Aluminium	130X35mm	White	FPH001W
	STAINLESS STEEL				
	FLUSH PULL	Stainless Steel	120X40mm	Satin SS	SAVSS06FPH

CASEMENT WINDOW CORNER CLEATS

SAVI		FINISH	CODE	CASE QTY
 CCPLAS28 / 305 / 340	CORNER CLEAT FOR 28MM CASEMENT	Nylon	CCPLAS28	25
	CORNER CLEAT FOR 30.5MM CASEMENT	Nylon	CCPLAS305	25
	CORNER CLEAT FOR 340 CASEMENT	Nylon	CCPLAS340	25
SAVI		FINISH	CODE	CASE QTY
 OCC206 / 1 / 2 / 3	CORNER CLEAT FOR 28MM CASEMENT	Aluminium	OCC206/1	25
	CORNER CLEAT FOR 30.5MM CASEMENT	Aluminium	OCC206/2	25
	CORNER CLEAT FOR 340 CASEMENT	Aluminium	OCC206/3	25
	CORNER CLEAT FOR 38 CASEMENT	Aluminium	OCC206/4	25

WISPECO 540 ACCESSORIES

SAVI		FINISH	CODE
 SESDH02B	SLIDING DOOR LOCK WITH AUTO RELEASE	Black	SESDH02B

ALUMINIUM HINGES

SAVI		FINISH	SIZE	CODE
 RH1040	 RH2040	SINKLESS HINGE	Black	RH1040B
			Charcoal	RH1040C
			Bronze	RH1040D
			Natural	RH1040N
			White	RH1040W
 SAVPH001		SINKLESS HINGE	Black	RH2040B
			Charcoal	RH2040C
			Bronze	RH2040D
			Natural	RH2040N
			White	RH2040W
		PARLIAMENT	Black	SAVPH001B
			Charcoal	SAVPH001C
			Bronze	SAVPH001D
			Natural	SAVPH001N
			White	SAVPH001W

STAINLESS STEEL HINGES

SAVI [®] QS		SIZE	CODE
 QS4417BB	BUTT [Ball Bearing]	100X76X2mm	QS4417BB

SAVI **GEZE** OVERHEAD DOOR CLOSERS

GEZE DOOR CLOSERS

	GTS1000 (SUPPLIED WITH STANDARD ARM)	
	• EN1154 fire rated • Single Action Doors up to 950mm or 1100mm (Supplied with Offset Installation) • 5 Year warranty • Closing speed adjustable • Silver • Angle of opening 150°	
	APPLICATION	CODE
	Regular Arm	GTS1000
	GTS1500 (SUPPLIED BODY ONLY)	
	• EN1154 / CF144 fire rated • Single Action Doors up to 1100mm • 5 Year warranty • Latching and dampening action • Silver • Angle of opening 150° • H:50mm x L:170mm x D:48mm	
	APPLICATION	CODE
	Door Closer Body	GTS1500
	GTS2000VBC (SUPPLIED AS BODY ONLY)	
	• EN1154 / CF252 fire rated • Single Action Doors up to 1250mm • 5 Year warranty • Latching and dampening action • Silver • Angle of opening 150° • H:60mm x L:226mm x D:47mm	
	APPLICATION	CODE
	Door Closer Body	GTS200VBC

GEZE DOOR CLOSERS ACCESSORIES

DESCRIPTION	CODE	
GTS1500 STD ARM	GTS1500A	 GTS1500 + GTS1500SC
GTS1500 SLIDE CHANNEL	GTS1500SC	
GTS2000 STD ARM	GTS2000A	
GTS2000 SLIDE CHANNEL	GTS2000SC	

GEZE PRODUCTS LEAD TIME 2-5 DAYS

SAVI®QS OVERHEAD DOOR CLOSERS

APPLICATION	CODE	
REGULAR ARM [HINGE SIDE]	QS680	QS680 • EN1154 fire rated • Doors up to 1000mm - 80kgs • 5 Year warranty • Suitable for exterior use • Latching and dampening action • Suitable for high traffic • Angle of opening -120°
REGULAR ARM [WITH COVER]	QS680C	
		


APPLICATION	CODE	
REGULAR ARM [DESIGNER FLAT ARM] [HINGE SIDE]	QS700	QS700 • EN1154 fire rated • Doors up to 1000mm - 80kgs • 5 Year warranty • Suitable for exterior use • Latching and dampening action • Suitable for exceptionally high traffic • Delayed action for the disabled
 207mm QS700		

OVERHEAD DOOR CLOSERS

APPLICATION	CODE	
REGULAR ARM [DESIGNER FLAT] [HINGE SIDE]	QS750	 QS750
		 • EN1154 fire rated • Doors up to 1250mm - 120kgs • 5 Year warranty • Suitable for exterior use • Back check for controlled opening • Latching and dampening action • Suitable for all traffic • Variable spring strength 2-5

QS PRODUCTS LEAD TIME 2-5 DAYS


SAVI[®]QS FLOOR SPRINGS



QS860 FLOOR SPRING

- 90° hold open or non hold open
- For doors not exceeding 100kgs
- Size 1 - 2 for doors not exceeding 850mm
- 2 Valve speed control, suitable for high traffic areas
- Complete with double action fittings

APPLICATION	CODE
DOUBLE ACTION FLOOR SPRING [Non Hold Open]	QS860NHO
DOUBLE ACTION FLOOR SPRING [With 90° Hold Open]	QS860HO
SINGLE ACTION FLOOR SPRING [Non Hold Open]	QS860SNHO
SINGLE ACTION FLOOR SPRING [With 90° Hold Open]	QS860SHO






QS899V FLOOR SPRING

- EN1154 compliant
- 90° hold open or non hold open
- For doors not exceeding 200kgs
- For doors no bigger than 1200mm

DESCRIPTION	CODE
DOUBLE ACTION FLOOR SPRING [With 90° Hold Open]	QS899VHO
SINGLE ACTION FLOOR SPRING [With 90° Hold Open]	QS899VSHO






QS880 FLOOR SPRING

- EN1154 compliant
- 90° hold open or non hold open
- For doors not exceeding 150kgs
- Size 3 for doors not exceeding 950mm

APPLICATION	CODE
DOUBLE ACTION FLOOR SPRING [Non Hold Open]	QS880/3NHO
DOUBLE ACTION FLOOR SPRING [With 90° Hold Open]	QS880/3HO






QS880 FLOOR SPRING

- EN1154 compliant
- 90° hold open or non hold open
- For doors not exceeding 150kgs
- Size 4 for doors not exceeding 1050mm

APPLICATION	CODE
DOUBLE ACTION FLOOR SPRING [Non Hold Open]	QS880/4NHO
DOUBLE ACTION FLOOR SPRING [With 90° Hold Open]	QS880/4HO
SINGLE ACTION FLOOR SPRING [With 90° Hold Open]	QS880/4SHO



PIVOT SETS



QS5501



QS5502



QS8811



QS8815

APPLICATION	CODE
PIVOT SET [Weight: up to 250KG]	QS5504 [QS8811, QS8815, QS5501]
DESCRIPTION	CODE
PIVOT SET [Weight: up to 100kg]	QS5507 [QS8811, QS5502]

QS PRODUCTS LEAD TIME 2-5 DAYS

SAVI®QS STAINLESS STEEL BOLTS

SAVI®QS			SIZE	CODE
 QS4448	 QS4449	 QS4431	Barrel Bolts	100mm [straight] QS4448/100 150mm [straight] QS4448/150
	 QS4425		Cabin Hook	100mm QS4449/100 150mm QS4449/150
			Door Bolt	76mm QS4431/76 60mm QS4425/60

SAVI® FLUSH BOLTS (ALUMINIUM)

SAVI		SIZE	COLOUR	CODE
 LFBNS PACK 1	 LFB002	Spartan Flush Bolt LFB001	[stepped, with 340mm extension rod] Black Charcoal Bronze Natural White	LFB001B LFB001C LFB001D LFB001N LFB001W
		Aluminium Flush Bolt LFB002	150mm X 20mm Black Charcoal Bronze Natural White	LFB002B LFB002C LFB002D LFB002N LFB002W
 LFB004	 LFB001	Double Throw Flush Bolt LFB004 [For Folding Door] With LFBNS PACK1	Black Charcoal Bronze Natural White	LFB004B LFB004C LFB004D LFB004N LFB004W
		Flushbolt Angle Bracket Nylon Shoot For LFB004 Double Throw Flushbolt		LFBNSPK1
		Galvanised Threaded Bar 3.0m x M8		SAVTBM8


CABIN HOOKS

SAVI	SIZE	COLOUR	CODE
 SAVCH75 / 100 / 150 / 200 / 250	CABIN HOOKS	75mm SATIN CHROME	SAVCH75
		100mm SATIN CHROME	SAVCH100
		150mm SATIN CHROME	SAVCH150
		200mm SATIN CHROME	SAVCH200
		250mm SATIN CHROME	SAVCH250

DOOR STOPS & HOLDERS

SAVI®QS			APPLICATION	CODE
 SAVSS07HDS	 QS4462	 QS4426	RING PULL	Wall Mounted [72mm] QS4426
			DOOR STOP HALF ROUND MAGNETIC	QS4462
			FOOT OPERATED DOOR HOLDER	QS4461
SAVI				
 SAVSS08MDS	 SAVSS10DES	 QS4461	DOOR STOP - HALF ROUND	SAVSS07HDS
			DOOR STOP MAGNETIC	SAVSS08MDS
			DUST EXCLUDING SOCKET	SAVSS10DES

SAVI SLIDING FOLDING DOOR HARDWARE

SAVI		FINISH	COLOUR	CODE
SINKLESS 	VISTA TOP GUIDE		Aluminium with Stainless Steel Top Guide	Black (BUTT/SKL) Charcoal (BUTT/SKL) Bronze (BUTT/SKL) Natural (BUTT/SKL) White (BUTT/SKL)
				VISTA3B/SK VISTA3C/SK VISTA3D/SK VISTA3N/SK VISTA3W/SK
		VISTA INTERMEDIATE HINGE	Aluminium	Black (BUTT/SKL) Charcoal (BUTT/SKL) Bronze (BUTT/SKL) Natural (BUTT/SKL) White (BUTT/SKL)
		VISTA INTERMEDIATE HINGE WITH HANDLE	Aluminium with Mazak Handle	Black (BUTT/SKL) Charcoal (BUTT/SKL) Bronze (BUTT/SKL) Natural (BUTT/SKL) White (BUTT/SKL)
		VISTA BOTTOM ROLLER	Aluminium With Stainless Steel Roller	Black (BUTT/SKL) Charcoal (BUTT/SKL) Bronze (BUTT/SKL) Natural (BUTT/SKL) White (BUTT/SKL)
		V-Catch Spring Clip	Nylon Aluminium	Black Silver
				V-CATCH SAVSCALU


SAVI SLIDING DOOR HANDLES

SAVI		CODE
		PATIO DOOR HANDLE - BLACK
		MINI PATIO DOOR HANDLE - BLACK



SAVI PATIO DOOR ACCESSORIES

SAVI			SIZE/COLOUR	CODE		
			CONNICLE RUBBER SLIDING	70mm	DSC70	
			DOOR STOP FOR PATIO DOOR	95mm	DSC95	
			ROUND SOFT PVC DOOR STOP - BLACK	38mm	DSU02	
			PATIO DOOR CYLINDER		Brass	PDC001
			PATIO NITE LOCK		Black	PNL001B
			PATIO NITE LOCK		Bronze	PNL001D
			PATIO NITE LOCK		Natural	PNL001N
			PATIO NITE LOCK		White	PNL001W
			PATIO DOOR HANDLE E-KEEP		Black	PDHEKEEP


SAVI® FLY SCREEN MESH

SAVI®		SIZE	CODE
	INSECT SCREEN GREY STD UPVC	1mt x 30mt roll	SEFSMESHG1.0
	INSECT SCREEN GREY STD UPVC	1.2mt x 30mt roll	SEFSMESHG1.2
	INSECT SCREEN GREY STD UPVC	1.5mt x 30mt roll	SEFSMESHG1.5

SAVI® PHIFER INCORPORATED PETSCREEN/BETTERVUE

		SAVI® PHIFER INCORPORATED	SIZE	CODE
SPPSBLK1.2 / SPPSGRY1.2		PETSCREEN - BLACK	1.2mt x 30mt roll	SPPSBLK1.2
		PETSCREEN - GREY	1.2mt x 30mt roll	SPPSGRY1.2
		BETTERVUE INSECT SCREEN - BLACK	1.2mt x 30mt roll	SPBVISB1.2
		BETTERVUE INSECT SCREEN - BLACK	1.5mt x 30mt roll	SPBVISB1.5
SPBVISB1.2 / 1.5				

WOOLPILE

	SAVI	CODE
	4.8 X 5mm [GREY]	SAVWP4850
	4.8 X 6.25mm [GREY]	SAVWP48625
	4.8 X 9mm [GREY]	SAVWP4890G
	6.7 X 5mm [GREY]	SAVWP6750
	6.7 X 9mm [GREY]	SAVWP6790

[WOOLPILE SUPPLIED IN ROLLS & SOLD PER MT]

FIN WEATHERPILE

	SAVI	CODE
	4.8 X 5mm [GREY]	SAVFP4850
	6.7 X 7.5mm [GREY]	SAVFP6775


[FINPILE SUPPLIED IN ROLLS & SOLD PER MT]

BUBBLESEAL (with hard nylon base)

	SAVI	CODE
	4.8 X 5mm [BLACK-100m ROLL]	SAVBBSEAL4850
	6.7 X 5mm [BLACK-100m ROLL]	SAVBBSEAL6750
	6.7 X 6mm [BLACK-100m ROLL]	SAVBBSEAL6760
	6.7 X 6.7mm [BLACK-100m ROLL]	SAVBBSEAL6767
	6.7 X 7mm [BLACK-100m ROLL]	SAVBBSEAL6770


[BUBBLESEAL SUPPLIED IN ROLLS & SOLD PER MT]

SAVI GASKETS

	SAVI	CODE	CASE QTY
	DIE 53 BUTTERFLY	SAVGASK003	100m ROLL
	DIE 46 WEDGE	P/SAVGASK001	100m ROLL
	DIE 64 WEDGE	SAVGASK004	100m ROLL
	DIE 65 WEDGE	SAVGASK005	100m ROLL
	DIE 0007 WEDGE	SAVGASK007	100m ROLL
	VC3 BUTTERFLY	P/SAVGASK013	100m ROLL
	VW2 WEDGE	P/SAVGASK014	100m ROLL
	VW3 WEDGE	P/SAVGASK022	100m ROLL
	VW4 WEDGE	SAVGASK027	100m ROLL
	VW5 WEDGE	P/SAVGASK023	100m ROLL
	VW1 WEDGE	SAVGASKVW1	100m ROLL
	SPLINE GASKET 4.9MM [FOR FLYSCREEN]	SAVGASKSPLINE/2	100m ROLL
	YSEAL [SANTOPRENE]	SAVGASKYSEAL	100m ROLL
	BEAD	SAVBUT002	100m ROLL
	BUTTERFLY - ORANGE ORB1	PSAVGASKORB1	100m ROLL
	WEDGE - RED RDW4	PSAVGASKRDW4	100m ROLL

[GASKETS SUPPLIED & SOLD IN ROLLS]

SAVI H-GASKETS SERIES

	SAVI	CODE	CASE QTY
	H5 BACKWEDGE	SAVGASKH5	100m ROLL
	H8 BUTTERFLY	SAVGASKH8	100m ROLL
	H13 BUTTERFLY	SAVGASKH13	100m ROLL
	H19 U-CHANNEL[6.38mm glass]	SAVGASKH19	100m ROLL
	H20 BUTTERFLY	SAVGASKH20	100m ROLL
	H21 U-CHANNEL	SAVGASKH21	100m ROLL
	H23 WEDGE	SAVGASKH23	100m ROLL
	H23A WEDGE	SAVGASKH23A	100m ROLL
	H41 U-CHANNEL	SAVGASKH41	100m ROLL
	H42 WEDGE	SAVGASKH42	100m ROLL
	H62 BACKWEDGE	SAVGASKH62	100m ROLL
	H70 BUTTERFLY	SAVGASKH70	100m ROLL
	H95 WEDGE	SAVGASKH95	100m ROLL
	H97 WEDGE	SAVGASKH97	100m ROLL
	H98 BACKWEDGE	SAVGASKH98	100m ROLL
	H177 BUTTERFLY	SAVGASKH177	100m ROLL

[GASKETS SUPPLIED & SOLD IN ROLLS]

GLASS CUTTERS

	SAVI	CODE
	DIAMANTOR [GREEN HANDLE]	GCUT001
	DIAMANTOR [ALL METAL - Tungsten carbide wheel]	GCUT002

PROTECTIVE TAPE

	SAVI	WIDTH	LENGTH	COLOUR	CODE
	LOW TAC	30mm	100m ROLL	Black/White	SAVPT30BW
	MEDIUM TAC	30mm	100m ROLL	White	SAVPT30W
	MEDIUM TAC	30mm	100m ROLL	Yellow	SAVPT30Y
	LOW TAC	48mm	100m ROLL	Black/White	SAVPT48BW
	MEDIUM TAC	48mm	100m ROLL	Yellow	SAVPT48Y
	MEDIUM TAC	48mm	100m ROLL	White	SAVPT48WMT
	MEDIUM TAC	96mm	100m ROLL	Yellow	SAVPT96Y

GLAZING TAPE

	SAVI	SIZE	LENGTH	CODE
	NORTON	9 x 6.4mm	15.25m ROLL	SAVTAPEDSG
	DOUBLE SIDED	3 x 9mm	15.25m ROLL	SAVTAPEDSG3/9

DEN BRAVEN SILICONE

SAVI	SIZE	COLOUR	CODE	CASE QTY
	MULTIPURPOSE 1001LC	260ml	Black	DBMPBLK 25
		260ml	Bronze	DBMPBRZ 25
		260ml	Grey	DBMPGR 25
		260ml	Transparent	DBMPTRANS 25
		260ml	White	DBMPWHT 25
	MULTIPURPOSE 1001U	300ml	Aluminium	DBMPALUM 25
	CONSTRUCTION / NEUTRAL NO	300ml	Black	DBNOBLK 25
		300ml	Bronze	DBNOBRZ 25
		300ml	Grey	DBNOGR 25
		300ml	Transparent	DBNOCLR 25
		300ml	White	DBNOWHT 25
		300ml	Charcoal	DBNOCHA 25
	ACRYLIC SEALANT	280ml	Grey	DBACRYLGR 25
		280ml	White	DBACRYLW 25
	SPRAY	400ml		DBSPRAY 25
	STRUCTURAL GLAZING	310ml	Black	DBNST 25
	MIRRORFIX	310ml	White	DBMIRRORFIX 25



TERMS & CONDITIONS

- Prices are subject to change without prenotification.
- Orders valued at more than R3,500.00 +VAT qualify for free delivery across South Africa, at preset costs depending on location.
- Delivery charges are levied on orders valued less than R3,500.00 + VAT.
- For deliveries outside South Africa's major metros, lead times of up to 72 hours apply.
- We do not accept returns of outsourced products
- Products correctly supplied, but returned, will be subject to a 20% handling fee, plus the transport cost to return the goods to Savignac.
- Incomplete and / or altered products (machined, plated, missing screws, missing accessories, etc) returned to Savignac will not be credited and will be returned to the buyer at the buyer's expense.
- The purchaser shall have no claim of whatsoever nature in respect of defective goods, unless such a claim is lodged in writing to the seller within 30 days of the receipt of goods.
- The seller's liability in respect of any claim made for defective goods is only valid if such claim is lodged in writing to the seller within 30 days from the date of receipt of the goods.
- The seller's liability in respect of any claim made for defective goods is limited only to the replacement of such goods.
- The company's terms & conditions pertaining to online purchasing is available on Savignac's website.

SAVIEURO®

SAVIAFRIQ®

SAVI®

PHIFER
INCORPORATED

SAVI®QS

SAVI®  **schematech**
SMART APPLICATIONS

SAVI®
POWERED BY **GEZE**
CONNECTING EXPERTISE • BUILDING SOLUTIONS

OPERATING WITH **SAVI**

SAVIGNAC IS A MEMBER OF

 **AutoSpec**®
www.autospec.co.za


AAAMSA
Group

sassda®
southern africa stainless steel
development association

www.savignac.co.za

PRODUCT GUARANTEE & MAINTENANCE RECOMMENDATIONS FOR HARDWARE PRODUCTS



SAVI Premium door locks, SAVI cylinders and SAVI stainless steel pull handles are guaranteed for a period of 15 YEARS against any manufacturing defect. The rest of our products are guaranteed for a period of 5 years against any manufacturing defect. This guarantee is applicable from the time of sale of the product, our terms and conditions apply (please refer to the exclusions below). Any product that fails to function correctly as per its intended design within this period will be replaced with a new unit. The guarantee does not cover the cost of replacing the faulty unit and accompanied costs.

Any outsourced products will carry the guarantee / warranty offered by those suppliers, after the suppliers have fully assessed the returned physical products.

EXCLUSIONS:

- This guarantee does not cover general wear and tear on products, and warranty claims for wear and tear will not be valid (e.g. door rollers)
- Products such as door locks are deterrents only and are not force-proof. Products such as door locks will not be guaranteed if assessed to have been damaged in forceful situations such as burglaries
- Products must be installed by a competent installer. If we determine that products have been assessed as incorrectly installed, and / or installed in an application that the products are not intended for, they will not be covered by this guarantee
- Products will not be covered by this guarantee if we determine that they have been neglected or not serviced properly
- Products will not be covered by this guarantee if we determine that they have been damaged by misuse or abusive use or improper use

GENERAL MAINTENANCE RECOMMENDATIONS:

We recommend that any hardware product exposed to harsh environmental conditions, especially in external applications, should be cleaned regularly. For example, a door roller should be lubricated regularly (and the sliding door track kept free from sand or grit to ensure the roller's optimum performance), and an aluminium door handle should be wiped with a soft cloth on weekly basis. Where locks are concerned, we recommend spraying the internal mechanism of the lock where possible with a lubricant, such as a dry silicone spray, every 3 months.

RECOMMENDATIONS FOR THE MAINTENANCE OF STAINLESS STEEL PRODUCTS:

Stainless steel is one of the most durable metals available with its exceptional ability to resist stains, rust and corrosion. However, contrary to popular belief, even the finest alloy will suffer if not cared for. It is necessary that our stainless steel products are regularly cleaned to reduce negative impact from natural elements such as rain, wind and salt. Using a stainless steel cleaner or spray is the ideal prevention measure in this regard and is highly recommended.

Routine gentle cleaning will reward the owner with a product that retains its properties and appearance through many years.

The Southern African Stainless Steel Development Association (SASSDA) recommends as follows:-

ROUTINE CLEANING:

The best method for cleaning Stainless Steel is quite simply a light soapy warm water solution using a mild detergent (such as SUNLIGHT LIQUID®), applied with a soft cloth or synthetic sponge. Routine cleaning applied over several days will generally remove heavy soiling and staining.

DO's:

- Conduct repeated routine gentle cleaning rather than a single aggressive cleaning
- Use only household cleaners showing 'suitable for Stainless Steel'

DON'Ts:

- Do not use coarse abrasive powders
- Do not use metallic scourers
- Do not use silver or brass cleaners



SAVIGNAC
BETTER EACH DAY
BORN 1969

INLAND

PRETORIA

Unit 3/75, Silverton Business Park
354 Derdepoort Street, Silverton
T: +27 12 804 0495
E: savipta@savignac.co.za

COASTAL

CAPE TOWN

Unit 1, Everite Park
Taurus Road, Brackenfell
T: +27 21 982 2427
E: savictn@savignac.co.za

FINANCE KZN

75 Columbine Place
Ring Road Industrial Park
Durban North
T: +27 31 942 7994
E: savidbn@savignac.co.za

www.savignac.co.za

SAVIEURO®

SAVIAFRIQ®

SAVI®  **PHIFER**
INCORPORATED

SAVIQS

SAVI®  **schematech**
SMART APPLICATIONS

SAVI®
POWERED BY  **GEZE**
CONNECTING EXPERTISE • BUILDING SOLUTIONS

 **AutoSpec**®
www.autospec.co.za

 **AAAMSA**
Group

sassda®
southern africa stainless steel
development association