TECHNICAL DATA SHEETS



BalconyDrain Components of 1st Fix 75mm Side outlet Low Profile 097779

Code	Product Description		Material	Weight Kg	Measurements mm	Colour	Picture
097779	1	BalconyDrain 1st Fix 75mm Side Out Low Profile - F-BOX			75mm Ø	White	
Code	Product Description	Material	Purpose		Measurements mm	Colour	
	Main Seal Retaining Ring	itural Hostafoi	Holds the Main Seal in position		ID:100mm Ø	White / Off White	
	Main Seal	Rubber	Creates a tight seal between Flange & F- Box	0.417	ID: 95mm Ø	Black	
As Above	Protection Cover		Protects F-Box during construction. One supplied with all 1st Fixes.		120mm Ø	Red	
	Flange	irgin ABS Plast	Used for waterproofing.		OD: 256mm ID: 116mm	White	

Document No.: ESM-SAM-101 Issue Date: 26/09/2013 Approved By:

Revision No.: 0 Rev Date: N/A Page 1 of 4

TECHNICAL DATA SHEETS



WetFloor & BalconyDrain Components of 1st Fix 75mm Bottom outlet 097746

Code	Product Des	scription	Material	Weight Kg	Measurements mm	Colour	Picture
097746	BalconyDrain 1s Bottom Outle		Virgin ABS Plastic		75mm Ø	White	
Code	Product Description	Material	Purpose		Measurements mm	Colour	
	Main Seal Retaining Ring	ıtural Hostafoı	Holds the Main Seal in position		ID:100mm Ø	White / Off White	
	Main Seal	Rubber	Creates a tight seal between Flange & F- Box	0.390	ID: 95mm Ø	Black	
As Above	Protection Cover		Protects F-Box during construction. One supplied with all 1st Fixes.		120mm Ø	Red	
	Flange	irgin ABS Plast	Used for waterproofing.		OD: 256mm ID: 116mm	White	

Document No.: ESM-SAM-101

Revision No.: 0

Issue Date: 26/09/2013 Rev Date: N/A

TECHNICAL DATA SHEETS



WetFloor & BalconyDrain Components of 1st Fix 50mm Bottom outlet 097744

Code	Product Description		Material	Weight Kg	Measurements mm	Colour	Picture
097744	BalconyDrain 1st Fix 50mm Bottom Outlet - F-BOX		Virgin ABS Plastic		75mm Ø	White	
Code	Product Description	Material	Purpose		Measurements mm	Colour	
	Main Seal Retaining Ring	tural Hostafoi	Holds the Main Seal in position		ID:100mm Ø	White / Off White	
	Main Seal	Rubber	Creates a tight seal between Flange & F- Box	0.395	ID: 95mm Ø	Black	
As Above	Protection Cover	HD-PE	Protects F-Box during construction. One supplied with all 1st Fixes.		120mm Ø	Red	
	Flange	irgin ABS Plast	Used for waterproofing.		OD: 256mm ID: 116mm	White	

Rev Date: N/A

Document No.: ESM-SAM-101

Revision No.: 0

Issue Date: 26/09/2013 Approved By:

Page 3 of 4

TECHNICAL DATA SHEETS



WetFloor & BalconyDrain Components of 1st Fix 50mm Side outlet 097710

Code	Product Description		Material	Weight Kg	Measurements mm	Colour	Picture
097710	BalconyDrain 1st Fix 50mm Side Outlet - F-BOX		Virgin ABS Plastic		75mm Ø	White	
Code	Product Description	Material	Purpose		Measurements mm	Colour	
	Main Seal Retaining Ring	itural Hostafoi	Holds the Main Seal in position	0.385	ID:100mm Ø	White / Off White	
As Above	Main Seal	Rubber	Creates a tight seal between Flange & F- Box		ID: 95mm Ø	Black	
	Protection Cover	HD-PE	Protects F-Box during construction. One supplied with all 1st Fixes.		120mm Ø	Red	
	Flange	irgin ABS Plast	Used for waterproofing.		OD: 256mm ID: 116mm	White	

Document No.: ESM-SAM-101 Issue Date: 26/09/2013 Approved By:

Revision No.: 0 Rev Date: N/A