



WOODEN WINDOWS



A PROUD MEMBER OF THE SWARTLAND FAMILY

SANS613
CERTIFIED

SABS
ISO 9001





SWARTLAND WINDOWS	2
CAPE CULTURE WINDOWS	4
WINSTERS WINDOWS	21
KAYO WINDOWS	38
WINDOW INSTALLATION	40

SANS613 CERTIFIED

Windows are SANS 613 certified.
(Mechanical Performance Criteria).

CUSTOM-MADE

When ordering a non-standard product,
please take lead time, cost implications
and purpose-made guidelines into account.

For details visit www.swartland.co.za

SUSTAINABILITY IS DEEPLY INGRAINED

We pride ourselves on our integrity and insist that
our natural resources be utilised in a sustainable way.

After all, we're thinking long-term.

IN THE FOREST

Managed responsibly, wood is a renewable
resource. We give preference to responsible loggers
and use plantation-grown timber where possible. Our
staff carefully monitor the harvesting process on-site.

IN THE FACTORY

We're committed to reducing waste. Our recycling
programme uses excess wood chips to fuel the boilers that
kiln-dry our wood, while our air-management system
dramatically reduces harmful emissions.

IN THE HOME

Composite gaskets in all windows and selected
doors improve your home's thermal performance.

Est.  1951

SWARTLAND

WINDOWS AND DOORS

Swartland offers three ranges of wooden windows to suit your application and budget.

All windows are made our world-class manufacturing standards, and all ranges are leaders in their class.

Selected windows are SANS 613 certified and approved.

SANS613
CERTIFIED

CAPE CULTURE

WHEN ONLY THE BEST WILL DO



Our CAPE CULTURE range features our flagship products. All these products represent the very best of Swartland in terms of quality and guarantees.

STYLES: Sliding Sash, Mock Sash, Top Hung, Horizontal Gliding, Full Pane, Small Pane.

WINSTERS

QUALITY YOU CAN AFFORD



Our WINSTERS range is our most popular range, providing features that allow the customer to experience Swartland quality at a competitive price.

STYLES: Full Pane, Small Pane, Mock Sash, Top Hung.

KAYO

VALUE FOR MONEY



Our KAYO range offers customers with a limited budget access to Swartland's world-class standards at an affordable price.

STYLES: Full Pane, Small Pane, Top Hung.



THE MOST
energy
efficient
TESTED
WINDOW IN SA

ONLY AVAILABLE IN


READY - 2 - FIT
PRE-SEALED, PRE-GLAZED - RANGE FOR INSTALLERS

INCREASED ENERGY
EFFICIENCY
COMPOSITE GASKETS


Espagnolette Lock
Multiple locking mechanism
enhances security and ensures
a snug, draft-free fit.



Thumb-release Handle
Stainless steel, available
in a chrome finish.



Double Glazing
20mm double-glazing pack consists of a 4mm
clear glass on both sides and 12mm spacer.
(Only available in the Supreme range)



Composite Gaskets
Form an air-lock
between frame
and casement,
which improves
insulation.

Thicker Wood Sections
Improve the thermal
and security properties
of the window.



5-bar Friction Hinge
Specifically
designed to
handle the
extra glass and
thicker frame.

INCREASED THERMAL
PERFORMANCE



For detailed product specifications please
visit www.swartland.co.za

WINDOWS IN THIS RANGE ARE

SANS613
CERTIFIED

SLIDING SASH

Now
SANS 613
Approved

OUTER FRAME SECTION

147mm
x
68mm



SASH FRAME SECTION

54mm x 43mm
Mortise and
tenon solid
wood section

SLIDING SASH HARDWARE



Nylon pulley
mechanism and
synthetic rope
for a smooth
sliding action



Solid brass
sash fastener

Axle pulley
and composite brass
face plate



Solid brass
sash lift

MOCK SASH

BOX MOCK

Sinkless
butt hinge

OUTER FRAME SECTION

107mm
x
68mm



CAPE MOCK

Mortise
and
tenon
joint
adds
stability

OPENER FRAME SECTION

54mm
x
43mm



OUTER FRAME SECTION

92mm
x
40mm

Water drip

OUTER FRAME SECTION

68mm
x
44mm

OPENER FRAME SECTION

54mm
x
43mm



Excellent in
rainy areas –
you can leave
them open for
ventilation
without allowing
the rain in.

For detailed product specifications please
visit www.swartland.co.za

HORIZONTAL GLIDING

new
and improved
DESIGN

OUTER FRAME SECTION

89mm
x
40mm

SLIDER FRAME SECTION

105mm
x
40mm



As viewed from the outside.

GLIDING WINDOW HARDWARE



Single-wheel
roller

T-rail bottom track



Cylinder hook
locking mechanism



Solid brass
flush pull handle

FULL PANE

SMALL PANE

Water drip

OUTER FRAME SECTION

68mm
x
44mm

OPENER FRAME SECTION

54mm
x
43mm



CAPE CULTURE WINDOW HARDWARE




Sinkless butt hinge
in **solid brass**



Solid brass
casement handle
and fastener



4-bar stainless-steel hinge




Composite
gaskets
standard all
round

Fanlight **solid brass**
peg stay on sash



WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

CAPE DUTCH



READY - 2 - FIT
PRE SEALED, PRE-GLAZED - RANGE FOR INSTALLERS


Cape Culture is available in our Ready-2-Fit range.

Ready-2-Fit windows and doors are sealed with water-based Maxicare, to guarantee ongoing low maintenance.




Ready-to-Fit is available in three stunning wood tints as well as in white.

VICTORIAN



PLEASE NOTE: Windows in this catalogue are shown in an unfinished, raw-wood stage - ready to be finished in the Maxicare colour of your choice.

FULL GLASS



Figures in brackets indicate estimated glass area. As viewed from the outside.

Louvre shutters are available for these windows.

WINDOWS IN THIS RANGE ARE

SANS613
CERTIFIED

Louvre shutters are available for these windows.



	1182	1482	1782	2082
892	 <p>SGW1290L/R (0,542)</p>	 <p>SGW1590L/R (0,735)</p>	 <p>SGW1890L/R (0,929)</p>	 <p>SGW2190L/R (1,122)</p>
1192	 <p>SGW1212L/R (0,794)</p>	 <p>SGW1512L/R (1,077)</p>	 <p>SGW1812L/R (1,361)</p>	 <p>SGW2112L/R (1,644)</p>
1492	 <p>SGW1215L/R (1,046)</p>	 <p>SGW1515L/R (1,419)</p>	 <p>SGW1815L/R (1,793)</p>	 <p>SGW2115L/R (2,166)</p>

Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.

For detailed product specifications please
visit www.swartland.co.za

CAPE DUTCH



SMS1CD
(0,497)



SMS3CD
(1,072)




SMS2.5CD
(0,670)



SMS1.5CD
(0,335)




SMS2CD
(0,652)



SMS4CD
(1,231)



SMS5CD
(1,461)



SMS6CD
(1,663)



SMS7CD
(0,54)



SMS8CD
(0,320)

VICTORIAN



SMS1VIC
(0,512)



SMS3VIC
(1,099)




SMS2.5VIC
(0,696)




SMS1.5VIC
(0,348)




SMS2VIC
(0,673)



SMS4VIC
(1,264)



SMS5VIC
(1,487)



SMS6VIC
(1,722)



SMS7VIC
(0,54)




SMS8VIC
(0,320)

FULL GLASS



SMS1FG
(0,512)



SMS3FG
(1,099)




SMS2.5FG
(0,696)




SMS1.5FG
(0,348)




SMS2FG
(0,673)



SMS4FG
(1,264)



SMS5FG
(1,487)



SMS6FG
(1,722)



SMS7FG
(0,55)













SMS8FG
(0,325)

Figures in brackets indicate estimated glass area.
As viewed from the outside.











WINDOWS IN THIS RANGE ARE

SANS613
CERTIFIED











CAPE DUTCH

 STMS1CD (0,497)	 STMS3CD (1,072)	 STMS2.5CD (0,670)	 STMS1.5CD (0,335)	 STMS2CD (0,652)
 STMS4CD (1,231)	 STMS5CD (1,461)	 STMS6CD (1,663)	 STMS7CD (0,540)	 STMS8CD (0,320)

VICTORIAN

 STMS1VIC (0,512)	 STMS3VIC (1,099)	 STMS2.5VIC (0,696)	 STMS1.5VIC (0,348)	 STMS2VIC (0,673)
 STMS4VIC (1,264)	 STMS5VIC (1,487)	 STMS6VIC (1,722)	 STMS7VIC (0,540)	 STMS8VIC (0,320)

FULL GLASS

 STMS1FG (0,512)	 STMS3FG (1,099)	 STMS2.5FG (0,696)	 STMS1.5FG (0,348)	 STMS2FG (0,673)
 STMS4FG (1,264)	 STMS5FG (1,487)	 STMS6FG (1,722)	 STMS7FG (0,550)	 STMS8FG (0,325)

READY - 2 - FIT

PRE-SEALED, PRE-GLAZED - RANGE FOR INSTALLERS

Here are a few reasons to choose Ready-2-Fit:

Coating = extra durability

Quick, trouble-free installation

Improves build quality with no extra costs

Validates the guarantee

Eco-friendly and energy-efficient


Constant testing ensures compliance with new building regulations and the CPA

GABLE LOUVRES

Available on request.



GL1
350mm (W)
600mm (H)














GL2
500mm (W)
800mm (H)

Figures in brackets indicate estimated glass area.
As viewed from the outside.

WINDOWS IN THIS RANGE ARE









































SANS613
CERTIFIED

	544	1044	1044	1544	2044
900	 SC1L/R (0,303)	 SC2L/R (0,704)	 SC22 (0,606)	 SC3 (1,003)	 SC4 (1,423)
900	 SC1F (0,335)	 SC2FL (0,638)	 SC2FR (0,638)	 SC3F (0,941)	 SC4F (1,315)
1200	 SB1L/R (0,424)	 SB2L/R (0,969)	 SB22 (0,849)	 SB3 (1,393)	 SB4 (1,955)
1200	 SB1F (0,481)	 SB2FL (0,906)	 SB2FR (0,906)	 SB3F (1,330)	 SB4F (1,848)
1500	 SA1L/R (0,544)	 SA2L/R (1,239)	 SA22 (1,088)	 SA3 (1,769)	 SA4 (2,494)
1500	 SA1F (0,620)	 SA2FL (1,163)	 SA2FR (1,163)	 SA3F (1,707)	 SA4F (2,381)
1800	 SA61L/R (0,678)	 SA62L/R (1,501)	 SA622 (1,356)	 SA63 (2,180)	 SA64 (1,037)

Cape Culture Full Pane designs are also available in the SUPREME range.
Refer to page 4.













Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.
















WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED





	544	1044	1044	1544	2044
600	 SD1SP (0,174)	 SD2SP L/R (0,348)	 SD22SP (0,348)	 SD3SP (0,521)	 SD4SP (0,695)
900	 SC1SP L/R (0,400)	 SC2SP L/R (0,599)	 SC22SP (0,574)	 SC3SP (0,886)	 SC4SP (1,197)
900	 SC1FSP (0,268)	 SC2FSPL (0,556)	 SC2FSPR (0,556)	 SC3FSP (0,842)	 SC4FSP (1,110)
1200	 SB1SPL/R (0,402)	 SB2SPL/R (0,801)	 SB22SP (0,801)	 SB3SP (1,232)	 SB4SP (1,663)
1200	 SB1FSP (0,388)	 SB2FSPL (0,788)	 SB2FSPR (0,788)	 SB3FSP (1,188)	 SB4FSP (1,576)
1500	 SA1SPL/R (0,514)	 SA2SPL/R (1,065)	 SA22SP (1,027)	 SA3SP (1,578)	 SA4SP (2,130)
1500	 SA1FSP (0,507)	 SA2FSPL (1,011)	 SA2FSPR (1,011)	 SA3FSP (1,535)	 SA4FSP (2,042)
1800	 SA61SPL/R (0,603)	 SA62SPL/R (1,243)	 SA622SP (1,205)	 SA63SP (1,845)	 SA64SP (2,485)

Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

900	1755
 SD1V (0,344)	 SD2VL/R (0,7910)
 SE1V (0,578)	 SE2VL/R (1,275)
 SF1VV (1,689)	 SF1VVL/R (1,599)
 SF1V (0,791)	 SF2VL/R (1,701)
 SG1VV (1,135)	 SG2VVL/R (2,505)
 SH1VV (1,444)	 SH2VVL/R (3,127)

1044	1544	2044
 SD2L/R (0,440) for two top openers SD22W (0,366)	 SD3 (0,623)	 SD4 (0,890)
 SE2L/R (0,718)	 SE3L/R (1,136)	 SE4 (1,453)
 SF2L/R (0,889)	 SF3L/R (1,434)	 SF4 (1,800)
 SG2L/R (1,211)	 SG3L/R (1,928)	 SG4 (2,450)
 SH2L/R (1,584)	 SH3L/R (2,775)	 SH4 (3,575)

544	544
 SD1 (0,183)	 SF1 (0,366)
 SE1 (0,317)	 SG1 (0,522)

544



PLEASE NOTE:

Windows in this catalogue are shown in an unfinished, raw wood stage - ready to be finished in the Maxicare colour of your choice.



Figures in brackets indicate estimated glass area. As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

FULL PANE

Water drip



45° sash
finger joint
for added
strength

**OUTER
FRAME
SECTION**


56mm
x
40mm

**OPENER
FRAME
SECTION**

40mm
x
32mm

SMALL PANE

Water drip



**OUTER
FRAME
SECTION**

56mm
x
40mm

**OPENER
FRAME
SECTION**

40mm
x
32mm

MOCK SASH

SASH
Mortise
and tenon
solid wood
frame



DPC groove

**OUTER
FRAME
SECTION**

68mm
x
40mm

**OPENER
FRAME
SECTION**

40mm
x
32mm

TOP HUNG

Water drip



**OUTER
FRAME
SECTION**

56mm
x
40mm

**OPENER
FRAME
SECTION**

40mm
x
32mm

WINSTERS WINDOW HARDWARE

Solid brass
casement handle
and fastener.



Composite gaskets
standard all round

WINSTERS WINDOW HARDWARE



Solid brass
fanlight stay



4-bar passivated
mild steel hinge



VICTORIAN

CAPE DUTCH

<p>691</p> <p>1105</p> <p>WMS1V (0,499)</p>	<p>691</p> <p>805</p> <p>WMS1.5V (0,335)</p>	<p>791</p> <p>1205</p> <p>WMS2V (0,653)</p>	<p>691</p> <p>1105</p> <p>WMS1C (0,481)</p>	<p>691</p> <p>805</p> <p>WMS1.5C (0,336)</p>	<p>791</p> <p>1205</p> <p>WMS2C (0,630)</p>
<p>1342</p> <p>805</p> <p>WMS2.5V (0,670)</p>	<p>991</p> <p>1455</p> <p>WMS3V (1,067)</p>	<p>991</p> <p>1655</p> <p>WMS4V (1,220)</p>	<p>1342</p> <p>805</p> <p>WMS2.5C (0,641)</p>	<p>991</p> <p>1455</p> <p>WMS3C (1,040)</p>	<p>991</p> <p>1655</p> <p>WMS4C (1,218)</p>
<p>1141</p> <p>1655</p> <p>WMS5V (1,455)</p>	<p>1141</p> <p>1905</p> <p>WMS6V (1,676)</p>		<p>1141</p> <p>1655</p> <p>WMS5C (1,437)</p>	<p>1141</p> <p>1905</p> <p>WMS6C (1,646)</p>	

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE

SANS613
CERTIFIED

READY - 2 - FIT

PRE-SEALED, PRE-GLAZED - RANGE FOR INSTALLERS

Winsters is available in our new Ready-2-Fit range.

Ready-2-Fit windows and doors are sealed with water-based Maxicare, to guarantee ongoing low maintenance.



Ready-to-Fit is available in three stunning wood tints as well as in white.



PLEASE NOTE: Windows in this catalogue are shown in an unfinished, raw-wood stage - ready to be finished in the Maxicare colour of your choice.

	584	1128	1128	1672	GUARANTEE
342	 WE1/345 (0,099)	 WE2/345L (0,248)	 WE2/345R (0,248)	 WE3/345 (0,347)	
584	 WD1 (0,215)	 WD2L (0,496)	 WD2R (0,496)	 WD3 (0,711)	
886	 WC1F (0,383)	 WC2FL (0,740)	 WC2FR (0,740)	 WC3F (1,096)	
1187	 WB1F (0,542)	 WB2FL (1,038)	 WB2FR (1,038)	 WB3F (1,534)	
1487	 WA1F (0,701)	 WA2FL (1,336)	 WA2FR (1,336)	 WA3F (1,971)	
	2216	1128	2216		
1187	 WB4F (1,993)	 WE22/345 (0,199)	 WE4/345 (0,501)		
		584			
		 WD22 (0,431)	 WD4 (1,008)		
1487	 WA4F (2,713)		 WC4F (1,471)		




































Figures in brackets indicate estimated glass area.
When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

	584	1128	1128	1128	1672
886	 WC1L/R (0,357)	 WC2L (0,799)	 WC2R (0,799)	 WC22 (0,714)	 WC3 (1,156)
1187	 WB1L/R (0,496)	 WB2L (1,098)	 WB2R (1,098)	 WB22 (0,992)	 WB3 (1,594)
1487	 WA1L/R (0,635)	 WA2L (1,369)	 WA2R (1,396)	 WA22 (1,270)	 WA3 (2,031)
1832	 WA1/1.8L/R (0,784)	 WA2/1.8L (1,693)	 WA2/1.8R (1,693)	 WA22/1.8 (1,567)	 WA3/1.8 (2,328)
	2216			2216	
886	 WC4 (1,615)			 WB4 (2,218)	
1487	 WA4 (2,820)			 WA4/1.8 (3,265)	

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

	584	1128	1128	1672	2216
342	 WE1SP/345 (0,098)	 WE2SP/345L (0,207)	 WE2SP/345R (0,207)	 WE3SP/345 (0,294)	 WE4SP/345 (0,392)
584	 WD1SP (0,212)	 WD2SPL (0,423)	 WD2SPR (0,423)	 WD3SP (0,635)	 WD4SP (0,846)
886	 WC1FSP (0,310)	 WC2FSPL (0,655)	 WC2FSPR (0,655)	 WC3FSP (1,001)	 WC4FSP (1,213)
1187	 WB1FSP (0,444)	 WB2FSPL (0,924)	 WB2FSPR (0,924)	 WB3FSP (1,404)	 WB4FSP (1,848)
1487	 WA1FSP (0,578)	 WA2FSPL (1,192)	 WA2FSPR (1,192)	 WA3FSP (1,806)	 WA4FSP (2,286)
886	 WC1SPL/R (0,364)	 WC2SPL (0,692)	 WC2SPR (0,692)	 WC3SP (1,037)	 WC4SP (1,383)
1187	 WB1SPL/R (0,480)	 WB2SPL (0,960)	 WB2SPR (0,960)	 WB3SP (1,440)	 WB4SP (1,920)

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

WINSTERS SMALL PANE		WINSTERS SMALL PANE	
1128	1128	584	1672
<div>342</div> <div>WE22SP/345</div> <div>(0,196)</div>	<div>584</div> <div>WD22SP</div> <div>(0,423)</div>	<div>1487</div> <div>WA1SPL/R</div> <div>(0,614)</div>	<div>1487</div> <div>WA3SP</div> <div>(1,843)</div>
<div>886</div> <div>WC22SP</div> <div>(0,692)</div>	<div>1187</div> <div>WB22SP</div> <div>(0,960)</div>		
<div>1487</div> <div>WA22SP</div> <div>(1,228)</div>	<div>1487</div> <div>WA2SPL</div> <div>(8,478)</div>	<div>1832</div> <div>WA1SP/1.8L/R</div> <div>(0,712)</div>	<div>1832</div> <div>WA3SP/1.8</div> <div>(2,137)</div>
<div>1487</div> <div>WA2SPR</div> <div>(8,478)</div>	<div>1832</div> <div>WA22SP/1.8</div> <div>(1,424)</div>	2216	
		<div>1487</div> <div>WA4SP</div> <div>(2,457)</div>	
<div>1832</div> <div>WA2SP/1.8L</div> <div>(1,424)</div>	<div>1832</div> <div>WA2SP/1.8R</div> <div>(1,424)</div>	<div>1832</div> <div>WA4SP/1.8</div> <div>(2,849)</div>	

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE

READY - 2 - FIT
PRE-SEALED, PRE-GLAZED - RANGE FOR INSTALLERS

Here are
a few reasons
to choose
Ready-2-Fit:

Coating = extra
durability

Quick, trouble-free
installation

Improves build
quality with no
extra costs

Validates the
guarantee

Eco-friendly and
energy-efficient

Constant
testing ensures
compliance
with new building
regulations
and the CPA

Ready-to-Fit
is available in
three stunning
wood tints as well
as in white.



PLEASE NOTE:
Windows in this
catalogue are
shown in an
unfinished,
raw-wood stage -
ready to be
finished in the
Maxicare colour
of your choice.

584 887 MC1 (0,358)	584 887 MC1VB (0,358)	584 886 WR1 (0,365)
1128 1128 WS1 (0,431)	584 1487 MA6 (0,679)	584 1487 MA6VB (0,679)
584 1487 WT1 (0,607)	584 1697 WU1 (0,716)	584 1787 MJ6 (0,828)
584 1787 MJ6VB (0,828)	584 2087 WK1D (0,913)	937 2087 WK1 (1,561)
937 584 WE1 (0,380)	937 887 MC9 (0,630)	937 887 MC9VB (0,630)
937 886 WF1 (0,714)	937 1128 WG1 (0,846)	937 1128 WH1 (0,760)
937 1487 WI1 (1,054)	937 1487 MA9VB (1,250)	937 1487 MA9 (1,250)

1128 886 WR2L (0,806)	1672 886 WR3L (1,265)	1672 886 WR3R (1,265)
1128 886 WR2R (0,806)	1500 1128 WH1.5L (1,327)	1500 1128 WH1.5L/R (1,327)
1128 1128 WS2L (1,003)	1500 1487 WI1.5L (1,810)	1500 1487 WI1.5R (1,810)
1128 1128 WS2R (1,003)	1672 1128 WS3L (1,597)	1672 1128 WS3R (1,597)
1128 1487 WT2L (1,367)	1672 1487 WT3L (2,156)	1672 1487 WT3R (2,156)
1128 1487 WT2R (1,367)	1672 1487 WT2/WT1 (1,965)	1672 886 WR33 (1,176)
1834 1128 WS22 (1,755)	1834 1487 WT22 (2,183)	
2216 1487 WT33 (2,736)	937 1697 WJ1 (1,235)	

Figures in brackets indicate estimated glass area. As viewed from the outside. When ordering, please indicate left-hand or right-hand opening.

WINDOWS IN THIS RANGE ARE


SANS613
CERTIFIED



WE2L
(0,846)



WE2R
(0,846)



WE3L
(1,058)




WE3R
(1,058)



WF2L
(1,783)




WF2R
(1,783)




WF3L
(1,783)



WF3R
(1,783)




WG2L
(0,797)




WG2R
(0,797)




WG3L
(2,229)



WG3R
(2,229)




WH2L
(1,710)




WH2R
(1,710)




WH3L
(2,142)



WH3R
(2,142)




WI2L
(2,299)




WI2R
(2,299)




WI3L
(2,843)




WI3R
(2,843)




WJ2L
(2,682)




WJ2R
(2,682)




WJ3L
(3,011)




WJ3R
(3,011)




WK2L
(3,342)



WK2R
(3,342)



WK3L
(3,961)



WK3R
(3,961)



















WR4
(1,304)



















WJ2/WJ1
(3,888)

Figures in brackets indicate estimated glass area.
As viewed from the outside.










WINDOWS IN THIS RANGE ARE **SANS613** CERTIFIED

	568	1112	1656
568	 KD1	 KD2L/R	 KD3
870	 KC1L/R	 KC2L/R	 KC3
870	 KC1F	 KC2FL/R	 KC3F
870		 KC22	
1171	 KB1L/R	 KB2L/R	 KB3
1171		 KB22	 KB3F
1171		 KB2FL/R	

	568	1112	1656
568	 KD1SP	 KD2SPL/R	 KD3SP
870	 KC1SPL/R	 KC2SPL/R	 KC3SP
870	 KC1FSP	 KC2FSPL/R	 KC3FSP
870		 KC22SP	
1171	 KB1SPL/R	 KB2SPL/R	 KB3SP
1171		 KB22SP	 KB3FSP
1171		 KB2FSPL/R	



As viewed from the outside.
When ordering, please indicate left-hand or right-hand opening

WINDOWS IN THIS RANGE ARE **SANS613**
CERTIFIED

	568	568	568
326			
	PNKYW1210		
568			
	PNKYW1110	PNKYW1410	
808			
	PNKYW1660	PNKYW1310	PNKYW1610
	1112	1112	1112
808			
	PNKYW1670	PNKYW1320	PNKYW1620

WINDOW INSTALLATION

It's important to install wooden windows correctly to ensure the validity of your guarantee. Prepare by securing the window frame level and square in position, using wedges if needed.




After plasterwork, finish joints with water-resistant sealant.

FINISH UNDER FRAME

We go to great lengths to seal our products thoroughly.

Even though MAXICARE contains anti-fungal agents, to limit dry rot please ensure you adhere to the installation guidelines.

More information at
www.swartland.co.za





SWARTLAND

The Swartland story began back in 1951 with Oupa Hanekom in the small town of Moorreesburg - a few wheat fields north of Cape Town.

When his son, Oom Jurgens, took over the reins, he introduced his personal philosophy of “continuous improvement” to the business.

Today under the leadership of Jurie, James and Hans Hanekom, this desire to improve constantly is an integral part of the Swartland culture. It's a place where traditional values such as hard work and pride live in harmony with new technology and inspired ideas.

The results speak for themselves: our products are crafted to perfection, manufactured to last and backed by knowledgeable national sales and service teams.

National Call Centre: 0861 10 24 25

SANS613
CERTIFIED



SABS
ISO 9001

www.swartland.co.za

HEAD OFFICE: 0861 10 24 25

Cape Town: 0861 10 24 25 **Johannesburg:** 0861 10 24 25

Durban: 0861 10 24 25 **Port Elizabeth:** 041 487 1342

East London: 043 745 0410 **George:** 044 874 5642

Namibia: 00 264 612 49558

THE SWARTLAND FAMILY OF BRANDS



Feb 2019

The information contained in this catalogue was accurate at the time of going to print. However, Swartland Investments (Pty) Ltd reserves the right to change product designs and specifications in line with our continuous development programme.

TERMS AND CONDITIONS APPLY. SEE GUARANTEE CERTIFICATE FOR DETAILS.