



BLUMOTION for METABOX

Technical data sheet

BLUMOTION for METABOX



BLUMOTION soft close

BLUMOTION brings silent and effortless closing action to METABOX

Now you can also use the tried and tested BLUMOTION function with METABOX: Ensuring that drawers and pull-outs always close silently and effortlessly – independent of the closing force or the weight of storage items.

A new, and purpose built variation of BLUMOTION has been developed for single extension METABOX. With a maximum load of 25KG, BLUMOTION has been perfectly engineered to give excellent dampening whilst minimising

opening forces required. Incredibly practical and economical, you only need one unit up to a unit width of 900mm



BLUMOTION for METABOX


Product




Description

- BLUMOTION for METABOX
- Only for single extension
- 25kg dyn. carrying capacity
- Minimal opening force required despite the high dampening power
- Only one BLUMOTION unit required up to cabinet width 900 mm

Order specification




1 	BLUMOTION for METABOX with latch		
	Pre-mounted left		Nylon
	BLUMOTION housing white grey		
			Part number
	Latch cream (CW), recommended for drawer sides in cream (RAL 9001)	1 pce.	Z70.0320
	Latch white grey (WGR), recommended for drawer sides in white grey	1 pce.	Z70.0320
	Latch white (W), recommended for drawer sides in white	1 pce.	Z70.0320

BLUMOTION for METABOX

Planning

Space requirements in cabinet



*+ 2 mm with BLUMOTION *+ 3 mm with BLUMOTION with inner drawer


BLUMOTION for METABOX

Planning


Fixing position for BLUMOTION left

Only one BLUMOTION unit required up to cabinet width 900 mm

N	54
M	86
K	118
H	150



Latch fixing position



Assembly

Unattached BLUMOTION unit for assembly to the right cabinet side

Assembly of a second BLUMOTION unit for the right cabinet side is optional for wide fronts

