




**G\*GRASS®**

**MOVEMENT SYSTEMS  
FITTINGS AND ACCESSORIES**



We are where our customers are.  
Because we see customer proximity as  
an expression of our company culture.

**G\*GRASS®**






#### GRASS SOUTH AFRICA.

This catalogue consists of some products not produced by GRASS, but distributed and supplies by GRASS ZA.

**G\*GRASS®**

A globally successful group of companies, a fresh brand with tradition and an extraordinary diversity of perspectives – that's GRASS in a nutshell. With sales revenues of 391 million euros in the financial year 2019, over 1,900 employees at 18 locations and more than 200 distributors in 60 countries, GRASS ranks among the world's leading specialists in movement systems.

For further information on GRASS products refer to our International catalogue – [www.grass.at](http://www.grass.at)



| INDEX                                                 | PAGE    |
|-------------------------------------------------------|---------|
| VIONARO DRAWER SYSTEM                                 | 4       |
| NOVA PRO DRAWER SYSTEM                                | 5       |
| DWD XP DRAWER SYSTEM                                  | 6       |
| DYNAMOOV/DYNAPRO DRAWER SYSTEM                        | 7       |
| DYNAPRO BASE MOUNT DRAWER SYSTEM                      | 8       |
| INTEGRA DRAWER SYSTEM                                 | 9       |
| KINVARO FLAP-UP/FLAP-DOWN SYSTEMS                     | 10 - 12 |
| TIOMOS HIDDEN HINGE                                   | 13      |
| TIOMOS M SERIES HINGE                                 | 14      |
| TIOMOS HINGE SOFT-CLOSE                               | 15 - 16 |
| NEXIS CLICK-ON HINGE                                  | 17 - 18 |
| NEXIS SLIDE-ON HINGE                                  | 19 - 20 |
| OMNI CLICK-ON HINGE SOFT-CLOSE                        | 21 - 22 |
| OMNI CLICK-ON/SLIDE-ON HINGE                          | 23 - 24 |
| OMNI TIPMATIC/SOFT-CLOSE ACTIVATOR                    | 25      |
| OMNI SLIDE SYSTEMS                                    | 26      |
| ORGANISING SYSTEMS - TAVINEA SORTO/TAVINEA OPTIMA     | 27 - 30 |
| CUTLERY INSERTS                                       | 31      |
| RUBBER MATTING                                        | 32      |
| HANDLE PROFILES                                       | 33 - 35 |
| VCUBE AND VWALL                                       | 36 - 38 |
| DISPLAY WINE SYSTEMS                                  | 39 - 44 |
| SIGE LARDER PULL-OUT                                  | 45 - 46 |
| SIGE PULL-OUT SHELF                                   | 47      |
| SIGE ROTATION CORNER                                  | 48      |
| SIGE PULL-OUT CORNER                                  | 49      |
| SIGE PULL-OUT BASE 150 MM AND 300 MM                  | 50 - 51 |
| ACCESSORIES FOR NOVA PRO DRAWERS                      | 52      |
| SIGE RECYCLE BINS                                     | 53 - 54 |
| SIGE WASTE BINS                                       | 55      |
| ITALIANA FERRAMENTA PUSH TO OPEN / LIBRA H11 / K-LINE | 56 - 58 |
| OMNI ACCESSORIES                                      | 59 - 62 |
| OMNI KNOCK DOWN FITTINGS                              | 63 - 64 |



| DEPTH | HEIGHT |       |        |        |        | COLOUR   |
|-------|--------|-------|--------|--------|--------|----------|
|       | 63 MM  | 89 MM | 121 MM | 185 MM | 249 MM |          |
| 270   | -      | ■     | -      | -      | -      | GRAPHITE |
| 350   | -      | ■     | ■      | ■      | -      | GRAPHITE |
| 400   | -      | ■     | ■      | ■      | -      | GRAPHITE |
| 450   | ■      | ■     | ■      | ■      | ■      | GRAPHITE |
| 500   | ■      | ■     | ■      | ■      | ■      | GRAPHITE |



| DEPTH | HEIGHT |       |        |        |        | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|
|       | 63 MM  | 89 MM | 121 MM | 185 MM | 249 MM |        |
| 270   | -      | ■     | -      | -      | -      | WHITE  |
| 350   | -      | ■     | ■      | ■      | -      | WHITE  |
| 400   | -      | ■     | ■      | ■      | -      | WHITE  |
| 450   | ■      | ■     | ■      | ■      | ■      | WHITE  |
| 500   | ■      | ■     | ■      | ■      | ■      | WHITE  |



| DEPTH | HEIGHT |       |        |        |        | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|
|       | 63 MM  | 89 MM | 121 MM | 185 MM | 249 MM |        |
| 400   | -      | ■     | -      | -      | -      | SILVER |
| 450   | -      | ■     | -      | ■      | -      | SILVER |
| 500   | -      | ■     | -      | ■      | -      | SILVER |

**FEATURES:** Slim 13 mm drawer side  
4D Adjustment  
90° straight interior and exterior sides

Tool free front assembly  
Available in 3 colours  
Available in 5 heights

Available in 40 kg and 70 kg  
Fully synchronized slides  
Can use same dynapro runner for wooden box and metal sides





| DEPTH | HEIGHT |       |        |        |        |        | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|--------|
|       | 63 MM  | 90 MM | 122 MM | 140 MM | 186 MM | 250 MM |        |
| 270   | -      | ■     | -      | -      | -      |        | STONE  |
| 300   | -      | ■     | -      | -      | ■      |        | STONE  |
| 350   | -      | ■     | -      | -      | ■      |        | STONE  |
| 400   | ■      | ■     | -      | -      | ■      |        | STONE  |
| 450   | ■      | ■     | ■      | -      | ■      |        | STONE  |
| 500   | ■      | ■     | ■      | ■      | ■      | ■      | STONE  |
| 550   | -      | ■     | ■      |        | ■      | ■      | STONE  |



| DEPTH | HEIGHT |       |        |        |        |        | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|--------|
|       | 63 MM  | 90 MM | 122 MM | 140 MM | 186 MM | 250 MM |        |
| 270   | -      | ■     | -      | -      | -      |        | ICE    |
| 300   | -      | ■     | -      | -      | ■      |        | ICE    |
| 350   | -      | ■     | -      | -      | ■      |        | ICE    |
| 400   | ■      | ■     | -      | -      | ■      |        | ICE    |
| 450   | ■      | ■     | ■      | -      | ■      |        | ICE    |
| 500   | ■      | ■     | ■      | ■      | ■      | ■      | ICE    |
| 550   | -      | ■     | ■      |        | ■      | ■      | ICE    |



| DEPTH | HEIGHT |       |        |        |        | COLOUR |
|-------|--------|-------|--------|--------|--------|--------|
|       | 63 MM  | 90 MM | 122 MM | 140 MM | 186 MM |        |
| 270   | -      | ■     | -      | -      | -      | SILVER |
| 350   | -      | ■     | -      | -      | -      | SILVER |
| 400   | -      | ■     | -      | -      | -      | SILVER |
| 450   | -      | ■     | -      | -      | -      | SILVER |
| 500   | -      | ■     | -      | ■      | ■      | SILVER |

**FEATURES:** Double wall drawer  
Can be personalised with designer panels  
Integrated height and side adjustment  
Robust design and high level of stability

Optimum use of space due to straight inside surfaces and low construction width  
Tool free installation and removal of drawer front  
Width of bottom and back panel is the same

Available in 40 kg & 70 kg  
Fully synchronised slides  
Compatible with Tavinea Sorto





| DRAWER TYPE    | DRAWER LENGTH <b>NL</b> | COLOUR |
|----------------|-------------------------|--------|
| DWD XP H95     | 275                     | GREY   |
|                | 400                     | GREY   |
|                | 450                     | GREY   |
|                | 500                     | GREY   |
| RAILSET ROUND  | 400                     | GREY   |
|                | 450                     | GREY   |
|                | 500                     | GREY   |
| RAILSET SQUARE | 450                     | GREY   |
|                | 500                     | GREY   |



| DRAWER TYPE    | DRAWER LENGTH <b>NL</b> | COLOUR |
|----------------|-------------------------|--------|
| DWD XP H95     | 275                     | WHITE  |
|                | 400                     | WHITE  |
|                | 450                     | WHITE  |
|                | 500                     | WHITE  |
| RAILSET SQUARE | 400                     | WHITE  |
|                | 450                     | WHITE  |
|                | 500                     | WHITE  |



| DRAWER TYPE    | DRAWER LENGTH <b>NL</b> | COLOUR |
|----------------|-------------------------|--------|
| DWD XP H95     | 275                     | STONE  |
|                | 400                     | STONE  |
|                | 450                     | STONE  |
|                | 500                     | STONE  |
| RAILSET SQUARE | 400                     | STONE  |
|                | 450                     | STONE  |
|                | 500                     | STONE  |

**FEATURES:** Double wall drawer  
40 kg + 60 kg  
2D Adjustment

Fully synchronised  
Full extension  
Width of bottom and back panel is the same

Compatible with Tavinea Sorto





| DRAWER TYPE                  | DRAWER LENGTH NL | CODE          | ADD<br>+ 1D LOCKING DEVICE |
|------------------------------|------------------|---------------|----------------------------|
| DYNAMOOV SOFT-CLOSE<br>30 KG | 270              | F130107761211 | F134101220                 |
|                              | 300              | F130107764211 | F134101220                 |
|                              | 350              | F130107768211 | F134101220                 |
|                              | 400              | F130107772211 | F134101220                 |
|                              | 450              | F130107776210 | F134101220                 |
|                              | 500              | F130107780210 | F134101220                 |
|                              | 550              | F130107784210 | F134101220                 |

| DRAWER TYPE                | DRAWER LENGTH NL | CODE          | ADD<br>+ D LOCKING DEVICE |
|----------------------------|------------------|---------------|---------------------------|
| DYNAMOOV TIPMATIC<br>30 KG | 300              | F130101115211 | F134101220                |
|                            | 350              | F130101117211 | F134101220                |
|                            | 400              | F130101119211 | F134101220                |
|                            | 450              | F130101121210 | F134101220                |
|                            | 500              | F130101123210 | F134101220                |
|                            | 550              | F130101125210 | F134101220                |

| DRAWER TYPE                   | DRAWER LENGTH NL | CODE          | ADD<br>+ 2D LOCKING DEVICE |
|-------------------------------|------------------|---------------|----------------------------|
| DYNAPRO SOFT-CLOSE<br>40 KG   | 300              | F130107796204 | F134117193                 |
|                               | 350              | F130107802204 | F134117193                 |
|                               | 400              | F130107808204 | F134117193                 |
|                               | 450              | F130107814204 | F134117193                 |
|                               | 500              | F130107820204 | F134117193                 |
|                               | 550              | F130107826204 | F134117193                 |
| DYNAPRO SOFT-CLOSE 70 KG      | 500              | F130107838204 | F134117193                 |
| TIPMATIC SOFT-CLOSE<br>ADD-ON | SYNC ROD         | F134109410207 |                            |
|                               | ACTIVATOR        | F134109323607 |                            |


**FEATURES:** Undermount slide  
30 kg, 40 kg and 70 kg options

2D, 3D and 4D Adjustment options  
Fully synchronised


Full extension  
Minimum drawer deflection

Dynapro can be used  
with vionaro steel sides





| DRAWER LENGTH                    | CODE          | ADD<br>SHELF CLIP SET |
|----------------------------------|---------------|-----------------------|
| BASE MOUNT FULL EXTENSION 450 MM | F130107884210 | F134107411517         |
| BASE MOUNT FULL EXTENSION 500 MM | F130107890210 | F134107411517         |
| BASE MOUNT FULL EXTENSION 550 MM | F130107893604 | F134107411517         |



**FEATURES:**

Undermount base mount slide  
Full extension 40 kg load capacity  
Soft-close

Assembly on cabinet base  
Height adjustment + 3.5 m



### 53 MM DRAWER



| DRAWER TYPE  | DRAWER LENGTH NL | CODE          | ADD           | ADD           | AD D      |
|--------------|------------------|---------------|---------------|---------------|-----------|
|              |                  |               | LEFT BRACKET  | RIGHT BRACKET | COVER CAP |
| INTEGRA H-53 | 450              | F084074926207 | F084115209236 | F084115210236 | -         |
|              | 500              | F084074917207 | F084115209236 | F084115210236 | -         |

### 85 MM DRAWER



| DRAWER TYPE  | DRAWER LENGTH NL | CODE          | ADD           | ADD           | AD D          |
|--------------|------------------|---------------|---------------|---------------|---------------|
|              |                  |               | LEFT BRACKET  | RIGHT BRACKET | COVER CAP X2  |
| INTEGRA H-85 | 275              | F084074972207 | F084115231236 | F084115233236 | F084075011240 |
|              | 350              | F084074952207 | F084115231236 | F084115233236 | F084075011240 |
|              | 400              | F084074959207 | F084115231236 | F084115233236 | F084075011240 |
|              | 450              | F084074960207 | F084115231236 | F084115233236 | F084075011240 |
|              | 500              | F084074961207 | F084115231236 | F084115233236 | F084075011240 |
|              | 550              | F084074968207 | F084115231236 | F084115233236 | F084075011240 |

### 149 MM DRAWER



| DRAWER TYPE   | DRAWER LENGTH NL | CODE          | ADD           | ADD           | AD D          |
|---------------|------------------|---------------|---------------|---------------|---------------|
|               |                  |               | LEFT BRACKET  | RIGHT BRACKET | COVER CAP X2  |
| INTEGRA H-149 | 450              | F084075168204 | F084115231236 | F084115233236 | F084075011240 |
|               | 500              | F084075170204 | F084115231236 | F084115233236 | F084075011240 |

### RAIL SETS

| TYPE                 | SIZE | CODE          |
|----------------------|------|---------------|
| INTEGRA POT RAIL SET | 500  | 3500.500.2    |
| INTEGRA FILING RAIL  | 500  | F084074850511 |



**FEATURES:** Single wall drawer  
30 kg  
2D Adjustments





| FLAP TYPE    | MIN HEIGHT | MAX HEIGHT | RANGE OF FLAP        | CODE          |
|--------------|------------|------------|----------------------|---------------|
| KINVARO T-65 | 200        | 300        | Width: Up to 1200 mm | F151147797201 |
| KINVARO T-70 | 300        | 400        | Width: Up to 1200 mm | F151147693201 |
| KINVARO T-75 | 400        | 600        | Width: Up to 1200 mm | F151147700201 |



| FLAP TYPE    | MIN HEIGHT | MAX HEIGHT | RANGE OF FLAP             | CODE          |
|--------------|------------|------------|---------------------------|---------------|
| KINVARO F-20 | 600        | 900        | Width: 450 mm-1200 mm     |               |
| TYPE 4B      | 600        | 649        | Weight: 4.1 kg - 12.1kg   | F152147675201 |
| TYPE 4C      | 600        | 649        | Weight: 6.8 kg - 15.8 kg  | F152147842201 |
| TYPE 5B      | 650        | 699        | Weight: 3.8 kg - 11.4 kg  | F152147840201 |
| TYPE 6C      | 700        | 749        | Weight: 6.5 kg - 16.4 kg  | F152147844201 |
| TYPE 6D      | 700        | 749        | Weight: 10.0 kg - 18.0 kg | F152147846201 |
| TYPE 7C      | 750        | 799        | Weight: 6.0 kg - 15.6 kg  | F152147787201 |
| TYPE 7D      | 750        | 900        | Weight: 6.5 kg - 16.5 kg  | F152147847201 |



| FLAP TYPE    | MIN HEIGHT | MAX HEIGHT | RANGE OF FLAP            | CODE          |
|--------------|------------|------------|--------------------------|---------------|
| KINVARO S-35 | 420        | 750        | Width: 450 mm-1200 mm    |               |
| SPRING A     | 420        | 719        | Weight: 1.5 kg - 7.5 kg  | F152147818201 |
| SPRING B     | 420        | 629        | Weight: 5.0 kg - 11.0 kg | F152147819201 |
| SPRING C     | 540        | 750        | Weight: 4.0 kg - 14.0 kg | F152147820201 |
| SPRING D     | 570        | 750        | Weight: 6.5 kg - 16.0 kg | F152147821201 |



| FLAP TYPE    | MIN HEIGHT | MAX HEIGHT | RANGE OF FLAP            | CODE          |
|--------------|------------|------------|--------------------------|---------------|
| KINVARO L-80 | 350        | 600        | Width: 450 mm-1200 mm    |               |
| TYPE 1A      | 350        | 369        | Weight: 2.5 kg - 6.5 kg  | F152147781201 |
| TYPE 2A      | 370        | 389        | Weight: 2.3 kg - 6.0 kg  | F152147824201 |
| TYPE 3A      | 390        | 409        | Weight: 2.1 kg - 5.5 kg  | F152147825201 |
| TYPE 5B      | 430        | 600        | Weight: 4.0 kg - 7.5 kg  | F152147715201 |
| TYPE 5C      | 430        | 600        | Weight: 7.0 kg - 14.6 kg | F152147836201 |

#### HOW TO CALCULATE YOUR DOOR WEIGHT:

FLAP WIDTH X FLAP HEIGHT X FLAP THICKNESS X DENSITY + HANDLE = WEIGHT OF FLAP

DENSITIES: MDF 0.85KG, CHIPBOARD 0.65KG, PINE 0.45KG


FOR BAR HANDLES, ALLOW 0.1KG FOR EACH 100 MM HANDLE WIDTH

LIFTS COME WITH ADJUSTABLE DAMPING/ SOFT-CLOSE SYSTEM

WE RECOMMEND A TRIAL FIT BEFORE FINAL INSTALLATION



| FLAP TYPE        | DESCRIPTION        | POWER FACTOR | CODE          |
|------------------|--------------------|--------------|---------------|
| T - SLIM FLAP    | SOFT CLOSE - STONE | 500 - 1100   | F151149005201 |
| T - SLIM FLAP    | SOFT CLOSE - STONE | 1000 - 2250  | F151149008201 |
| T - SLIM FLAP    | TIPMATIC - STONE   | 500 - 1100   | F151149014201 |
| T - SLIM FLAP    | TIPMATIC - STONE   | 1000 - 2250  | F151149017201 |
| T - SLIM ADAPTER | ADAPTER - STONE    | -            | F161149020204 |



**FEATURES:**

Inset flush fit on carcass side  
Or surface mounted on carcass side (adapter needed)  
Milling depth carcass side 12.2 mm  
Milling depth door 13.7 mm

3D adjustment  
All cover caps paintable  
Available in soft close or auto opening (Tipmatic)  
Available for wooden doors only in SA






| FLAP TYPE              | MIN HEIGHT | MAX HEIGHT | MAX WEIGHT | CODE             |
|------------------------|------------|------------|------------|------------------|
| KINVARO D-S WHITE 40N  | 200        | 480        | 3 KG       | F053139664607    |
| KINVARO D-S NIGHT 40N  | 200        | 480        | 3 KG       | F053139665607    |
| KINVARO D-S WHITE 60N  | 200        | 480        | 6 KG       | F053139666607    |
| KINVARO D-S NIGHT 60N  | 200        | 480        | 6 KG       | F053139667607    |
| KINVARO D-M WHITE 100N | 200        | 480        | 10 KG      | F053139662607 WH |
| KINVARO D-M NIGHT 100N | 200        | 480        | 10 KG      | F053139662607 N  |




| DESCRIPTION                      | APPLICATION | CODE          | PACK SIZE |
|----------------------------------|-------------|---------------|-----------|
| TIOMOS FLAP HINGE NICKEL         | OVERLAY 90° | F053139671    | EACH      |
| TIOMOS FLAP HINGE NIGHT          | OVERLAY 90° | F053139677    | EACH      |
| TIOMOS FLAP HINGE ADAPTER NICKEL | -           | F053139676236 | EACH      |
| TIOMOS FLAP HINGE ADAPTER NIGHT  | -           | F053139684236 | EACH      |

#### DRILLING PATTERNS



#### CUP DIMENSIONS





#### FEATURES:

- Modern design
- 90° opening angle
- For flap thicknesses of up to 21 mm
- Narrow gaps between door and cabinet
- Large overlay of up to 19 mm
- 12 mm cup depth
- 3 Dimensional adjustment
- Very suitable for combining with the Kinvaro D flap stays





| DESCRIPTION                | APPLICATION  | CODE          | PACK SIZE |
|----------------------------|--------------|---------------|-----------|
| TIOMOS HIDDEN HINGE NICKEL | OVERLAY 105° | F051139126507 | PAIR      |
| TIOMOS HIDDEN HINGE NIGHT  | OVERLAY 105° | F051139125507 | PAIR      |




**FEATURES:** Perfectly concealed hinge  
Opening angle 105°  
Integrated Soft-close damper

3 Dimensional adjustment  
For door thicknesses from 18 mm  
Door rebate depth: 15 mm

Cabinet rebate depth: 42 mm  
Surface: nickel-plated, night  
Loadbearing capacity up to 18 kg





| DESCRIPTION                           | APPLICATION           | CODE          | PACK SIZE |
|---------------------------------------|-----------------------|---------------|-----------|
| TIOMOS MIRROR/CLEAR GLASS HINGE 125°  | MIRROR OR CLEAR GLASS | F029140325    | EACH      |
| TIOMOS MIRROR/CLEAR GLASS HINGE NIGHT | MIRROR OR CLEAR GLASS | F029140468    | EACH      |
| ECO CROSS 0 MM M/PLATE                | -                     | F058139721217 | EACH      |
| ZAMAK ADAPTER FOR CLEAR GLASS         | CLEAR GLASS           | F072135868    | EACH      |
| STAINLESS STEEL ADAPTER FOR MIRROR    | MIRROR                | F069073731217 | EACH      |

**FEATURES:** 125° opening angle  
Fastening through door-side gluing of Zamak adapter  
Connection of the hinge to the adapter using a cam

Quick final assembly without glass drilling  
High overlay up to 19 mm



| DESCRIPTION            | APPLICATION                  | CODE          | PACK SIZE |
|------------------------|------------------------------|---------------|-----------|
| TIOMOS M9 HINGE 110°   | DOOR THICKNESS FROM 12-28 MM | F029140334    | EACH      |
| ECO CROSS 0 MM M/PLATE | -                            | F058139721217 | EACH      |

**FEATURES:** For door thicknesses up to max. 28 mm  
35 mm full cup drilled hole  
Low cup depth of 9 mm  
For mitred door applications

For rebate door applications  
3-dimensional adjustment with appropriate mounting plate  
For door overlays up to 25 mm



| DESCRIPTION            | APPLICATION            | CODE          | PACK SIZE |
|------------------------|------------------------|---------------|-----------|
| TIOMOS M0 HINGE 125°   | DOOR THICKNESS 6-10 MM | F029140331217 | EACH      |
| ECO CROSS 0 MM M/PLATE | -                      | F058139721217 | EACH      |

**FEATURES:** For door thicknesses from 6 - 10 mm  
No cup hole necessary  
3-dimensional adjustment  
For door overlays of up to 25 mm


Compatible with all mounting plates  
Zero protrusion up to 14 mm overlay  
125° opening angle



| DESCRIPTION                    | APPLICATION        | CODE          | PACK SIZE |
|--------------------------------|--------------------|---------------|-----------|
| TIOMOS REFRIGERATOR HINGE 100° | FRIDGE APPLICATION | F045139052228 | EACH      |
| ECO CROSS 0MM M/PLATE          | -                  | F058139721217 | EACH      |

**FEATURES:** Flat hinge arm  
No soft-close

Hinge for fridge doors (sliding system)  
3-dimensional adjustment





| DESCRIPTION                   | APPLICATION        | CODE          | PACK SIZE |
|-------------------------------|--------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | OVERLAY 110°       | F028138098228 | 150       |
| TIOMOS HINGE DOWEL SOFT-CLOSE | HALF OVERLAY 110°  | F028138099228 | 150       |
| TIOMOS HINGE DOWEL SOFT-CLOSE | INSET OVERLAY 110° | F028138100217 | 150       |

**FEATURES:** Door thickness up to 24 mm  
 Dept adjustment via worm gear  
 3D Adjustment with appropriate mounting plates

Adjustable soft-close  
 12.6 mm Cup depth



| DESCRIPTION                   | APPLICATION          | CODE          | PACK SIZE |
|-------------------------------|----------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | INSET 110/45° CORNER | F028138118223 | 50        |

**FEATURES:** For 45° angled cabinets  
 110° Opening angle  
 3D Adjustment



| DESCRIPTION                   | APPLICATION            | CODE          | PACK SIZE |
|-------------------------------|------------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | INSET 90 MM POST HINGE | F028138120213 | 50        |

**FEATURES:** For blind corner applications  
 110° Opening angle  
 3D Adjustment



| DESCRIPTION                   | APPLICATION           | CODE          | PACK SIZE |
|-------------------------------|-----------------------|---------------|-----------|
| TIOMOS HINGE DOWEL SOFT-CLOSE | OVERLAY 160° MBP      | F028138139217 | 50        |
| TIOMOS HINGE DOWEL SOFT-CLOSE | HALF OVERLAY 160° MBP | F028138140213 | 50        |

**FEATURES:** 160° Opening angle  
 Zero protrusion  
 Shallow cup depth of 10 mm

Door thickness up to 32 mm  
 3D Adjustment



| DESCRIPTION                       | APPLICATION     | CODE       | PACK SIZE |
|-----------------------------------|-----------------|------------|-----------|
| TIOMOS HINGE DOWEL NON SOFT-CLOSE | PIE-CUT/BI-FOLD | F045138092 | 50        |

**FEATURES:** For connecting 2 cabinet doors  
 Shallow cup depth 11.8 mm  
 3D Adjustment

24 mm Max door thickness  
 No soft-close



| DESCRIPTION                               | APPLICATION                    | CODE          | PACK SIZE |
|-------------------------------------------|--------------------------------|---------------|-----------|
| TIOMOS HINGES HINGE DOWEL SOFT-CLOSE B.BP | OVERLAY 110° NIGHT             | F028139129228 | EACH      |
| TIOMOS HINGE IMPRESSO NIGHT               | OVERLAY 110° NIGHT             | F017140378228 | EACH      |
| TIOMOS HINGES HINGE SOFT-CLOSE ALU        | OVERLAY 110° 20/20 NIGHT       | F028140404228 | EACH      |
| TIOMOS MOUNTING PLATE                     | 1D LINEAR SCREW FIX 3 MM NIGHT | F059139979228 | EACH      |
| TIOMOS HINGE ARM COVER                    | ARM COVER NIGHT                | F072140519228 | EACH      |
| TIOMOS HINGE CUP COVER                    | CUP COVER NIGHT                | F072140520228 | EACH      |




| DESCRIPTION           | APPLICATION                       | CODE          | PACK SIZE |
|-----------------------|-----------------------------------|---------------|-----------|
| TIOMOS MOUNTING PLATE | ECO CROSS SCREW FIX - 2 MM        | F058139720228 | 150       |
| TIOMOS MOUNTING PLATE | ECO CROSS SCREW FIX 0 MM          | F058139721217 | 150       |
| TIOMOS MOUNTING PLATE | ECO CROSS SCREW FIX 3 MM          | F058139723228 | 150       |
| TIOMOS MOUNTING PLATE | ECO CROSS MOUNTED EURO FIX - 2 MM | F058139735228 | 150       |
| TIOMOS MOUNTING PLATE | ECO CROSS MOUNTED EURO FIX 0 MM   | F058139736228 | 150       |
| TIOMOS MOUNTING PLATE | ECO CROSS MOUNTED EURO FIX 3 MM   | F058139738228 | 150       |



| DESCRIPTION           | APPLICATION                | CODE          | PACK SIZE |
|-----------------------|----------------------------|---------------|-----------|
| TIOMOS MOUNTING PLATE | 1D SCREW FIX 0 MM          | F058139746217 | 150       |
| TIOMOS MOUNTING PLATE | 1D SCREW FIX 3 MM          | F058139748217 | 150       |
| TIOMOS MOUNTING PLATE | 1D SCREW FIX 6 MM          | F058139892217 | 150       |
| TIOMOS MOUNTING PLATE | 1D MOUNTED EURO SCREW 3 MM | F058139763217 | 150       |
| TIOMOS MOUNTING PLATE | 1D MOUNTED EURO SCREW 6 MM | F058139873217 | 150       |



| DESCRIPTION           | APPLICATION              | CODE          | PACK SIZE |
|-----------------------|--------------------------|---------------|-----------|
| TIOMOS MOUNTING PLATE | 1D LINEAR SCREW FIX 0 MM | F058139701217 | 150       |
| TIOMOS MOUNTING PLATE | 1D LINEAR SCREW FIX 3 MM | F058139703217 | 150       |
| TIOMOS MOUNTING PLATE | 1D LINEAR DOWEL FIX 3 MM | F058139708228 | 150       |
| TIOMOS MOUNTING PLATE | 1D LINEAR EURO FIX 3 MM  | F058139713228 | 150       |





| DESCRIPTION                   | APPLICATION       | CODE          | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | FULL OVERLAY 100° | F01507272236  | 250       |
| NEXIS HINGE CLICK-ON DOWEL    | FULL OVERLAY 100° | F015072719236 | 250       |

**FEATURES:**

- Door thickness up to 24 mm
- Cup depth 11 mm
- Clip on with various plate options
- Soft-close compatible
- 3 Dimensional adjustment with appropriate plate



| DESCRIPTION                   | APPLICATION       | CODE          | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | HALF OVERLAY 100° | F015072729236 | 250       |
| NEXIS HINGE CLICK-ON DOWEL    | HALF OVERLAY 100° | F015072727236 | 250       |

**FEATURES:**

- Door thickness up to 24 mm
- Cup depth 11 mm
- Clip on with various plate options
- Soft-close compatible
- 3 Dimensional adjustment with appropriate plate



| DESCRIPTION                   | APPLICATION | CODE          | PACK SIZE |
|-------------------------------|-------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | INSET 100°  | F015072736236 | 250       |
| NEXIS HINGE CLICK-ON DOWEL    | INSET 100°  | F015072732236 | 250       |

**FEATURES:**

- Door thickness up to 24 mm
- Cup depth 11 mm
- Clip on with various plate options
- Soft-close compatible
- 3 Dimensional adjustment with appropriate plate



| DESCRIPTION                   | APPLICATION      | CODE          | PACK SIZE |
|-------------------------------|------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | INSET 45° CORNER | F015072751225 | 125       |
| NEXIS HINGE CLICK-ON DOWEL    | INSET 45° CORNER | F015072750225 | 125       |

**FEATURES:**

- Door thickness up to 30 mm
- Cup depth 11.8 mm
- Clip on with various plate options
- Soft-close compatible
- 3 Dimensional adjustment with appropriate plate
- 95° Opening angle



| DESCRIPTION                   | APPLICATION                   | CODE          | PACK SIZE |
|-------------------------------|-------------------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | INSET 83 MM POST/BLIND CORNER | F015072788225 | 125       |
| NEXIS HINGE CLICK-ON DOWEL    | INSET 83 MM POST/BLIND CORNER | F015072787225 | 125       |

**FEATURES:**

- Door thickness up to 30 mm
- Cup depth 11.8 mm
- Clip on with various plate options
- Soft-close compatible
- 3 Dimensional adjustment with appropriate plate
- 95° Opening angle



| DESCRIPTION                   | APPLICATION       | CODE          | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE CLICK-ON SCREW-IN | FULL OVERLAY 170° | F015072842217 | 50        |
| NEXIS HINGE CLICK-ON DOWEL    | FULL OVERLAY 170° | F015072840217 | 50        |

**FEATURES:**

- Door thickness up to 26 mm
- Cup depth 11 mm
- Clip on with various plate options
- Soft-close compatible
- 3 Dimensional adjustment with appropriate plate
- Zero protusion hinge at 90° opening angle



| DESCRIPTION                  | APPLICATION    | CODE          | PACK SIZE |
|------------------------------|----------------|---------------|-----------|
| NEXIS CLICK-ON CROSS M/PLATE | SCREW FIX 2 MM | F060073145236 | 250       |



| DESCRIPTION                  | APPLICATION             | CODE          | PACK SIZE |
|------------------------------|-------------------------|---------------|-----------|
| NEXIS CLICK-ON CROSS M/PLATE | MOUNTED EURO SCREW 2 MM | F060073180236 | 250       |



| DESCRIPTION | APPLICATION        | CODE          | PACK SIZE |
|-------------|--------------------|---------------|-----------|
| NEXIS HINGE | SOFT-CLOSE ADAPTER | F069073715225 | 125       |



| DESCRIPTION                   | CODE       | SIZE  | FINISH   |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER STRONG | 57008080AB | 70 MM | WHITE    |
| MOUNTING PLATE WITH HOUSING   | 57010040   | 80 MM | WHITE    |
| KPUSH TECH WITH BUFFER STRONG | 57008080EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING   | 57010040G  | 80 MM | GRAPHITE |



| DESCRIPTION                   | APPLICATION       | CODE          | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | FULL OVERLAY 100° | F016073008236 | 250       |
| NEXIS HINGE SLIDE-ON DOWEL    | FULL OVERLAY 100° | F016073010236 | 250       |

**FEATURES:** Door thickness up to 24 mm  
Cup depth 11 mm  
Slide on with various plate options  
Soft-dose compatible  
3 Dimensional adjustment with appropriate plate



| DESCRIPTION                   | APPLICATION       | CODE          | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | HALF OVERLAY 100° | F016073014236 | 250       |
| NEXIS HINGE SLIDE-ON DOWEL    | HALF OVERLAY 100° | F016073016236 | 250       |

**FEATURES:** Door thickness up to 24 mm  
Cup depth 11 mm  
Slide on with various plate options  
Soft-close compatible  
3 Dimensional adjustment with appropriate plate



| DESCRIPTION                   | APPLICATION | CODE          | PACK SIZE |
|-------------------------------|-------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | INSET 100°  | F016073018236 | 250       |
| NEXIS HINGE SLIDE-ON DOWEL    | INSET 100°  | F016073020236 | 250       |

**FEATURES:** Door thickness up to 24 mm  
Cup depth 11 mm  
Slide on with various plate options  
Soft-close compatible  
3 Dimensional adjustment with appropriate plate



| DESCRIPTION                   | APPLICATION      | CODE            | PACK SIZE |
|-------------------------------|------------------|-----------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | INSET 45° CORNER | F016073033225   | 125       |
| NEXIS HINGE SLIDE-ON DOWEL    | INSET 45° CORNER | 454.405.54.0315 | 125       |

**FEATURES:** Door thickness up to 30 mm  
Cup depth 11.8 mm  
Slide on with various plate options  
Soft-close compatible  
3 Dimensional adjustment with appropriate plate  
95° Opening Angle



| DESCRIPTION                   | APPLICATION              | CODE            | PACK SIZE |
|-------------------------------|--------------------------|-----------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | 63 MM INSET/BLIND-CORNER | F016073048225   | 125       |
| NEXIS HINGE SLIDE-ON DOWEL    | 63 MM INSET/BLIND-CORNER | 456.405.54.9615 | 125       |

**FEATURES:** Door thickness up to 30 mm  
Cup depth 11.8 mm  
Slide on with various plate options  
Soft-close compatible  
3 Dimensional adjustment with appropriate plate  
95° Opening Angle



| DESCRIPTION                   | APPLICATION       | CODE          | PACK SIZE |
|-------------------------------|-------------------|---------------|-----------|
| NEXIS HINGE SLIDE-ON SCREW-IN | FULL OVERLAY 170° | F016073077217 | 50        |
| NEXIS HINGE SLIDE-ON DOWEL    | FULL OVERLAY 170° | F016073078217 | 50        |

**FEATURES:**

- Door thickness up to 26 mm
- Cup depth 11 mm
- Slide on with various plate options
- Soft-close compatible
- 3 Dimensional adjustment with appropriate plate
- Zero protrusion hinge at 90° opening



| DESCRIPTION            | APPLICATION      | CODE          | PACK SIZE |
|------------------------|------------------|---------------|-----------|
| NEXIS SLIDE-ON M/PLATE | SCREW FIX - 0 MM | F062073298236 | 250       |



| DESCRIPTION            | APPLICATION               | CODE          | PACK SIZE |
|------------------------|---------------------------|---------------|-----------|
| NEXIS SLIDE-ON M/PLATE | MOUNTED EURO SCREW - 0 MM | F062073316236 | 250       |



| DESCRIPTION | APPLICATION        | CODE          | PACK SIZE |
|-------------|--------------------|---------------|-----------|
| NEXIS HINGE | SOFT-CLOSE ADAPTER | F069073715225 | 125       |



| DESCRIPTION                   | CODE       | SIZE  | FINISH   |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER STRONG | 57008080AB | 70 MM | WHITE    |
| MOUNTING PLATE WITH HOUSING   | 57010040   | 80 MM | WHITE    |
| KPUSH TECH WITH BUFFER STRONG | 57008080EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING   | 57010040G  | 80 MM | GRAPHITE |



| DESCRIPTION                  | APPLICATION                  | CODE    | PACK SIZE |
|------------------------------|------------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | FULL OVERLAY SOFT-CLOSE 110° | A36A07  | 200       |
| OMNI HINGE CLICK-ON DOWEL    | FULL OVERLAY SOFT-CLOSE 110° | A36A07N | 200       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION                  | CODE    | PACK SIZE |
|------------------------------|------------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | HALF OVERLAY SOFT-CLOSE 110° | A36A03  | 200       |
| OMNI HINGE CLICK-ON DOWEL    | HALF OVERLAY SOFT-CLOSE 110° | A36A03N | 200       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION           | CODE    | PACK SIZE |
|------------------------------|-----------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | INSET SOFT-CLOSE 110° | A36A01  | 200       |
| OMNI HINGE CLICK-ON DOWEL    | INSET SOFT-CLOSE 110° | A36A01N | 200       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION          | CODE     | PACK SIZE |
|------------------------------|----------------------|----------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | INSET SOFT-CLOSE 45° | AC12T02  | 100       |
| OMNI HINGE CLICK-ON DOWEL    | INSET SOFT-CLOSE 45° | AC12T02N | 100       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION                      | CODE   | PACK SIZE |
|------------------------------|----------------------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | INSET POST HINGE SOFT-CLOSE 110° | A1203  | 100       |
| OMNI HINGE CLICK-ON DOWEL    | INSET POST HINGE SOFT-CLOSE 110° | A1203N | 100       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION                  | CODE    | PACK SIZE |
|------------------------------|------------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW-IN | FULL OVERLAY SOFT-CLOSE 165° | AC2016  | 100       |
| OMNI HINGE CLICK-ON DOWEL    | FULL OVERLAY SOFT-CLOSE 165° | AC2016N | 100       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION           | APPLICATION      | CODE        | PACK SIZE |
|-----------------------|------------------|-------------|-----------|
| OMNI M/PLATE CLICK-ON | SCREW FIX - 0 MM | C31HO-4HOLE | 500       |



| DESCRIPTION           | APPLICATION                     | CODE      | PACK SIZE |
|-----------------------|---------------------------------|-----------|-----------|
| OMNI M/PLATE CLICK-ON | 10 MM MOUNTED EURO SCREW - 0 MM | C31H0D-10 | 500       |



| DESCRIPTION           | APPLICATION                     | CODE      | PACK SIZE |
|-----------------------|---------------------------------|-----------|-----------|
| OMNI M/PLATE CLICK-ON | 13 MM MOUNTED EURO SCREW - 0 MM | C31H0D-13 | 500       |



| DESCRIPTION           | APPLICATION    | CODE     | PACK SIZE |
|-----------------------|----------------|----------|-----------|
| OMNI M/PLATE CLICK-ON | SCREW FIX - ID | C31CAMHO | 500       |



| DESCRIPTION                  | APPLICATION       | CODE   | PACK SIZE |
|------------------------------|-------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | FULL OVERLAY 110° | C0406  | 250       |
| OMNI HINGE CLICK-ON DOWEL    | FULL OVERLAY 110° | C0406N | 250       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION       | CODE   | PACK SIZE |
|------------------------------|-------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | HALF OVERLAY 110° | C0403  | 250       |
| OMNI HINGE CLICK-ON DOWEL    | HALF OVERLAY 110° | C0403N | 250       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION | CODE   | PACK SIZE |
|------------------------------|-------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | INSET 110°  | C0401  | 250       |
| OMNI HINGE CLICK-ON DOWEL    | INSET 110°  | C0401N | 250       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION      | CODE    | PACK SIZE |
|------------------------------|------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | INSET 45° CORNER | C12T02  | 100       |
| OMNI HINGE CLICK-ON DOWEL    | INSET 45° CORNER | C12T02N | 100       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION              | CODE    | PACK SIZE |
|------------------------------|--------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | INSET/BLIND CORNER HINGE | C12T03  | 100       |
| OMNI HINGE CLICK-ON DOWEL    | INSET/BLIND CORNER HINGE | C12T03N | 100       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION               | CODE    | PACK SIZE |
|------------------------------|---------------------------|---------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | BI-FOLD/PIE-CUT FULL HOLE | C12T04  | 100       |
| OMNI HINGE CLICK-ON DOWEL    | BI-FOLD/PIE-CUT FULL HOLE | C12T04N | 100       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION                  | APPLICATION       | CODE   | PACK SIZE |
|------------------------------|-------------------|--------|-----------|
| OMNI HINGE CLICK-ON SCREW IN | FULL OVERLAY 165° | C2016  | 100       |
| OMNI HINGE CLICK-ON DOWEL    | FULL OVERLAY 165° | C2016N | 100       |

**FEATURES:** Door thickness up to 16 mm  
Cup depth 11.3 mm  
Clip on with various plate options



| DESCRIPTION           | APPLICATION | CODE       | PACK SIZE |
|-----------------------|-------------|------------|-----------|
| OMNI M/PLATE CLICK-ON | SCREW FIX   | C02H04HOLE | 500       |



| DESCRIPTION           | APPLICATION              | CODE      | PACK SIZE |
|-----------------------|--------------------------|-----------|-----------|
| OMNI M/PLATE CLICK-ON | 10 MM MOUNTED EURO SCREW | C02H0D-10 | 500       |
| OMNI M/PLATE CLICK-ON | 13 MM MOUNTED EURO SCREW | C02H0D-13 | 500       |



| DESCRIPTION                            | APPLICATION               | CODE      | PACK SIZE   |
|----------------------------------------|---------------------------|-----------|-------------|
| OMNI HINGE AND PLATE SLIDE-ON SCREW IN | FULL OVERLAY              | 2811.007  | 200 PREPACK |
| OMNI HINGE SLIDE-ON SCREW IN           | FULL OVERLAY              | 2809.400  | 200         |
| OMNI HINGE SLIDE-ON DOWEL              | FULL OVERLAY              | 2809.400N | 200         |
| OMNI HINGE AND PLATE SLIDE-ON SCREW IN | HALF OVERLAY              | 2811.015  | 200 PREPACK |
| OMNI HINGE SLIDE-ON SCREW IN           | HALF OVERLAY              | 2809.405  | 200         |
| OMNI HINGE SLIDE-ON DOWEL              | HALF OVERLAY              | 2809.405N | 200         |
| OMNI M/PLATE SLIDE-ON                  | 4 HOLE SCREW-IN           | 2809.626  | 200         |
| OMNI M/PLATE SLIDE-ON                  | 2 HOLE MOUNTED EURO SCREW | 2809.526  | 200         |

**FEATURES:** Pre-packed



| DESCRIPTION                        | CODE          | FINISH |
|------------------------------------|---------------|--------|
| TIPMATIC ACTIVATOR/SOFT-CLOSE 110° | OTMSC/H       | BLACK  |
| NEXIS TIPMATIC UNSPRUNG HINGE      | F015072724236 | NICKEL |

**FEATURES:**

Mechanical operation  
Allows for handle free doors with soft-close action  
Easy fitting

Use for doors up to 2200 mm in height and 600 mm in width  
Use with GRASS Nexis Tipmatic hinge  
Max door weight is 20 kg





| CODE       | DESCRIPTION                            | SIZE   | PACK SIZE | FINISH |
|------------|----------------------------------------|--------|-----------|--------|
| OUM301/400 | OMNI UNDERMOUNT SINGLE EXTENSION 25 KG | 400 MM | 10        | ZINC   |
| OUM301/450 | OMNI UNDERMOUNT SINGLE EXTENSION 25 KG | 450 MM | 10        | ZINC   |
| OUM301/500 | OMNI UNDERMOUNT SINGLE EXTENSION 25 KG | 500 MM | 10        | ZINC   |
| OUM302/400 | OMNI UNDERMOUNT FULL EXTENSION 35 KG   | 400 MM | 10        | ZINC   |
| OUM302/450 | OMNI UNDERMOUNT FULL EXTENSION 35 KG   | 450 MM | 10        | ZINC   |
| OUM302/500 | OMNI UNDERMOUNT FULL EXTENSION 35 KG   | 500 MM | 10        | ZINC   |



| CODE             | DESCRIPTION                   | SIZE      | PACK SIZE | FINISH |
|------------------|-------------------------------|-----------|-----------|--------|
| 550-704-086X270W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 270  | 10        | WHITE  |
| 550-704-086X350W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 350  | 10        | WHITE  |
| 550-704-086X400W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 400  | 10        | WHITE  |
| 550-704-086X450W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 450  | 10        | WHITE  |
| 550-704-086X500W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 500  | 10        | WHITE  |
| 550-704-086X550W | OMNI SUPER STEEL DRAWER SLIDE | 86 x 550  | 10        | WHITE  |
| 550-704-150X450W | OMNI SUPER STEEL DRAWER SLIDE | 150 x 450 | 10        | WHITE  |
| 550-704-150X500W | OMNI SUPER STEEL DRAWER SLIDE | 150 x 500 | 10        | WHITE  |
| 5501             | MARKING JIG FOR DRAWER FRONTS |           | 1         | BLACK  |

| CODE     | DESCRIPTION                          | PACK SIZE | FINISH |
|----------|--------------------------------------|-----------|--------|
| 4401.125 | SOFT-CLOSE ADAPTER                   | EACH      | GREY   |
| 4401.159 | SOFT-CLOSE PIN FOR STEEL SIDE DRAWER | EACH      | WHITE  |
| 4401.143 | SOFT-CLOSE PIN FOR WOODEN DRAWER     | EACH      | GREY   |




| CODE     | DESCRIPTION                            | SIZE   | PACK SIZE | FINISH |
|----------|----------------------------------------|--------|-----------|--------|
| MBBF/250 | OMNI BALL BEARING FULL EXTENSION 45 KG | 250 MM | 10        | ZINC   |
| MBBF/300 | OMNI BALL BEARING FULL EXTENSION 45 KG | 300 MM | 10        | ZINC   |
| MBBF/350 | OMNI BALL BEARING FULL EXTENSION 45 KG | 350 MM | 10        | ZINC   |
| MBBF/400 | OMNI BALL BEARING FULL EXTENSION 45 KG | 400 MM | 10        | ZINC   |
| MBBF/450 | OMNI BALL BEARING FULL EXTENSION 45 KG | 450 MM | 10        | ZINC   |
| MBBF/500 | OMNI BALL BEARING FULL EXTENSION 45 KG | 500 MM | 10        | ZINC   |
| MBBF/550 | OMNI BALL BEARING FULL EXTENSION 45 KG | 550 MM | 10        | ZINC   |
| MBBF/600 | OMNI BALL BEARING FULL EXTENSION 45 KG | 600 MM | 10        | ZINC   |

| CODE     | DESCRIPTION                                | SIZE   | PACK SIZE | FINISH |
|----------|--------------------------------------------|--------|-----------|--------|
| EBBF/450 | OMNI ECO BALL BEARING FULL EXTENSION 45 KG | 450 MM | 10        | ZINC   |
| EBBF/500 | OMNI ECO BALL BEARING FULL EXTENSION 45 KG | 500 MM | 10        | ZINC   |




| CODE       | DESCRIPTION                                       | SIZE   | PACK SIZE | FINISH |
|------------|---------------------------------------------------|--------|-----------|--------|
| MBBF/350SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 350 MM | 10        | ZINC   |
| MBBF/400SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 400 MM | 10        | ZINC   |
| MBBF/450SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 450 MM | 10        | ZINC   |
| MBBF/500SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 500 MM | 10        | ZINC   |
| MBBF/550SC | OMNI BALL BEARING FULL EXTENSION SOFT-CLOSE 45 KG | 550 MM | 10        | ZINC   |



## TAVINEA SORTO ORGANISING SYSTEM

[www.grass.co.za](http://www.grass.co.za)



| DESCRIPTION                             | CODE          | SIZE         | FINISH   |
|-----------------------------------------|---------------|--------------|----------|
|                                         |               | <u>W x D</u> |          |
| TAVINEA SORTO B276 - NOVAPRO            | F007130058201 | 276 X 500    | STONE    |
| TAVINEA SORTO B276 - NOVAPRO            | F007130059201 | 276 X 500    | SILVER   |
| TAVINEA SORTO B276 - VIONARO AND DWD XP | F007130137201 | 276 X 500    | GRAPHITE |
| TAVINEA SORTO B276 - NOVAPRO            | F007130062201 | 276 X 550    | STONE    |



| DESCRIPTION                             | CODE          | SIZE         | FINISH   |
|-----------------------------------------|---------------|--------------|----------|
|                                         |               | <u>W x D</u> |          |
| TAVINEA SORTO B186 - NOVAPRO            | F007130086201 | 186 X 500    | STONE    |
| TAVINEA SORTO B186 - NOVAPRO            | F007130087201 | 186 X 500    | SILVER   |
| TAVINEA SORTO B186 - VIONARO AND DWD XP | F007130158201 | 186 X 500    | GRAPHITE |
| TAVINEA SORTO B186 - NOVAPRO            | F007130090201 | 186 X 550    | STONE    |



| DESCRIPTION                                     | CODE          | DEPTH | FINISH   |
|-------------------------------------------------|---------------|-------|----------|
| TAVINEA SORTO DIVIDER RAIL - NOVAPRO            | F007130114207 | 500   | STONE    |
| TAVINEA SORTO DIVIDER RAIL - NOVAPRO            | F007130115207 | 500   | SILVER   |
| TAVINEA SORTO DIVIDER RAIL - VIONARO AND DWD XP | F007130179207 | 500   | GRAPHITE |
| TAVINEA SORTO DIVIDER RAIL - NOVAPRO            | F007130118207 | 550   | STONE    |



| DESCRIPTION                                    | CODE          | SIZE         | FINISH   |
|------------------------------------------------|---------------|--------------|----------|
|                                                |               | <u>W x D</u> |          |
| TAVINEA SORTO KNIFE BLOCK - NOVAPRO            | F007101995201 | 185 X 500    | DARK ASH |
| TAVINEA SORTO KNIFE BLOCK - VIONARO AND DWD XP | F007102424201 | 185 X 500    | DARK ASH |



| DESCRIPTION                                    | CODE          | SIZE         | FINISH    |
|------------------------------------------------|---------------|--------------|-----------|
|                                                |               | <u>W x D</u> |           |
| TAVINEA SORTO KNIFE BLOCK - NOVAPRO            | F007101990201 | 185 X 500    | LIGHT ASH |
| TAVINEA SORTO KNIFE BLOCK - VIONARO AND DWD XP | F007102418201 | 185 X 500    | LIGHT ASH |



| DESCRIPTION                                   | CODE          | SIZE      | FINISH   |
|-----------------------------------------------|---------------|-----------|----------|
|                                               |               | W x D     |          |
| TAVINEA SORTO SPICE RACK – NOVAPRO            | F007101997201 | 185 X 500 | DARK ASH |
| TAVINEA SORTO SPICE RACK – VIONARO AND DWD XP | F007102426201 | 185 X 500 | DARK ASH |



| DESCRIPTION                                   | CODE          | SIZE      | FINISH    |
|-----------------------------------------------|---------------|-----------|-----------|
|                                               |               | W x D     |           |
| TAVINEA SORTO SPICE RACK – NOVAPRO            | F007101992201 | 185 X 500 | LIGHT ASH |
| TAVINEA SORTO SPICE RACK – VIONARO AND DWD XP | F007102420201 | 185 X 500 | LIGHT ASH |




| DESCRIPTION                                    | CODE          | SIZE      | FINISH   |
|------------------------------------------------|---------------|-----------|----------|
|                                                |               | W x D     |          |
| TAVINEA SORTO FOIL HOLDER – NOVAPRO            | F007101999201 | 185 X 500 | DARK ASH |
| TAVINEA SORTO FOIL HOLDER – VIONARO AND DWD XP | F007102428201 | 185 X 500 | DARK ASH |




| DESCRIPTION                                    | CODE          | SIZE      | FINISH    |
|------------------------------------------------|---------------|-----------|-----------|
|                                                |               | W x D     |           |
| TAVINEA SORTO FOIL HOLDER – NOVAPRO            | F007101994201 | 185 X 500 | LIGHT ASH |
| TAVINEA SORTO FOIL HOLDER – VIONARO AND DWD XP | F007102422201 | 185 X 500 | LIGHT ASH |




| DESCRIPTION                  | CODE          | SIZE      | FINISH    |
|------------------------------|---------------|-----------|-----------|
|                              |               | W x D     |           |
| TAVINEA SORTO SQUARE ELEMENT | F007102423201 | 185 X 208 | LIGHT ASH |
| TAVINEA SORTO SQUARE ELEMENT | F007102429201 | 185 X 208 | DARK ASH  |



| DESCRIPTION                            | CODE          | COLOUR  | PACK SIZE |
|----------------------------------------|---------------|---------|-----------|
| TAVINEA OPTIMA DIVIDER PROFILE 1200 MM | F007130242507 | GRAHITE | EACH      |
| TAVINEA OPTIMA DIVIDER PROFILE 1200 MM | F007130243507 | WHITE   | EACH      |
| TAVINEA OPTIMA DIVIDER PROFILE 1200 MM | F007130241507 | SILVER  | EACH      |



| DESCRIPTION                 | CODE          | COLOUR  | PACK SIZE |
|-----------------------------|---------------|---------|-----------|
| TAVINEA OPTIMA PROFILE CLIP | F007130228511 | GRAHITE | SET       |
| TAVINEA OPTIMA PROFILE CLIP | F007130229511 | WHITE   | SET       |
| TAVINEA OPTIMA PROFILE CLIP | F007130230511 | SILVER  | SET       |



| DESCRIPTION                | CODE          | COLOUR  | PACK SIZE |
|----------------------------|---------------|---------|-----------|
| TAVINEA OPTIMA SMART BOARD | F007130245211 | GRAHITE | EACH      |
| TAVINEA OPTIMA SMART BOARD | F007130246211 | WHITE   | EACH      |
| TAVINEA OPTIMA SMART BOARD | F007130247211 | SILVER  | EACH      |

**FEATURES:** Dividing system for pot drawers  
Tool-free installation  
Tool-free adjustment  
Can be retrofitted

Colour coordinated with drawer sides  
Can work with Vionaro, Novapro Scala and wooden drawers  
Organises the storage space for clear and tidy arrangement  
\*Only applicable for 185 mm height sides





| DESCRIPTION                    | CODE          | SIZE      | FINISH   |
|--------------------------------|---------------|-----------|----------|
|                                |               | W x D     |          |
| NOVA PRO 450 MM CUTLERY INSERT | CNP450/500WH  | 360 X 480 | WHITE    |
| VIONARO 450 MM CUTLERY INSERT  | CVI450/500WH  | 375 X 473 | WHITE    |
| DWD XP 450 MM CUTLERY INSERT   | CXP450/500WH  | 356 X 473 | WHITE    |
| INTEGRA 450 MM CUTLERY INSERT  | CIN450/500WH  | 387 X 480 | WHITE    |
| NOVA PRO 450 MM CUTLERY INSERT | CNP450/500SIL | 360 X 480 | SILVER   |
| VIONARO 450 MM CUTLERY INSERT  | CVI450/500SIL | 375 X 473 | SILVER   |
| DWD XP 450 MM CUTLERY INSERT   | CXP450/500SIL | 356 X 473 | SILVER   |
| NOVA PRO 450 MM CUTLERY INSERT | CNP450/500GRP | 360 X 480 | GRAPHITE |
| VIONARO 450 MM CUTLERY INSERT  | CVI450/500GRP | 375 X 473 | GRAPHITE |



| DESCRIPTION                    | CODE          | SIZE      | FINISH   |
|--------------------------------|---------------|-----------|----------|
|                                |               | W x D     |          |
| NOVA PRO 600 MM CUTLERY INSERT | CNP600/500WH  | 510 X 480 | WHITE    |
| VIONARO 600 MM CUTLERY INSERT  | CVI600/500WH  | 525 X 473 | WHITE    |
| DWD XP 600 MM CUTLERY INSERT   | CXP600/500WH  | 506 X 473 | WHITE    |
| INTEGRA 600 MM CUTLERY INSERT  | CIN600/500WH  | 537 X 480 | WHITE    |
| NOVA PRO 600 MM CUTLERY INSERT | CNP600/500SIL | 510 X 480 | SILVER   |
| VIONARO 600 MM CUTLERY INSERT  | CVI600/500SIL | 525 X 473 | SILVER   |
| DWD XP 600 MM CUTLERY INSERT   | CXP600/500SIL | 506 X 473 | SILVER   |
| NOVA PRO 600 MM CUTLERY INSERT | CNP600/500GRP | 510 X 480 | GRAPHITE |
| VIONARO 600 MM CUTLERY INSERT  | CVI600/500GRP | 525 X 473 | GRAPHITE |



| DESCRIPTION                    | CODE          | SIZE      | FINISH   |
|--------------------------------|---------------|-----------|----------|
|                                |               | W x D     |          |
| NOVA PRO 900 MM CUTLERY INSERT | CNP900/500WH  | 810 X 480 | WHITE    |
| VIONARO 900 MM CUTLERY INSERT  | CVI900/500WH  | 825 X 473 | WHITE    |
| DWD XP 900 MM CUTLERY INSERT   | CXP900/500WH  | 806 X 473 | WHITE    |
| NOVA PRO 900 MM CUTLERY INSERT | CNP900/500SIL | 810 X 480 | SILVER   |
| VIONARO 900 MM CUTLERY INSERT  | CVI900/500SIL | 825 X 473 | SILVER   |
| DWD XP 900 MM CUTLERY INSERT   | CXP900/500SIL | 806 X 473 | SILVER   |
| NOVA PRO 900 MM CUTLERY INSERT | CNP900/500GRP | 810 X 480 | GRAPHITE |
| VIONARO 900 MM CUTLERY INSERT  | CVI900/500GRP | 825 X 473 | GRAPHITE |



| DESCRIPTION           | CODE       | SIZE      | FINISH   |
|-----------------------|------------|-----------|----------|
|                       |            | W x D     |          |
| CLASSICO KNIFE INSERT | CKNIFE/WH  | 165 X 440 | WHITE    |
| CLASSICO KNIFE INSERT | CKNIFE/GRP | 165 X 440 | GRAPHITE |
| CLASSICO KNIFE INSERT | CKNIFE/SIL | 165 X 440 | SILVER   |




| DESCRIPTION           | CODE       | SIZE      | FINISH   |
|-----------------------|------------|-----------|----------|
|                       |            | W x D     |          |
| CLASSICO SPICE INSERT | CSPICE/WH  | 165 X 440 | WHITE    |
| CLASSICO SPICE INSERT | CSPICE/GRP | 165 X 440 | GRAPHITE |
| CLASSICO SPICE INSERT | CSPICE/SIL | 165 X 440 | SILVER   |



| DESCRIPTION       | CODE         | SIZE          | FINISH   |
|-------------------|--------------|---------------|----------|
| RUBBER CANVAS MAT | CMAT/SIL     | 25 M X 480 MM | SILVER   |
| RUBBER CANVAS MAT | CMAT/GRP     | 25 M X 480 MM | GRAPHITE |
| RUBBER CANVAS MAT | CMAT/GRP 550 | 25 M X 530 MM | GRAPHITE |



| DESCRIPTION      | CODE        | SIZE          | FINISH |
|------------------|-------------|---------------|--------|
| RUBBER MAT SOLID | CMAT/WH     | 25 M X 480 MM | WHITE  |
| RUBBER MAT SOLID | CMAT/WH 550 | 25 M X 530 MM | WHITE  |



| DESCRIPTION      | CODE         | SIZE          | FINISH |
|------------------|--------------|---------------|--------|
| RUBBER MAT GLOBE | CMAT/BLK     | 25 M X 480 MM | BLACK  |
| RUBBER MAT GLOBE | CMAT/BLK 550 | 25 M X 530 MM | BLACK  |

**FEATURES:** Our non-slip mats are highly practical and offer additional benefits. The anti-slip surface prevents objects from sliding about when drawers are opened and closed. It can also be easily removed for cleaning. Our mats can also be cut to fit most drawer sizes. \*Sold per/m





| DESCRIPTION              | CODE      | SIZE        | FINISH |
|--------------------------|-----------|-------------|--------|
| GOLA HANDLE SLIM C ALU   | SNA211CS  | 49 MM X 3 M | ALU    |
| GOLA HANDLE SLIM L ALU   | SNA211LS  | 40 MM X 3 M | ALU    |
| GOLA HANDLE SLIM C BLACK | SNA211CB  | 49 MM X 3 M | BLACK  |
| GOLA HANDLE SLIM L BLACK | SNA211LB  | 40 MM X 3 M | BLACK  |
| GOLA HANDLE SLIM C WHITE | SNA211CW  | 49 MM X 3 M | WHITE  |
| GOLA HANDLE SLIM L WHITE | WSNA211LB | 40 MM X 3 M | WHITE  |
| FIXING BRACKET SLIM      | SNA/F     | -           | STEEL  |

**FEATURES:** Allows for more height spacing inside the drawers  
 Square cut out  
 Makes vertical applications possible  
 End caps available for both options  
 More accurate cutting for mitre joints  
 Straight edge profile gives more elegant look

STANDARD:



Custom: Other colours available on request, minimum order of 10 lengths.




| DESCRIPTION         | CODE     | SIZE        | FINISH |
|---------------------|----------|-------------|--------|
| GOLA HANDLE C ALU   | NA211CS  | 65 MM X 3 M | ALU    |
| GOLA HANDLE L ALU   | NA211LS  | 50 MM X 3 M | ALU    |
| GOLA HANDLE C BLACK | NA211CSB | 65 MM X 3 M | BLACK  |
| GOLA HANDLE L BLACK | NA211LSB | 50 MM X 3 M | BLACK  |
| GOLA HANDLE C WHITE | NA211CSW | 65 MM X 3 M | WHITE  |
| GOLA HANDLE L WHITE | NA211LSW | 50 MM X 3 M | WHITE  |
| FIXING BRACKET      | NA/F     | -           | STEEL  |

**FEATURES:** Round cut out  
 End caps available for all colours

STANDARD:




Custom: Other colours available on request, minimum order of 10 lengths.



| DESCRIPTION                             | CODE    | SIZE | FINISH   |
|-----------------------------------------|---------|------|----------|
| STRIP HANDLE 32 MM ALU                  | VD5_ALU | 3 M  | ALU      |
| STRIP HANDLE 32 MM BRUSHED STEEL FINISH | VD5_SS  | 3 M  | S/STEEL  |
| STRIP HANDLE 32 MM WHITE                | VD5_WHT | 3 M  | WHITE    |
| STRIP HANDLE 32 MM BLACK                | VD5_BLK | 3 M  | BLACK    |
| STRIP HANDLE 32 MM GRAPHITE             | VD5_GRP | 3 M  | GRAPHITE |

**FEATURES:** Suitable for cabinet doors and drawer fronts.  
 Vertical mounting for all doors  
 Horizontal mounting for drawers  
 Can be cut to size  
 Can be powder coated  
 Black & Alu available in pre-cut sizes of 100 mm, 200 mm and 300 mm


STANDARD:




| DESCRIPTION                 | CODE    | SIZE | FINISH   |
|-----------------------------|---------|------|----------|
| STRIP HANDLE 38 MM ALU      | VD6_ALU | 3 M  | ALU      |
| STRIP HANDLE 38 MM WHITE    | VD6_WHT | 3 M  | WHITE    |
| STRIP HANDLE 38 MM BLACK    | VD6_BLK | 3 M  | BLACK    |
| STRIP HANDLE 38 MM GRAPHITE | VD6_GRP | 3 M  | GRAPHITE |

**FEATURES:** Suitable for cabinet doors and drawer fronts.  
 Vertical mounting for all doors  
 Horizontal mounting for drawers  
 Can be cut to size  
 Can be powder coated  
 Black & Alu available in pre-cut sizes of 100 mm, 200 mm and 300 mm

STANDARD:






| DESCRIPTION                        | CODE    | SIZE | FINISH |
|------------------------------------|---------|------|--------|
| FINGER GRIP HANDLE SHORT ALUMINIUM | VD9_ALU | 3 M  | ALU    |
| FINGER GRIP HANDLE SHORT BLACK     | VD9_BLK | 3 M  | BLACK  |

**FEATURES:** Cabinet Doors and Drawer Fronts  
Top or bottom mounted to doors and drawer fronts  
Can be used in conjunction with VD10

STANDARD:



ON REQUEST:





| DESCRIPTION                       | CODE         | SIZE | FINISH |
|-----------------------------------|--------------|------|--------|
| FINGER GRIP HANDLE LONG ALUMINIUM | VD10_ALU     | 3 M  | ALU    |
| FINGER GRIP HANDLE LONG BLACK     | VD10_BLK     | 3 M  | BLACK  |
| FINGER GRIP HANDLE LONG WITH LIP  | VD10.LIP_ALU | 3 M  | ALU    |
| FINGER GRIP HANDLE LONG WITH LIP  | VD10.LIP_BLK | 3 M  | BLACK  |

**FEATURES:** Cabinet Doors and Drawer Fronts  
Top or bottom mounted to doors and drawer fronts  
Can be used in conjunction with VD9

STANDARD:



ON REQUEST:





| DESCRIPTION                                          | CODE        | FINISH |
|------------------------------------------------------|-------------|--------|
| CORNER JOINT CONNECTOR FOR 2 SIDES                   | VC002_blk   | BLACK  |
| CORNER JOINT CONNECTOR FOR 3 SIDES                   | VC003_blk   | BLACK  |
| CORNER JOINT CONNECTOR FOR 4 SIDES                   | VC004_blk   | BLACK  |
| CORNER JOINT CONNECTOR FOR 5 SIDES                   | VC005_blk   | BLACK  |
| CORNER JOINT CONNECTOR FOR 3 SIDES + ADJUSTABLE FOOT | VC003.1_blk | BLACK  |
| CORNER JOINT CONNECTOR FOR 4 SIDES + ADJUSTABLE FOOT | VC004.1_blk | BLACK  |




**APPLICATIONS:** Integrated into the kitchen, freestanding furniture and visual room designs.

**FINISHES:** On Request - White, Grey and Graphite


**BENEFITS:** Endless possibilities  
Modular and flexible use  
Simple assembly  
Easy delivery  
Wide selection of corner joints


**SUPPLIED:** Components and profiles only  
Standard kits  
Custom sizes and layouts - supplied cut to size and drilled, ready to assemble  
\*Screws included



| DESCRIPTION            | SIZE       | CODE                | FINISH |
|------------------------|------------|---------------------|--------|
| FRAME PROFILE          | 20 x 20 MM | vCUBE_20x20_blk     | BLACK  |
| FRAME PROFILE WITH LIP | 20 x 20 MM | vCUBE_20x20.lip_blk | BLACK  |
| STRIP FOR GLASS INSERT | 1200 MM    | VC_Glass4_blk       | GLASS  |
| STRIP FOR GLASS INSERT | 1200 MM    | VC_Glass6_blk       | GLASS  |


\*Strip fixed with double sided tape included.





| CODE             | HEIGHT | WIDTH | DEPTH  | COLOUR |
|------------------|--------|-------|--------|--------|
| VC_FRAME7230_blk | 720 MM | -     | 300 MM | BLACK  |

\*Shelf frames: for timber shelves (2 frames ready to fix to the wall)



| CODE                 | HEIGHT | WIDTH  | DEPTH  | COLOUR |
|----------------------|--------|--------|--------|--------|
| VC_CUBE306030_blk.2W | 300 MM | 600 MM | 300 MM | BLACK  |
| VC_CUBE309030_blk.2W | 300 MM | 900 MM | 300 MM | BLACK  |
| VC_CUBE456030_blk.2W | 450 MM | 600 MM | 300 MM | BLACK  |
| VC_CUBE459030_blk.2W | 450 MM | 900 MM | 300 MM | BLACK  |

\*vCUBE frame: for 2 timber shelves on the top and bottom




| CODE                 | HEIGHT | WIDTH  | DEPTH  | COLOUR |
|----------------------|--------|--------|--------|--------|
| VC_CUBE726030_blk.3W | 720 MM | 600 MM | 300 MM | BLACK  |
| VC_CUBE729030_blk.3W | 720 MM | 900 MM | 300 MM | BLACK  |

\*Top cabinet vCUBE frame: for 3 timber shelves on the top, bottom and middle

| CODE                 | HEIGHT | WIDTH  | DEPTH  | COLOUR |
|----------------------|--------|--------|--------|--------|
| VC_CUBE906030_blk.4W | 900 MM | 600 MM | 300 MM | BLACK  |
| VC_CUBE909030_blk.4W | 900 MM | 900 MM | 300 MM | BLACK  |

\*Top cabinet vCUBE frame: for 4 timber shelves on the top, bottom and 2 x middle (equally spaced shelves)



| CODE                  | HEIGHT | WIDTH   | DEPTH  | COLOUR |
|-----------------------|--------|---------|--------|--------|
| VC_CUBE7212030_blk.3W | 720 MM | 1200 MM | 300 MM | BLACK  |
| VC_CUBE9012030_blk.4W | 900 MM | 1200 MM | 300 MM | BLACK  |

\*Top cabinet vCUBE frame: 2 Sections for 3/4 timber shelves on the top, bottom and middle (equally spaced shelves)


CUSTOM SIZES AND LAYOUTS  
Supplied cut to size and drilled, ready to assemble. Delivered flat packed.



| DESCRIPTION            | CODE               | FINISH |
|------------------------|--------------------|--------|
| FIX VERTICAL PANEL KIT | VW_UPRIGHT.KIT_BLK | BLACK  |



| DESCRIPTION            | CODE  | FINISH |
|------------------------|-------|--------|
| CABINET HANGERS (PAIR) | VW008 | BLACK  |



| DESCRIPTION                   | CODE            | FINISH |
|-------------------------------|-----------------|--------|
| STRAIGHT SHELF BRACKET 300 MM | VW_SHELF.30_BLK | BLACK  |
| STRAIGHT SHELF BRACKET 400 MM | VW_SHELF.40_BLK | BLACK  |
| STRAIGHT SHELF BRACKET 550 MM | VW_SHELF.55_BLK | BLACK  |



| DESCRIPTION                 | CODE               | FINISH |
|-----------------------------|--------------------|--------|
| ANGLED SHELF BRACKET 300 MM | VW_SHELF.30ANG_BLK | BLACK  |
| ANGLED SHELF BRACKET 550 MM | VW_SHELF.55ANG_BLK | BLACK  |





**DISPLAY WINE**  
[www.displaywine.com](http://www.displaywine.com)



| DESCRIPTION                        | CODE           | SIZE         | FINISH |
|------------------------------------|----------------|--------------|--------|
| DISPLAY PIN - SINGLE BOTTLE_SILVER | DP_SINGLE_SILV | 1 BOTTLE SET | SILVER |
| DISPLAY PIN - DOUBLE BOTTLE_SILVER | DP_DOUBLE_SILV | 2 BOTTLE SET | SILVER |
| DISPLAY PIN - TRIPLE BOTTLE_SILVER | DP_TRIPLE_SILV | 3 BOTTLE SET | SILVER |



| DESCRIPTION                       | CODE          | SIZE         | FINISH |
|-----------------------------------|---------------|--------------|--------|
| DISPLAY PIN - SINGLE BOTTLE_BLACK | DP_SINGLE_BLK | 1 BOTTLE SET | BLACK  |
| DISPLAY PIN - DOUBLE BOTTLE_BLACK | DP_DOUBLE_BLK | 2 BOTTLE SET | BLACK  |
| DISPLAY PIN - TRIPLE BOTTLE_BLACK | DP_TRIPLE_BLK | 3 BOTTLE SET | BLACK  |



| DESCRIPTION                                | CODE          | QTY | FINISH |
|--------------------------------------------|---------------|-----|--------|
| VINOWALL PINS WITH 50 MM SCREW - 150MM_ALU | V_PINS10_ALU  | 10  | ALU    |
| VINOWALL PINS WITH 50 MM SCREW - 150MM_ALU | V_PINS100_ALU | 100 | ALU    |



| DESCRIPTION                                  | CODE          | QTY | FINISH |
|----------------------------------------------|---------------|-----|--------|
| VINOWALL PINS WITH 50 MM SCREW - 150MM_BLACK | V_PINS10_BLK  | 10  | BLACK  |
| VINOWALL PINS WITH 50 MM SCREW - 150MM_BLACK | V_PINS100_BLK | 100 | BLACK  |





| DESCRIPTION                           | CODE            | SIZE | FINISH |
|---------------------------------------|-----------------|------|--------|
| WINE CRADLE WITH SCREWS - 150MM_BLACK | WCRADLE.10_BLK  | 10   | BLACK  |
| WINE CRADLE WITH SCREWS - 150MM_BLACK | WCRADLE.100_BLK | 100  | BLACK  |



| DESCRIPTION                                               | CODE               | SIZE | FINISH |
|-----------------------------------------------------------|--------------------|------|--------|
| WINE CRADLE MAX WITH SCREWS - DOUBLE BOTTLE - 150MM_BLACK | WCRADLE_MAX.10_BLK | 10   | BLACK  |




| DESCRIPTION                            | CODE            | SIZE       | FINISH |
|----------------------------------------|-----------------|------------|--------|
| BLACK SPINE WITH BLACK CRADLES_700 MM  | SPINE_700.BBLK  | 7 BOTTLES  | BLACK  |
| BLACK SPINE WITH BLACK CRADLES_1400 MM | SPINE_1400.BBLK | 14 BOTTLES | BLACK  |
| BLACK SPINE WITH BLACK CRADLES_2100 MM | SPINE_2100.BBLK | 21 BOTTLES | BLACK  |




| DESCRIPTION                               | CODE                | SIZE       | FINISH |
|-------------------------------------------|---------------------|------------|--------|
| BLACK SPINE WITH BLACK CRADLE MAX_700 MM  | SPINE.MAX_700.BBLK  | 14 BOTTLES | BLACK  |
| BLACK SPINE WITH BLACK CRADLE MAX_1400 MM | SPINE.MAX_1400.BBLK | 28 BOTTLES | BLACK  |
| BLACK SPINE WITH BLACK CRADLE MAX_2100 MM | SPINE.MAX_2100.BBLK | 42 BOTTLES | BLACK  |





| DESCRIPTION                                       | CODE                 | QTY        | FINISH |
|---------------------------------------------------|----------------------|------------|--------|
| WINE SHELF BLACK FRAME, BLACK PANEL - CORK FACING | SHELF_566X297_B.BLK  | 5 BOTTLES  | BLACK  |
| WINE SHELF BLACK FRAME, BLACK PANEL - CORK FACING | SHELF_866X297_B.BLK  | 8 BOTTLES  | BLACK  |
| WINE SHELF BLACK FRAME, BLACK PANEL - CORK FACING | SHELF_1166X297_B.BLK | 11 BOTTLES | BLACK  |






| DESCRIPTION              | CODE                 | SIZE           | FINISH |
|--------------------------|----------------------|----------------|--------|
| ROUND WINE PIN 12 MM_10  | WINEPIN_12MM_BLK_10  | 12 MM X 180 MM | BLACK  |
| ROUND WINE PIN 12 MM_100 | WINEPIN_12MM_BLK_100 | 12 MM X 180 MM | BLACK  |



| DESCRIPTION              | CODE                 | SIZE           | FINISH |
|--------------------------|----------------------|----------------|--------|
| ROUND WINE PIN 22 MM_10  | WINEPIN_22MM_BLK_10  | 22 MM X 150 MM | BLACK  |
| ROUND WINE PIN 22 MM_100 | WINEPIN_22MM_BLK_100 | 22 MM X 150 MM | BLACK  |



| DESCRIPTION       | CODE             | SIZE           | FINISH |
|-------------------|------------------|----------------|--------|
| SOLO WINE PIN_10  | SOLO_PIN_BLK_10  | 73 MM X 175 MM | BLACK  |
| SOLO WINE PIN_100 | SOLO_PIN_BLK_100 | 73 MM X 175 MM | BLACK  |





| DESCRIPTION                            | CODE               | SIZE       | FINISH |
|----------------------------------------|--------------------|------------|--------|
| WINE CRADLE BASE TO BASE               | WCRADLE.B2B.10_BLK | 20 BOTTLES | BLACK  |
| WINE CRADLE BASE TO BASE 700 MM SPINE  | SPINE_700.B2B.BLK  | 14 BOTTLES | BLACK  |
| WINE CRADLE BASE TO BASE 1400 MM SPINE | SPINE_1400.B2B.BLK | 28 BOTTLES | BLACK  |
| WINE CRADLE BASE TO BASE 2100 MM SPINE | SPINE_2100.B2B.BLK | 42 BOTTLES | BLACK  |





| DESCRIPTION                              | CODE          | SIZE      | FINISH |
|------------------------------------------|---------------|-----------|--------|
| THE FLOATING WINE SHELF 380 MM X 115 MM  | FWS_380MMBLK  | 1 BOTTLE  | BLACK  |
| THE FLOATING WINE SHELF 740 MM X 115 MM  | FWS_740MMBLK  | 2 BOTTLES | BLACK  |
| THE FLOATING WINE SHELF 1105 MM X 115 MM | FWS_1105MMBLK | 3 BOTTLES | BLACK  |





| DESCRIPTION                | CODE           | + | ADD                  | + | ADD        | + | ADD       | SIZE   | FINISH   |
|----------------------------|----------------|---|----------------------|---|------------|---|-----------|--------|----------|
|                            | 300/1800 FRAME |   | FULL EXTENSION SLIDE |   | SOFT-CLOSE |   | 5 BASKETS |        |          |
| SOLID BASE PULL-OUT LARDER | 295A           |   | 295K                 |   | 2950       |   | 296+      | 300 MM | CHROME   |
| SOLID BASE PULL-OUT LARDER | 295 GRAPHITE   |   | 295K GRAPHITE        |   | 2950       |   | 296+GREY  | 300 MM | GRAPHITE |

**FEATURES:** Soft-close (Optional)  
 Weight capacity - 80 kg  
 Solid base baskets  
 Available in Chrome and Graphite



| DESCRIPTION            | CODE              | SIZE   | FINISH       |
|------------------------|-------------------|--------|--------------|
| PULL-OUT LARDER 300 MM | 255K+255A+253/300 | 300 MM | CHROME/WHITE |
| PULL-OUT LARDER 450 MM | 255K+255A+253/450 | 450 MM | CHROME/WHITE |
| PULL-OUT LARDER 600 MM | 255K+255A+253/600 | 600 MM | CHROME/WHITE |

|           |                                              |
|-----------|----------------------------------------------|
| FEATURES: | Soft-close                                   |
|           | Weight capacity - 120 kg                     |
|           | Full extension slide                         |
|           | Solid base                                   |
|           | Available in Chrome                          |
|           | Access from both sides                       |
|           | Grocery storage                              |
|           | Adjustable frame height from 1880 h - 2180 h |



| DESCRIPTION         | CODE          | + | ADD             | SIZE   | FINISH |
|---------------------|---------------|---|-----------------|--------|--------|
|                     |               |   | NOVA PRO RUNNER |        |        |
| SOLID BASE PULL-OUT | 119+GRASS 450 |   | F101108276211   | 450 MM | CHROME |
| SOLID BASE PULL-OUT | 119+GRASS 600 |   | F101108276211   | 600 MM | CHROME |
| SOLID BASE PULL-OUT | 119+GRASS 900 |   | F101108276211   | 900 MM | CHROME |

| DESCRIPTION         | CODE             | + | ADD             | SIZE   | FINISH   |
|---------------------|------------------|---|-----------------|--------|----------|
|                     |                  |   | NOVA PRO RUNNER |        |          |
| SOLID BASE PULL-OUT | 119+GRASS 450 GR |   | F101108276211   | 450 MM | GRAPHITE |
| SOLID BASE PULL-OUT | 119+GRASS 600 GR |   | F101108276211   | 600 MM | GRAPHITE |
| SOLID BASE PULL-OUT | 119+GRASS 900 GR |   | F101108276211   | 900 MM | GRAPHITE |

**FEATURES:**

- Soft-close
- Weight capacity - 40 kg
- Full extension drawer slide
- Fully synchronised
- Solid base
- Available in Chrome and Graphite



| DESCRIPTION                 | CODE          | SIZE   | FINISH   |
|-----------------------------|---------------|--------|----------|
| SIGE 3/4 CAROUSEL FLAT WIRE | 363+          | 800 MM | CHROME   |
| SIGE 3/4 CAROUSEL FLAT WIRE | 363+ GRAPHITE | 800 MM | GRAPHITE |

| DESCRIPTION                  | CODE | SIZE   | FINISH |
|------------------------------|------|--------|--------|
| SIGE 3/4 CAROUSEL ROUND WIRE | 363I | 700 MM | CHROME |


|           |               |                           |                     |
|-----------|---------------|---------------------------|---------------------|
| FEATURES: | Retrofit      | Assembly on cabinet base  | 2 x Shelves per set |
|           | Shelf mounted | Height adjustment + 3.5 m |                     |



| DESCRIPTION             | CODE          | SIZE   | MIN DOOR SIZE | FINISH   |
|-------------------------|---------------|--------|---------------|----------|
| SIGE BLIND CORNER LEFT  | 371+LH SC     | 900 MM | 450 MM        | CHROME   |
| SIGE BLIND CORNER RIGHT | 371+RH SC     | 900 MM | 450 MM        | CHROME   |
| SIGE BLIND CORNER LEFT  | 371+LH GRP SC | 900 MM | 450 MM        | GRAPHITE |
| SIGE BLIND CORNER RIGHT | 371+RH GRP SC | 900 MM | 450 MM        | GRAPHITE |

**FEATURES:**

- Retrofit
- Shelf mounted
- Weight capacity 25 kg per shelf
- More stability
- Easy to install
- 2 x Shelves per set
- Soft-close





| DESCRIPTION         | CODE         | + | ADD             | SIZE   | FINISH   |
|---------------------|--------------|---|-----------------|--------|----------|
|                     |              |   | NOVA PRO RUNNER |        |          |
| SOLID BASE PULL-OUT | 002+GRASS    |   | F101108277L X 2 | 150 MM | CHROME   |
| SOLID BASE PULL-OUT | 002+GRAPHITE |   | F101108277L X 2 | 150 MM | GRAPHITE |

| DESCRIPTION             | CODE |  | SIZE   | FINISH |
|-------------------------|------|--|--------|--------|
| BOTTLE RACK DIVIDER KIT | 065+ |  | 150 MM | CLEAR  |

|                                                                                                                                                                                                                                                                                                                  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| <b>FEATURES:</b> <ul style="list-style-type: none"> <li>Soft-close</li> <li>Weight capacity - 40 kg</li> <li>Full extension drawer slide</li> <li>Fully synchronised</li> <li>Solid base</li> <li>Available in Chrome and Graphite</li> <li>Access from both sides</li> <li>Left hand runner mounting</li> </ul> |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|



| DESCRIPTION         | CODE         | ADD<br>NOVA PRO RUNNER | SIZE   | FINISH   |
|---------------------|--------------|------------------------|--------|----------|
| SOLID BASE PULL-OUT | 004+GRASS    | F101108276211          | 300 MM | CHROME   |
| SOLID BASE PULL-OUT | 004+GRAPHITE | F101108276211          | 300 MM | GRAPHITE |

| DESCRIPTION             | CODE     |  | SIZE   | FINISH   |
|-------------------------|----------|--|--------|----------|
| BOTTLE RACK DIVIDER KIT | 066+     |  | 300 MM | CHROME   |
| BOTTLE RACK DIVIDER KIT | 066+GREY |  | 300 MM | GRAPHITE |

**FEATURES:**

- Soft-close or Push to open
- Weight capacity - 40 kg
- Full extension drawer slide
- Fully synchronised
- Solid base
- Available in Chrome and Graphite



| DESCRIPTION        | CODE          | + | ADD            | + | ADD           | FINISH   |
|--------------------|---------------|---|----------------|---|---------------|----------|
|                    |               |   | NOVAPRO RUNNER |   | NOVAPRO SIDES |          |
| SINK DRAWER 900 MM | 720A / 900GRP |   | F101108276211  |   | F100103123211 | GRAPHITE |



**FEATURES:** Undersink organising  
2 movable trays and dividers  
Sheet metal base  
Installation to drawer front with screws  
Works with Nova Pro Scala runner and drawer sides



| DESCRIPTION               | CODE          | FINISH   |
|---------------------------|---------------|----------|
| UTILITY BIN DRAWER 900 MM | 720B / 900GRP | GRAPHITE |



**FEATURES:** Can be used for recycling or organising  
Installation inside the drawer  
Fits Nova Pro Scala 900 mm drawer box  
Total bin capacity is 36 L  
40 kg or 70 kg runner option



| DESCRIPTION        | CODE         | FINISH   |
|--------------------|--------------|----------|
| BASE TRAY 900 MM   | 098 / 900GRP | GRAPHITE |
| PLATE HOLDER METAL | 097P         | GRAPHITE |
| BOWL HOLDER METAL  | 097C         | GRAPHITE |

**FEATURES:** Organising drawer for plates, bowls, cups and glasses  
Installation inside the drawer  
Fits a Nova Pro Scala 900 mm drawer box  
Dismountable to contain the spread of bacteria  
40 kg or 70 kg runner option



| DESCRIPTION            | CODE | + | ADD             | SIZE   | CAPACITY  |
|------------------------|------|---|-----------------|--------|-----------|
|                        |      |   | NOVA PRO RUNNER |        |           |
| PULL-OUT RECYCLING BIN | 564  |   | F101108276211   | 300 MM | 35 LITRES |
| PULL-OUT RECYCLING BIN | 560  |   | F101108276211   | 400 MM | 35 LITRES |



**FEATURES:**

- Soft-close or Push to open
- Weight capacity - 40 kg
- Full extension drawer slide
- Fully synchronised
- Concealed runner
- Fixed shelf
- Height 560
- Graphite Colour



| DESCRIPTION            | CODE | + | ADD             | SIZE   | CAPACITY  |
|------------------------|------|---|-----------------|--------|-----------|
|                        |      |   | NOVA PRO RUNNER |        |           |
| PULL-OUT RECYCLING BIN | 561  |   | F101108276211   | 450 MM | 70 LITRES |
| PULL-OUT RECYCLING BIN | 562  |   | F101108276211   | 500 MM | 70 LITRES |



**FEATURES:**

- Soft-close or Push to open
- Weight capacity - 40 kg
- Full extension drawer slide
- Fully synchronised
- Concealed runner
- Fixed shelf
- Height 560
- Graphite Colour



| DESCRIPTION            | CODE | + | ADD             | SIZE   | CAPACITY  |
|------------------------|------|---|-----------------|--------|-----------|
|                        |      |   | NOVA PRO RUNNER |        |           |
| PULL-OUT RECYCLING BIN | 563  |   | F101108276211   | 600 MM | 85 LITRES |



**FEATURES:**

- Soft-close or Push to open
- Weight capacity - 40 kg
- Full extension drawer slide
- Fully synchronised
- Concealed runner
- Fixed shelf
- Height 560
- Graphite Colour



| DESCRIPTION          | CODE | + | ADD                   | CAPACITY  | FINISH   |
|----------------------|------|---|-----------------------|-----------|----------|
|                      |      |   | NOVAPRO RUNNER 500 MM |           |          |
| RECYCLING BIN 600 MM | 589  |   | F101108276211         | 80 LITRES | GRAPHITE |



**FEATURES:** 2 Bin solution for a 600 mm unit  
80 L bin capacity  
40 kg or 70 kg runner option  
Also available for Tipmatic or Sensomatic



| DESCRIPTION          | CODE | + | ADD                   | FINISH          |
|----------------------|------|---|-----------------------|-----------------|
|                      |      |   | NOVAPRO RUNNER 450 MM |                 |
| UNDERSINK BIN 600 MM | 700B |   | F101108273211         | GRAPHITE / GREY |

**FEATURES:** Fits under a sink for a 600 mm unit  
40 kg or 70 kg runner option  
36 L bin capacity  
Runner length of 450 mm



| DESCRIPTION              | CODE | SIZE   | CAPACITY  |
|--------------------------|------|--------|-----------|
| AUTO OPEN BIN BASE MOUNT | 520  | 450 MM | 32 LITRES |



**FEATURES:** Opens with the door  
Base mounted  
Double bin  
Fits under sink  
Height - 380 mm  
Bin Depth - 460 mm  
Grey and white colour



| DESCRIPTION                   | CODE | SIZE   | CAPACITY  |
|-------------------------------|------|--------|-----------|
| PULL-OUT WASTE BIN BASE MOUNT | 540  | 300 MM | 21 LITRES |



**FEATURES:** Base mounted  
Fits under sink  
Height - 400 mm  
Bin Depth - 460 mm  
Grey and white colour



| DESCRIPTION          | CODE | COLOUR | CAPACITY  |
|----------------------|------|--------|-----------|
| SIGE TOMMI WASTE BIN | 501  | GREY   | 24 LITRES |



**FEATURES:** Door mounted  
Easy installation  
Includes lid and frame  
Height: 440 mm  
Bin Depth: 230 mm  
Width: 290 mm



| DESCRIPTION    | CODE    | COLOUR   | CAPACITY  |
|----------------|---------|----------|-----------|
| SIGE WASTE BIN | 560/LID | GRAPHITE | 35 LITRES |

**FEATURES:** Allow for custom built bin drawers  
Includes lid to lock out odours  
Height: 540 mm  
Bin Depth: 240 mm  
Width: 375 mm



| DESCRIPTION     | CODE     | SIZE   | CAPACITY |
|-----------------|----------|--------|----------|
| COUNTER TOP BIN | IRCO05PP | 300 MM | 8 LITRE  |

**FEATURES:** Bin intergrated into counter top  
Removeable  
Easy access



| DESCRIPTION             | CODE            | SIZE |       |       | FINISH |
|-------------------------|-----------------|------|-------|-------|--------|
|                         |                 | W    | D     | H     |        |
| WASTE BIN 45 L + LID    | H6245           | 380  | X 330 | X 660 | GREY   |
| BIN BRACKET FOR 45L BIN | B/BIN BRACKET   |      |       |       | WHITE  |
| FLAP STAY               | 356.050.00.0070 |      |       |       | CHROME |



| DESCRIPTION                   | CODE       | SIZE  | FINISH   |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER STRONG | 57008080AB | 70 MM | WHITE    |
| MOUNTING PLATE WITH HOUSING   | 57010040   | 80 MM | WHITE    |
| KPUSH TECH WITH BUFFER STRONG | 57008080EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING   | 57010040G  | 80 MM | GRAPHITE |





| DESCRIPTION                   | CODE       | SIZE  | FINISH   |
|-------------------------------|------------|-------|----------|
| KPUSH TECH WITH BUFFER NORMAL | 57008040AB | 70 MM | WHITE    |
| MOUNTING PLATE WITH HOUSING   | 57010040   | 80 MM | WHITE    |
| KPUSH TECH WITH BUFFER NORMAL | 57008040EE | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING   | 57010040G  | 80 MM | GRAPHITE |





| DESCRIPTION                    | CODE      | SIZE  | FINISH   |
|--------------------------------|-----------|-------|----------|
| KPUSH TECH WITH MAGNET + SCREW | 57008020  | 70 MM | WHITE    |
| MOUNTING PLATE WITH HOUSING    | 57010040  | 80 MM | WHITE    |
| KPUSH TECH WITH MAGNET + SCREW | 57008020G | 70 MM | GRAPHITE |
| MOUNTING PLATE WITH HOUSING    | 57010040G | 80 MM | GRAPHITE |








| DESCRIPTION            | CODE       | FINISH   |
|------------------------|------------|----------|
| LIBRA H 11 BRACKET SET | C010002380 | STEEL    |
| COVER CAP WHITE L      | 63490710AB | WHITE    |
| COVER CAP WHITE R      | 63490720AB | WHITE    |
| COVER CAP GRAPHITE L   | 63490710EE | GRAPHITE |
| COVER CAP GRAPHITE R   | 63490720EE | GRAPHITE |

|           |                                                                   |                                                              |
|-----------|-------------------------------------------------------------------|--------------------------------------------------------------|
| FEATURES: | Used for any type of furniture: living room, kitchen and bathroom | Red bolt is a lock device for unit                           |
|           | Adjustment is easy accessible                                     | Very high load capacity of between 120 kg - 200 kg           |
|           | Depth and vertical adjustment                                     | *Depends on cabinet size, quality of wood, wall quality etc. |
|           |                                                                   |                                                              |






| DESCRIPTION                     | CODE       | FINISH |
|---------------------------------|------------|--------|
| SHELF SUPPORT GLASS WITH RUBBER | 10208030YA | NICKEL |
| SHELF SUPPORT GLASS WITH RUBBER | 10208030YQ | NIGHT  |
| SHELF SUPPORT WOOD - NO RUBBER  | 10208020YA | NICKEL |
| SHELF SUPPORT WOOD - NO RUBBER  | 10208020YQ | NIGHT  |
| RUBBER PAD ONLY                 | 10208060AA | CLEAR  |

|                                                                                   | DESCRIPTION                                | CODE                               |
|-----------------------------------------------------------------------------------|--------------------------------------------|------------------------------------|
|  | SHELF SUPPORT CLEAR<br>SHELF SUPPORT WHITE | 517.006.00.0051<br>517.006.61.0051 |
|  | SHELF SUPPORT NICKEL                       | F069073459253                      |
|  | SHELF SUPPORT GLASS                        | 517.206.65.0015                    |
|  | SHELF SUPPORT PIN                          | 517.006.01.0015                    |

|           |                                                                                                       |                 |
|-----------|-------------------------------------------------------------------------------------------------------|-----------------|
| FEATURES: | New modern design<br>Use for glass or wood shelves<br>Bespoke layer of rubber can be added or removed | Ø 5 mm pin size |
|-----------|-------------------------------------------------------------------------------------------------------|-----------------|





| DESCRIPTION                              | CODE       | SIZE   | FINISH |
|------------------------------------------|------------|--------|--------|
| RECESSING DOOR SYS HEAVY DUTY+HINGES+BAR | KV8092/500 | 500 MM | BLACK  |
| RECESSING DOOR SYS HEAVY DUTY+HINGES+BAR | KV8092/600 | 600 MM | BLACK  |

**FEATURES:**

- Height up to 2000 mm
- Door thickness up to 22 mm
- Gear system
- No Sagging of doors
- Up to a maximum weight capacity of 35 Kg per door
- Inset or overlay of 6 mm application only



| DESCRIPTION          | CODE         | SIZE          | FINISH |
|----------------------|--------------|---------------|--------|
| WARDROBE LIFT - 20KG | W/SUPER LIFT | 750 - 1150 MM | GREY   |



| DESCRIPTION                   | CODE              | SIZE            | FINISH   |
|-------------------------------|-------------------|-----------------|----------|
| SHOE PULLOUT ADJ 600 - 750 MM | B/SHOE P/O 600WHT | 450 MM X 170 MM | WHITE    |
| SHOE PULLOUT ADJ 600 - 750 MM | B/SHOE P/O 600GRP | 450 MM X 170 MM | GRAPHITE |
| SHOE PULLOUT ADJ 750 - 900 MM | B/SHOE P/O 750WHT | 450 MM X 170 MM | WHITE    |
| SHOE PULLOUT ADJ 750 - 900 MM | B/SHOE P/O 750GRP | 450 MM X 170 MM | GRAPHITE |




| DESCRIPTION            | CODE                   | SIZE                    | FINISH |
|------------------------|------------------------|-------------------------|--------|
| COAT RAIL OVAL         | B/RAIL                 | 15 MM X 30 MM X 2500 MM | CHROME |
| ROD HOLDER             | B/ROD HOLDER           | 15 MM X 45 MM           | CHROME |
| CENTRE SUPPORT         | B/HOLDER SUPPORT       | 15 MM X 70 MM           | CHROME |
| COAT RAIL OVAL BLACK   | B/RAIL BLK             | 15 MM X 30 MM X 2500 MM | BLACK  |
| ROD HOLDER BLACK       | B/ROD HOLDER BLK       | 15 MM X 45 MM           | BLACK  |
| CENTRE SUPPORT BLACK   | B/HOLDER SUPPORT BLK   | 15 MM X 70 MM           | BLACK  |
| ROD HOLDER BLACK B/FIX | B/ROD HOLDER BLK B/FIX | 15 M X 65 MM            | BLACK  |



| DESCRIPTION       | CODE       | SIZE                    | FINISH |
|-------------------|------------|-------------------------|--------|
| OVAL RAIL         | B/RAIL ALU | 19 MM X 34 MM X 3000 MM | ALU    |
| HANG RAIL BRACKET | T128W      | 20 MM X 35 MM           | WHITE  |



| DESCRIPTION        | CODE    | SIZE           | FINISH |
|--------------------|---------|----------------|--------|
| CHROME WIRE BASKET | V/B400C | 400 MM CARCASS | CHROME |
| CHROME WIRE BASKET | V/B450C | 450 MM CARCASS | CHROME |
| CHROME WIRE BASKET | V/B500C | 500 MM CARCASS | CHROME |
| CHROME WIRE BASKET | V/B600C | 600 MM CARCASS | CHROME |



| DESCRIPTION             | CODE   | SIZE   | FINISH |
|-------------------------|--------|--------|--------|
| CURVED WINE BOTTLE RACK | WR240D | 400 MM | CHROME |
| CURVED WINE BOTTLE RACK | WR250D | 500 MM | CHROME |
| CURVED WINE BOTTLE RACK | WR260D | 600 MM | CHROME |



| DESCRIPTION        | CODE       | SIZE   | FINISH |
|--------------------|------------|--------|--------|
| VOLPATO LEG        | C/LEG 100P | 100 MM | BLACK  |
| VOLPATO LEG        | C/LEG 150P | 150 MM | BLACK  |
| SKIRTING CLIP WOOD | C/CLIP/P   | -      | BLACK  |
| SKIRTING CLIP ALU  | C/CLIP/K   | -      | BLACK  |



| DESCRIPTION                                       | CODE                   | SIZE   | FINISH      |
|---------------------------------------------------|------------------------|--------|-------------|
| BRUSHED ALU KICK PLATE 100 MM X 4 M               | AKP 100 BRU            | 100 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 150 MM X 4 M               | AKP 150 BRU            | 150 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 100 MM FLEXIBLE CORNER     | AKP 100 BRU FLEX CNR   | 100 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 150 MM FLEXIBLE CORNER     | AKP 150 BRU FLEX CNR   | 150 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 100 MM 90 DEG FIXED CORNER | AKP 100 BRU 90 DEG CNR | 100 MM | BRUSHED ALU |
| BRUSHED ALU KICK PLATE 150 MM 90 DEG FIXED CORNER | AKP 150 BRU 90 DEG CNR | 150 MM | BRUSHED ALU |



| DESCRIPTION     | CODE                   | SIZE |    |   |     |    | FINISH |    |    |       |
|-----------------|------------------------|------|----|---|-----|----|--------|----|----|-------|
|                 |                        | W    | X  | D | X   | H  |        |    |    |       |
| OMNI TRAP COVER | TRAP/SHELF COVER WHITE | 240  | MM | X | 120 | MM | X      | 83 | MM | WHITE |
| OMNI TRAP COVER | TRAP/SHELF COVER GREY  | 240  | MM | X | 120 | MM | X      | 83 | MM | GREY  |



| DESCRIPTION        | CODE        | SIZE |    |      | FINISH |          |
|--------------------|-------------|------|----|------|--------|----------|
|                    |             | W    | X  | H    |        |          |
| VOLPATO TRAP COVER | 35101660WH  | 680  | MM | X 78 | MM     | WHITE    |
| VOLPATO TRAP COVER | 35101660SIL | 680  | MM | X 78 | MM     | GREY     |
| VOLPATO TRAP COVER | 35101660GRP | 680  | MM | X 78 | MM     | GRAPHITE |





| DESCRIPTION     | CODE       | SIZE            | FINISH   |
|-----------------|------------|-----------------|----------|
|                 |            | W X H           |          |
| OMNI SPICE TRAY | OST/450GRP | 387 MM X 480 MM | GRAPHITE |
| OMNI SPICE TRAY | OST/450WH  | 387 MM X 480 MM | WHITE    |
| OMNI SPICE TRAY | OST/500GRP | 437 MM X 480 MM | GRAPHITE |
| OMNI SPICE TRAY | OST/500WH  | 437 MM X 480 MM | WHITE    |
| OMNI SPICE TRAY | OST/600GRP | 537 MM X 480 MM | GRAPHITE |
| OMNI SPICE TRAY | OST/600WH  | 537 MM X 480 MM | WHITE    |



| DESCRIPTION                   | CODE   | FINISH |
|-------------------------------|--------|--------|
| GAS LIFT 80N SOFT-CLOSE WOOD  | M23212 | STEEL  |
| GAS LIFT 100N SOFT-CLOSE WOOD | M23213 | STEEL  |
| GAS LIFT 120N WOOD            | M23214 | STEEL  |
| GAS LIFT ALU                  | M26146 | STEEL  |



| DESCRIPTION | CODE   | FINISH |
|-------------|--------|--------|
| MAXI B LIFT | MAXI.B | STEEL  |
| MAXI C LIFT | MAXI.C | STEEL  |



| DESCRIPTION | CODE       | SIZE       | FINISH |
|-------------|------------|------------|--------|
| BROOM CLIP  | BROOM CLIP | 20 - 30 MM | BLACK  |



| DESCRIPTION                    | CODE          | SIZE            | FINISH |
|--------------------------------|---------------|-----------------|--------|
| TOP CABINET SUSPENSION FITTING | F155145207210 | 130 KG CAPACITY | STEEL  |
| TOP CABINET SUSPENSION RAIL    | F155145236513 | 125 MM          | STEEL  |



| DESCRIPTION          | CODE            | SIZE  | FINISH |
|----------------------|-----------------|-------|--------|
| STICK ON DOOR BUMPER | F146073835253   | 7 MM  | CLEAR  |
| STICK ON DOOR BUMPER | F146073836256   | 10 MM | CLEAR  |
| DOOR BUMPER DRILL IN | 630.000.03.0850 | 5 MM  | CLEAR  |



| DESCRIPTION    | CODE   | SIZE         | FINISH |
|----------------|--------|--------------|--------|
| CAMFIX METAL   | T3201  | 20 Ø X 13 MM | NICKLE |
| CAMFIX PLASTIC | T3201B | 20 Ø X 13 MM | BROWN  |
| CAMFIX PLASTIC | T3201W | 20 Ø X 13 MM | WHITE  |



| DESCRIPTION | CODE   | SIZE         | FINISH |
|-------------|--------|--------------|--------|
| WEDGEFIX    | T3241  | 20 Ø X 12 MM | WHITE  |
| WEDGEFIX    | T3241B | 20 Ø X 12 MM | BROWN  |



| DESCRIPTION           | CODE  | SIZE         | FINISH |
|-----------------------|-------|--------------|--------|
| DOWEL 5 MM EURO       | T3400 | 5 Ø X 11 MM  | ZINC   |
| DOWEL 5 MM EURO SHORT | T3410 | 5 Ø X 7.5 MM | ZINC   |



| DESCRIPTION | CODE      | SIZE        | FINISH |
|-------------|-----------|-------------|--------|
| DOWEL M4    | T3470.009 | M4 X 7.5 MM | ZINC   |



| DESCRIPTION | CODE  | SIZE             | FINISH |
|-------------|-------|------------------|--------|
| SLEEVE      | T3051 | 5 Ø X M4 X 15 MM | RAW    |



| DESCRIPTION       | CODE  | SIZE         | FINISH |
|-------------------|-------|--------------|--------|
| CAM FITTING 15 MM | T3150 | 15 Ø X 15 MM | ZINC   |



| DESCRIPTION                | CODE   | SIZE       | FINISH |
|----------------------------|--------|------------|--------|
| DOWELL FITTING WITH SLEEVE | CB2620 | 50 X 34 MM | STEEL  |



| DESCRIPTION    | CODE  | SIZE       | FINISH |
|----------------|-------|------------|--------|
| DOWEL STEEL M6 | T3462 | M6 X 34 MM | RAW    |
| DOWEL STEEL M4 | T3470 | M4 X 34 MM | RAW    |



| DESCRIPTION                             | CODE  | SIZE        | FINISH |
|-----------------------------------------|-------|-------------|--------|
| QUICKFIT BOLT 8 X 34 MM EXPANDING DOWEL | T3491 | 8 Ø X 34 MM | ZINC   |



| DESCRIPTION               | CODE          | SIZE         | FINISH |
|---------------------------|---------------|--------------|--------|
|                           |               | W H          |        |
| KD 9000 BIC PIN           | F148043053123 | -            | NICKEL |
| KD 9000 BIC SHELF SUPPORT | F148043036551 | -            | NICKEL |
| KD 9000 BIC HOUSING       | F148043056123 | 19 MM X 8 MM | WHITE  |



| DESCRIPTION                               | CODE            | SIZE           | FINISH |
|-------------------------------------------|-----------------|----------------|--------|
| EURO SCREW COUNTERSUNK                    | 707.360.61.1015 | 6 MM X 10 MM   | NICKEL |
| EURO SCREW COUNTERSUNK                    | 707.360.61.3015 | 6 MM X 13 MM   | NICKEL |
| EURO SCREW PAN HEAD                       | 707.362.61.3015 | 6 MM X 13 MM   | NICKEL |
| EURO SCREW COUNTERSUNK FOR GRASS PRODUCTS | F145083544599   | 6 MM X 11.5 MM | NICKEL |



| DESCRIPTION           | CODE            | SIZE         | FINISH |
|-----------------------|-----------------|--------------|--------|
| CONNECTING SCREW 5 MM | 499.040.27.0025 | 32 MM X 5 MM | NICKEL |



# ENVIRONMENTAL MANAGEMENT

Grass pursues the goal of preventing or reducing environmental impacts at their very source. This means adopting an integrated approach to the product, considering all aspects from the initial product idea, through production and use to disposal.

## GRASS ENVIRONMENTAL PRINCIPLES


- We see environmental protection as a major corporate objective, alongside business success, the quality of our products and occupational health & safety.
- We strive to conserve energy, water and resources in all our production processes and associated operations. In addition, we investigate and evaluate direct and indirect environmental impacts on a regular basis.
- We aim to use ecologically sound raw materials, consumables and supplies. We also look for savings potentials in the area of storage and packing. The multiple use system already in place is to be continuously expanded. Furthermore, we are looking for an economically and ecologically acceptable handling system.
- We continually develop cost-effective solutions and employ the state of the art in order to develop products with minimum environmental impact. We actively encourage the recycling of our products and provide the necessary product information for this purpose.
- In all our decisions regarding investment projects and the development of new products and manufacturing processes we take ecological criteria into account and, in so doing, operate a continuous improvement process for our environmental performance.
- We are committed to complying with all environmental requirements, laws and regulations, and underline the necessity for international harmonisation of environmental protection legislation.





Grass ZA (Pty) Ltd.  
2 Graph Avenue  
Montague Gardens 7441  
Cape Town,  
South Africa  
Phone +27 21 529 8040  
Fax +27 21 529 8041  
E-mail [info@grass.co.za](mailto:info@grass.co.za)

Unit 6, Northlands Retail Park  
Epsom Road  
North Riding  
Johannesburg 2169  
South Africa



Distributor Stamp