



Vogue<sup>TM</sup>  
doors

## OUR FACTORY



Vogue<sup>TM</sup>  
doors

021 529 8040 (ext 2) | [orders@voguedoors.co.za](mailto:orders@voguedoors.co.za)  
[www.voguedoors.co.za](http://www.voguedoors.co.za)



Proudly made  
in South Africa



Our Vogue Doors are made  
from recyclable materials











## ABOUT VOGUE DOORS

Vogue Doors manufactures fully assembled custom sized aluminium and glass framed cabinet and sliding wardrobe doors.

### WHY VOGUE DOORS?






- We are a dedicated manufacturer of custom aluminium framed cabinet and sliding doors.
- Our focus is on trade clients, producing exceptional quality doors for kitchen, furniture, bathroom, office and wardrobe applications.
- We strive to provide the highest level of customer service and support, in a prompt and professional manner.

## QUICK GUIDE

NAME	DESCRIPTION	SECTION VIEW	PAGE
	What we offer		Pg 1
VD1	20 x 20mm Cabinet door frame		Pg 2
VD2	45 x 20mm Cabinet door frame		Pg 3
VD3	50 x 22mm Cabinet door frame		Pg 4
VD4	45 x 16mm Cabinet door frame		Pg 5
VD7	50 x 22mm Finger grip frame - 1.5mm		Pg 6
VD8	50 x 22mm Finger grip frame - 12mm		Pg 7
VD5	32mm Cabinet door strip handle		Pg 8
VD6	38mm Cabinet door strip handle		Pg 9
VD9	Finger grip handle profiles - short		Pg 10
VD10	Finger grip handle profiles - long		Pg 10



## QUICK GUIDE

NAME	DESCRIPTION	SECTION VIEW	PAGE
VD9 & VD10	Handle profiles and custom size handles		Pg 11
M02	Wardrobe sliding systems		Pg 12 - 13
M03	Wardrobe sliding systems		Pg 14 - 15
M02 or M03 sliding door system	How to order		Pg 16 - 17
VD11 & VD12	Wardrobe sliding door strip handle		Pg 17
M04	Wardrobe sliding systems		Pg 18 - 19
M04 sliding door system	How to order		Pg 20 - 21
vCUBE	Shelving systems for Kitchens and furniture		Pg 22 - 26
vWall	Wall panel system for Wardrobes and Living rooms		Pg 27 - 29



## WHAT WE OFFER

**Quality\_** Non negotiable for us. We pride ourselves in producing the highest quality aluminium doors available in the industry for over 12 years.

**Custom manufactured\_** Cut, drilled and assembled to exact customer specifications.

**Lead times\_** Varies depending on quantity and glass type. Our promise is to strive to deliver doors in good time while maintaining the highest quality possible.

**Fully assembled & ready to hang\_** Doors are delivered ready to fit including drilling for hinge holes and certain lift up fittings.

**Frames only option\_** Order your frames to size, we'll prepare them and deliver ready to have glass fitted.

**Aluminium frame finishes\_** We offer a range of finishes:

### STANDARD





SHORT CODE	NAME	COLOUR
ALU	Natural Anodised	
SS	Brushed Stainless Steel	

**Support Local\_** Our products are manufactured in Cape Town, South Africa using as many local suppliers as possible.

**Warranty\_** We offer a functional lifetime warranty on the workmanship of all our doors.

### AVAILABLE ON REQUEST

*We do have stock of most of these options in smaller quantities.*

SHORT CODE	NAME	COLOUR
WHT	White Textured Powdercoat	
GRY	Grey Textured Powdercoat	
GRP	Graphite Textured Powdercoat	
BLK	Black Textured Powdercoat	

### GLASS TERMS

**FLOAT GLASS:** Normal standard glass  
Can be cut, drilled and shaped as required

**TOUGHENED GLASS:** Glass made 5x harder and stronger by special heating and cooling process  
Glass cannot be cut, drilled or shaped once toughened

### GLASS TYPES

**CLEAR GLASS:**

- Normal standard green glass used in many varying applications

**EXTRA WHITE GLASS:**

- Glass that has the impurities removed
- It does not have the typical green tinge of normal clear glass

**CLEAR GLASS (FLOAT OR TOUGHENED) WITH SANDBLAST FILM:**

- Glass has a translucent look, that allows light through

**BACK-PAINTED GLASS:**

- Clear glass (float or toughened) back sprayed (Minty White, Black)
- Extra white glass (float or toughened) back sprayed with a colour of choice (plascon codes) or Snow White
- Matching of colours is not exact and might not match wall or cabinet door colours as you are seeing the colour through the glass.

**MIRROR OPTIONS:**

- Silver, Grey or Bronze mirror available
- Mirrors supplied with white backing film

**PLEASE NOTE:** Due to the nature of cutting and polishing glass, tolerance of +2 - 2mm as per glass standards is deemed acceptable in industry.





## VD1

### 20X20MM CABINET DOOR FRAME

- Applications:** Cabinet doors only
- Glass Type:** All 4mm glass (See Glass Types pg 1)
- Hardware Options:** Special hinge & machining is required  
Gas stays (Grass MZ6146)
- Max Door Size:** 1800mm x 600mm (recommended)  
Over this height a divider rail is required

#### Special Notes


Will not work with: Lift up fittings / drawer fronts

#### Frame Finishes

Standard:



On Request:





## VD2

### 45X20MM CABINET DOOR FRAME

The MOST versatile & economical frame

**Applications:** Cabinet doors  
Lift up doors  
Drawer fronts


**Glass Type:** All 4mm glass - great option with sandblast film

**Max Door Size:** 2200mm x 600mm (recommended)


**Hardware Options:** Standard hinges  
All lift up mechanisms and gas stays

#### Frame Finishes

Standard:



On Request:







## VD3

### 50X22MM CABINET DOOR FRAME

Very modern minimalistic frame with a 1.5mm edge border.


- Applications:** Hinged cabinet doors  
Lift up doors  
Drawer fronts
- Glass Type:** 4mm coloured back painted glass (glued to the frame)  
4mm Mirror with backing film (glued to the frame)  
**NOT POSSIBLE:** Clear, sandblast & sandblast film glass (glue/adhesive will be visible)
- Max Door Size:** 2200mm x 600mm (recommended)
- Hardware Options:** Standard hinges  
All lift up mechanisms and gas stays
- Special Notes** The 1.5mm edge border creates a barrier which helps protect the vulnerable glass edges

#### Frame Finishes

Standard:



On Request:





## VD4

### 45X16MM CABINET DOOR FRAME

Very modern minimalistic frame with a frameless glass or mirror look.  
*We recommend VD3 with 1.5mm edge as an alternative.*

- Applications:** Cabinet doors  
Lift up doors  
Drawer fronts
- Glass Type:** 4mm coloured back painted glass (glued to the frame)  
4mm Mirror with backing film (glued to the frame)  
**NOT POSSIBLE:** Clear, sandblast & sandblast film glass (glue/adhesive will be visible)
- Max Door Size:** 2200mm x 600mm (recommended)
- Hardware Options:** Standard hinges  
All lift up mechanisms and gas stays  
Sliding door system M02 and M03  
(See page 12 & 14)


**Special Notes** All edges are exposed and chipping is a high risk. Handle with care.

#### Frame Finishes

Standard:



On Request:





## VD7

50X22MM FINGER GRIP FRAME - 1.5MM

Modern sturdy frame with an integrated finger grip handle for easy door opening (1.5mm edge border).

- Applications:** Cabinet doors  
Lift up doors  
Drawer fronts
- Glass Type:** 4mm coloured back painted glass (glued to the frame)  
4mm mirror with backing film (glued to the frame)  
**NOT POSSIBLE:** Clear, sandblast & sandblast film glass (glue/adhesive will be visible)
- Max Door Size:** 2200mm x 600mm (recommended)
- Hardware Options:** Standard hinges  
All lift up mechanisms and gas stays
- Special Notes** The 1.5mm edge border helps protect the vulnerable glass edges.

### Frame Finishes

Standard:



ALU



BLK

On Request:





WHT



GRY



GRP





## VD8

50X22MM FINGER GRIP FRAME - 12MM

Modern sturdy frame with an integrated finger grip handle for easy door opening (12mm border).

**Applications:** Cabinet doors  
Lift up doors  
Drawer fronts

**Glass Type:** All 4mm glass - great option with sandblast film

**Max Door Size:** 2200mm x 600mm (recommended)

**Hardware Options:** Standard hinges  
All lift up mechanisms and gas stays

**Special Notes** Very versatile frame

### Frame Finishes

Standard:



ALU



BLK

On Request:




WHT



GRY



GRP







## VD5

### 32MM CABINET DOOR STRIP HANDLE

#### Applications:

#### Fitting:

Cabinet doors and drawer fronts  
Vertical mounting for cabinet doors  
(\*if mounted top or bottom of hinged doors, check clearance on the door in the open position)  
Top or bottom mounting for flap doors or drawer fronts

#### Handle Finishes:


#### Standard:



#### On Request:



#### Special:





VD5.1\_SS - 42mm  
Strip Handle\_Stainless Steel look



#### Availability:

3m lengths  
or CUSTOM - Cut, predrilled & finished to your specific sizes and spec



### STANDARD SIZE HANDLES AVAILABLE PRE PACKS, READY TO FIT

CODE	DETAILS
VD5_100ALU	32mm x 100mm handle - Aluminium
VD5_100BLK	32mm x 100mm handle - Black
VD5_150ALU	32mm x 150mm handle - Aluminium
VD5_150BLK	32mm x 150mm handle - Black
VD5_200ALU	32mm x 200mm handle - Aluminium
VD5_200BLK	32mm x 200mm handle - Black
VD5_300ALU	32mm x 300mm handle - Aluminium
VD5_300BLK	32mm x 300mm handle - Black



## VD6

### 38MM CABINET DOOR STRIP HANDLE

#### Applications:

#### Fitting:

Cabinet doors and drawer fronts  
Vertical mounting for cabinet doors  
(\*if mounted top or bottom of hinged doors, check clearance on the door in the open position)  
Top or bottom mounting for flap doors or drawer fronts

#### Handle Finishes:

#### Standard:





#### On Request:



#### Availability:

3m lengths or  
**CUSTOM - Cut, Predrilled & finished to your specific sizes and spec**





### STANDARD SIZE HANDLES AVAILABLE PRE PACKS, READY TO FIT






CODE	DETAILS
VD6_100ALU	38mm x 100mm handle - Aluminium
VD6_100BLK	38mm x 100mm handle - Black
VD6_150ALU	38mm x 150mm handle - Aluminium
VD6_150BLK	38mm x 150mm handle - Black
VD6_200ALU	38mm x 200mm handle - Aluminium
VD6_200BLK	38mm x 200mm handle - Black
VD6_300ALU	38mm x 300mm handle - Aluminium
VD6_300BLK	38mm x 300mm handle - Black

## VD9


### FINGER GRIP HANDLE PROFILE - SHORT



**Applications:** Cabinet doors and drawer fronts  
**Fitting:** Top or bottom mounted to doors and drawer fronts  
 Can be used in conjunction with VD10



**Finishes:** Standard:  ALU  
 On Request:  WHT  GRY  GRP  BLK

**Availability:** 3m lengths or  
**CUSTOM - Cut, Predrilled & finished to your specific sizes and spec**








## VD10 LIP or STR

### FINGER GRIP HANDLE PROFILE - LONG



**Applications:** Cabinet doors and drawer fronts  
**Fitting:** Top or bottom mounted to doors and drawer fronts  
 Can be used in conjunction with VD9


**Finishes:** Standard:  ALU  
 On Request:  WHT  GRY  GRP  BLK

**Availability:** 3m lengths  
 or CUSTOM - Cut, Predrilled & finished to your specific sizes and spec





## VD9 AND 10 WORKING TOGETHER



## CUSTOM SIZE HANDLES


- Applications:** Cabinet doors and drawer fronts  
Cut to any size/length - lead time 10 - 15 working days
- Advantage:** Custom sized handles that have finished edges all round
- Finishes:** Only powder coat finishes are available




## HOW TO ORDER CUSTOM SIZE HANDLES

Supply us the following: Quantity and sizes  
Handle profile type: VD5, VD6, VD9 or VD10.LIP / VD10.STR


## WE CUT



## WE DRILL



## WE FINISH



## M02

### TOP HUNG (OVER AND UNDER) WARDROBE SLIDING SYSTEM



Tracks are mounted on top of the wardrobe carcass with the bottom guide hidden below the carcass base.


- Applications:** Wardrobe sliding doors / pantry cupboards  
2, 3 or 4 door systems - available as kits or with complete built up doors to size
- Door Types:** Wood / Board  
Alu frames with glass or mirror (see page 16)
- Door Thickness:** 16mm to 25mm
- Door Weight:** up to 80 kg's      **Min Door Weight:** 25 kg's
- Door Size:** 2400mm x 1200mm (recommended)
- Door Height:** up to 2600mm      **Door Width:** 600mm to 1200mm

Integrated Soft Close comes standard on all doors - opening and closing  
Smooth sliding action with easy adjustment

**Notes:** Build a strong sturdy carcass with no flex on the top, to accommodate the door weight and ensure allowances for bottom guide are built in.


#### VS\_M02.2DR

Complete system: Top and bottom track 3m, wheel sets and soft closers for 2 doors



#### VS\_M02.3DR

Complete system: Top and bottom track 3m, wheel sets and soft closers for 3 doors



### HOW TO WORK OUT YOUR DOOR HEIGHT

Door height = outside carcass height + 108mm

Door size guideline using the aspect ratio

height ÷ width = Aspect ratio

1800 ÷ 700 = 2.57


2100 ÷ 800 = 2.63

2300 ÷ 900 = 2.55


2400 ÷ 1000 = 2.4

2600 ÷ 1100 = 2.36

Aspect ratio's should be 2.85 or less, for the doors to function correctly, on the M02 system.



**Top Track 3m**  
VS\_M02\_TTRACK3M



**Bottom Track 3m**  
VS\_M02\_BTRACK3M



**2 Door Wheel Set With Soft Closers**  
VS\_M02\_WS.2DR



**3 Door Wheel Set With Soft Closers**  
VS\_M02\_WS.3DR  
(VS\_M02\_WS.2DR + single door set)







### M03

#### FLOOR TO CEILING MOUNTED WARDROBE SLIDING DOOR SYSTEM

Regular “inside fit” system. Fits top and bottom inside the opening - for wardrobe carcass or floor to ceiling.

- Applications:** Wardrobe sliding doors  
2, 3, or 4 door systems - available as kits or with complete built up doors to size
- Door Types:** Glass, mirror and wood (see page 16)
- Door Thickness:** 16mm to 22mm
- Door Weight:** Up to 60 kg's      **Min Door Weight:** 22 kg's
- Door Size:** 2440mm x 1200mm (recommended)
- Door Height:** Up to 2500mm      **Door Width:** 600mm to 1200mm


Integrated Soft Close comes standard on all doors - opening and closing  
Easy soft close adjustment

Smooth sliding action with easy height adjustment

The principles of level, plumb and square apply for all types of sliding doors.  
We recommend that you do not rely on walls, floors and ceilings to be perfect. It is best to build a carcass for your sliding doors wherever possible.


#### VS M03.2DR

Complete system: Top and bottom track 3m, wheel sets and soft closers for 2 doors



#### VS M03.3DR

Complete system: Top and bottom track 3m, wheel sets and soft closers for 3 doors



#### HOW TO WORK OUT YOUR DOOR HEIGHT



Door height = inside height - 40mm

Door size guideline using the aspect ratio


height ÷ width = Aspect ratio

1800	÷	700	=	2.57
2100	÷	800	=	2.63
2300	÷	900	=	2.55
2400	÷	1000	=	2.4
2600	÷	1100	=	2.36


Aspect ratio's should be 3.35 or less, for the doors to function correctly, on the M03 system.



**Top Track 3m**  
VS\_M03\_TTRACK3M



**Bottom Track 3m**  
VS\_M03\_BTRACK3M




**Insert Track 3m**  
VS\_INS.TRACK3M - insert track  
for M03 & M04



**2 Door Wheel Set  
With Soft Closers**  
VS\_M03\_WS.2DR




**3 Door Wheel Set  
With Soft Closers**  
VS\_M03\_WS.3DR



## HOW TO ORDER:


### M02 OR M03 SLIDING DOOR SYSTEM

#### Step 1: Choose your system type




#### Step 2: Choose your Door Type

### TYPE A: WOOD




Any board type fitted with VD11 or VD12 strip handles.  
Recommended add on = VD11 or VD12 Sliding door strip handle, see page 17 for 2dr and 3dr kits.



### TYPE B: FRAMED



VD8 Aluminium frame fitted with VD11 strip handles.  
All 4mm safety glass: clear, sandblast film, coloured back painted and tinted glass, including mirror with backing film.






## TYPE C: FRAMELESS





VD4 Aluminium frame fitted with VD11 & VD12 strip handles.  
4mm coloured back painted glass (glued to the frame)  
4mm mirror with backing film (glued to the frame)  
**NOT POSSIBLE:** Clear, sandblast & sandblast film glass  
(glue/adhesive will be visible)



**Step 3:** If you chose type B or C  
Choose your glass type

**Step 4:** Email us your cabinet details for specific sizes [voguedoors@grass.co.za](mailto:voguedoors@grass.co.za)



## VD11 & VD12 WARDROBE SLIDING DOOR STRIP HANDLE

**Applications:** Wardrobe sliding doors  
Slim profile with finger grip for EASY opening of sliding doors  
VD11 - Far stronger and more stable profile  
VD12 - Slimmer profile with less grip

**Finishes:**

Standard:



On Request:



**Availability:** 2.5m & 3m lengths  
**Handle Kits:** 2 or 3 doors kits available  
Pre-drilled, ready to fix to your doors

## M04

### FLOOR TO CEILING MOUNTED WARDROBE SLIDING DOOR SYSTEM



Regular “inside fit” system. Fits top and bottom inside the opening - for wardrobe carcass or floor to ceiling. Concealed wheel system.

**Applications:**

Wardrobe sliding doors

Room divider, where doors are visible from both sides  
2,3 or 4 door systems - available as complete built up doors to size or supplied as built up frames only

**Door Types:**

Frameless and Symmetrical

**Door Thickness:**

35mm frame

**Door Weight:**

Up to 60 kg's

**Door Size:**

2500mm x 1200mm (recommended)

**Door Height:**

Up to 2800mm


**Door Width:** 600mm to 1200mm

Integrated soft close comes standard on all doors - opening and closing  
Concealed bottom wheel system, so doors visible from both sides are possible  
Smooth sliding action with easy height adjustment

The principle of level, plumb and square apply for all types of sliding doors. We recommend that you do not rely on walls, floors and ceilings to be perfect. It is best to build a square carcass for your sliding doors wherever possible.

#### VS\_M04.2DR


Manufactured to size and supplied as a complete door system, ready to install



Top and bottom track, doors with wheel sets and soft closers for 2 doors



#### VS\_M04.3DR

Manufactured to size and supplied as a complete door system, ready to install




Top and bottom track, doors and wheel sets and soft closers for 3 doors






**Top Track 3m**  
VS\_M04\_TTRACK3M




**Bottom Track 3m**  
VS\_M04\_BTRACK3M



**Insert Track 3m**  
VS\_INS.TRACK3M - Insert track  
for M03 & M04




**Top wheel set with soft closer**  
VS\_M04\_TWS  
for a single door\_2 way  
soft close mechanism



## HOW TO ORDER:

### M04 SLIDING DOOR SYSTEM

**Step 1:** Choose between 2 or 3 door system



**Step 2:** Choose your Door Type

## TYPE A: FRAMELESS

Narrow edge profile of 3mm

Decorative inlays are adhered to the frame


### Available inlay options

Glass: Back painted or digitally printed glass

Mirror: Silver, grey or bronze mirror


Wood: 6mm duco or veneer (only frames will be supplied)

Full sheet, no dividers



*Note: This frameless door has very little pull grip, so with the soft closers in position it may be difficult to move the door to slide.*

*We have an additional pull strip handle that can be applied afterwards, should this be a concern.*





## TYPE B: SYMMETRICAL




Vertical profile and handle grip: 22mm width

**Available inlay options**

4mm glass or mirror

Wood: duco or veneer (own supply)

Dividers and various inlay panels (works with 4, 6 and 8mm)



**Step 3:** Choose your glass or inlay type

**Step 4:** Email us your Cabinet opening or the floor to ceiling and wall to wall measurements, as well as the inlay requirements for all price enquiries. [voguedoors@grass.co.za](mailto:voguedoors@grass.co.za)



## vCUBE SHELVING SYSTEM

**Applications:** Integrated into the kitchen, freestanding furniture and visual room designs.

**Benefits:**  
Endless possibilities  
Modular and flexible use  
Simple assembly  
Easy delivery  
Wide selection of corner joints

### Frame and Corner finishes:

Standard:



On Request:



**Supplied:**

Components and profiles only  
Standard kits  
Custom sizes and layouts - supplied cut to size and drilled, ready to assemble



**Corner Joint Connector for 2 sides**  
VC002\_blk  
(screws included)



**Corner Joint Connector for 3 sides**  
VC003\_blk  
(screws included)



**Corner Joint Connector for 4 sides**  
VC004\_blk  
(screws included)





**Corner Joint Connector for 5 sides**  
VC005\_blk  
(screws included)





**Corner Joint Connector for 3 sides  
with adjustable foot**  
VC003.1\_blk  
(screws + foot included)




**Corner Joint Connector for 4 sides  
with adjustable foot**  
VC004.1\_blk  
(screws + foot included)



**20 x 20 Frame profile**  
vCUBE\_20x20\_blk





**20 x 20 Frame profile with lip**  
vCUBE\_20x20.lip\_blk



**Strip for glass insert - 1200mm**  
VC\_Glass4\_blk for 4mm glass  
VC\_Glass6\_blk for 6mm glass  
(Strip fixed with double sided tape included)





## STANDARD KITS AVAILABLE



**Shelf frames:** for timber shelves (2 frames ready to fix to the wall)


CODE	HEIGHT	WIDTH	DEPTH	COLOUR
VC_FRAME7230_blk	720mm	-	300mm	Black



**vCUBE frame:** for 2 timber shelves on the top and bottom

CODE	HEIGHT	WIDTH	DEPTH	COLOUR
VC_CUBE306030_blk.2W	300mm	600mm	300mm	Black
VC_CUBE309030_blk.2W	300mm	900mm	300mm	Black
VC_CUBE456030_blk.2W	450mm	600mm	300mm	Black
VC_CUBE459030_blk.2W	450mm	900mm	300mm	Black







**Top cabinet vCUBE frame:** for 3 timber shelves on the top, bottom and middle

CODE	HEIGHT	WIDTH	DEPTH	COLOUR
VC_CUBE726030_blk.3W	720mm	600mm	300mm	Black
VC_CUBE729030_blk.3W	720mm	900mm	300mm	Black

**Top cabinet vCUBE frame:** for 4 timber shelves on the top, bottom and 2 x middle (equally spaced shelves)

CODE	HEIGHT	WIDTH	DEPTH	COLOUR
VC_CUBE906030_blk.4W	900mm	600mm	300mm	Black
VC_CUBE909030_blk.4W	900mm	900mm	300mm	Black



**Top cabinet vCUBE frame:** 2 Sections for 3/4 timber shelves on the top, bottom and middle (equally spaced shelves)

CODE	HEIGHT	WIDTH	DEPTH	COLOUR
VC_CUBE7212030_blk.3W	720mm	1200mm	300mm	Black
VC_CUBE9012030_blk.4W	900mm	1200mm	300mm	Black

## CUSTOM SIZES AND LAYOUTS

Supplied cut to size and drilled, ready to assemble. Delivered flat packed.  
Email us a layout with dimensions: [orders@voguedoors.co.za](mailto:orders@voguedoors.co.za)





## vWALL WALK IN WARDROBE AND SHELVING SYSTEM

**Applications:** Walk in wardrobes, wall panelling, living area wall units

**Benefits:** Simple, functional design, easy installation, cost effective components

### Frame and Shelving brackets:

Standard:



BLK

On Request:





WHT



GRY



GRP





## INSTALLATION



1. Fix Vertical uprights



2. Clip on panels and fit shelving or cabinets




**Vertical Wall Panel Profile Kit**


VW\_UPRIGHT\_KIT\_blk

*Kit includes:*

- 1 x Vertical upright \_ black
- 6 x Upright fixing brackets
- 12 x Panel connector clips
- 1 x upright support plate



**Wardrobe Upright For  
Shelving - 2.7m \_ black**  
VW\_UPRIGHT\_blk



**Upright Fixing Bracket**  
VW001



**Upright Support Plate**  
VW007



**Panel Connector Clips**  
VW002





VW\_SHELF.55\_blk  
**Shelf bracket - 550mm** \_ black incl VW005  
VW\_SHELF.40\_blk  
**Shelf bracket - 400mm** \_ black incl VW005  
VW\_SHELF.30\_blk  
**Shelf bracket - 300mm** \_ black incl VW005



VW\_SHELF.55ang\_blk  
**Angled Shelf bracket - 550mm** \_ black incl VW005  
VW\_SHELF.30ang\_blk  
**Angled Shelf bracket - 300mm** \_ black incl VW005



VW005  
**Shelf bracket fixings - 4 pack**



VW008  
**Cabinet hangers - pair - black**



# A SPECIAL THANKS TO OUR LOYAL CUSTOMERS

for their images of Vogue Doors in various applications.



[www.spotlightjoinery.co.za](http://www.spotlightjoinery.co.za)



[www.cami-interiors.co.za](http://www.cami-interiors.co.za)

[www.joos.co.za](http://www.joos.co.za)

[www.stockhomekitchens.co.za](http://www.stockhomekitchens.co.za)

[www.gardint.co.za](http://www.gardint.co.za) (Gardener Interior Concepts)





For Quotes or Orders, please contact  
the Vogue Doors office

**ORDERS@VOGUEDOORS.CO.ZA**

**021 529 8040 (EXT 2)**



**083 474 7988**

**WWW.VOGUEDOORS.CO.ZA**

DISTRIBUTED BY:

**G\*GRASS<sup>®</sup>**