

OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | sales@taylorblinds.co.za

JHB: Unit 9, Moon River, 6 River Close, Barbeque Downs, Kyalami | +27 (0) 11 794-1743 | salesjhb@taylorblinds.co.za

CONTENTS





ROLLER BLINDS	4 - 15
Light Filtering	6
Screen	7
Dim Out	9
Block Out	10
Zebra Roller Blinds	14
VENETIAN BLINDS	16 - 21
Wooden Venetian	17
Styro-Wood Venetian	18
Bamboo Wood Venetian	19
Aluminium Venetian	20
VERTICAL BLINDS	22 - 25
MOTION	26 - 29
MOTORISATION	30 - 33
FABRIC MATRIX	34 - 36



w.taylorblinds.co.za TAYLOR

ROLLER BLINDS





Controlled lighting. Open views. Modern styles. Sleek design. On-trend textures, colours and fabrics.

Inspired by the global trends in fabric, design, fashion and textiles, the new Taylor Blinds extended collection boasts over 100 different elegant fabrics. The collection includes classic cotton- and linen-look fabric textures that create a balanced and calming atmosphere as well as functional screens that are perfect for light management and heat control.

ROLLER BLINDS FINISH OPTION GLOSSARY



LIGHT FILTERING

Light Filtering fabrics are sheer and allow the maximum amount of light in. They create a decorative atmosphere and filter light in a soft, beautiful and natural way. There are different types of light filtering fabrics: **transparent** versions don't have an acrylic coating whereas translucent fabrics do have acrylic coatings. **Translucent** fabrics are more sheer.




DIM OUT

Dim Out blinds are 90% Block Out. They impede the view from both inside and outside. Dim Out fabrics beautifully filter the sunlight, while still creating a diffuse light in the interior. These blinds are often used in kitchens, living rooms and dining rooms. Dim Out blinds let a small amount of light in. The material is not too thick or thin as there is only one solid coating layer on the back (versus Block Out, which has three).



SCREEN

Screen fabrics allow in plenty of light — yet protect you, your flooring and furniture from UV rays and glare. They are wonderful as energy-saving blinds as they maintain a temperate climate in your room. They provide a great level of privacy during the day, however the opposite is true at night. Screens combine function and beauty: with their functional properties and architectural look and feel, screens are perfectly suited to large windows.



BLOCK OUT

Thanks to their coating on the back side, Block Out roller fabrics completely **Block Out** light, which makes them perfect for the bedroom, boardroom or nursery room. Select between various fabric finishes to complement your décor; and your **choice of PVC or PVC-free** fabric properties.

TAYLOR

Quality, Innovation & Trust Since 1959 www.taylorblinds.co.za



The robust, natural linen look of this fabric creates the warm feeling of being close to nature. This fabric is suitable for moist and humid environments.

\Diamond	Suitable for Moist Conditions
$\langle \rangle \rangle$	Flame Retardant
*	Glare Reduction
7	Easy to Clean
ি	Automated or Manual

TECHNICAL SPECIFICATIONS


Base Material:	100% PES Trevira CS
Finish:	Translucent
Width:	3000 mm
Weight:	180 g/m ²
Thickness:	0.7 mm

AVAILABLE COLOURS*



B-RANGE LIGHT FILTERING

This translucent plain fabric has a textile look and feel with a subtle texture and is available in both a Light Filtering and Block Out option. Due to the moisture protection properties, B-Range is an ideal fabric for rooms that are humid and moist (especially bathrooms).



TECHNICAL FEATURES

٥	Suitable for Moist Conditions
*	Good UV Control
*	Glare and Heat Reduction
3	Easy to Clean
ि	Automated or Manual

TECHNICAL SPECIFICATIONS

Base Material:	100% PES
Finish:	Translucent
Width:	2000 mm
Weight:	210 g/m ²
Thickness:	0.3 mm

AVAILABLE COLOURS*











MÜNCHEN LIGHT FILTERING



ROLLER BLINDS • LIGHT FILTERING • SCREEN

This translucent plain fabric has a textile look and feel and a heat-resistant pearl-coated backing. This fabric is suitable for moist and humid environments.

TECHNICAL FEATURES

\Diamond	Suitable for Moist Conditions
*	Good UV Control
*	Glare Reduction
3	Easy to Clean
ि	Automated or Manual

TECHNICAL SPECIFICATIONS

Base Material:	100% PES
Finish:	Translucent
Width:	2000 mm - 2800 mm
Weight:	200 g/m ²
Thickness:	0.35 mm

AVAILABLE COLOURS*

















SHEERWEAVE SCREEN



Our Sheerweave fabric is a revolutionary screen, manufactured using DOW ecolibrium bio-based plasticisers, rather than fossil-fuel-based plasticisers. DOW ecolibrium does not detract from the screen's appearance or performance, and provides a sustainable green alternative to traditional screens, without a PVC fragrance. The application of this treatment also means it will protect and defend your fabric against bacteria, mould, fungi, yeast and algae.

TECHNICAL FEATURES

25	Low Carbon Footprint
*	Good UV Control
*	Glare and Heat Reduction
7	Easy to Clean
())	Flame Retardant
ি	Automated or Manual
	-

TECHNICAL SPECIFICATIONS

Opening Factor:	5%
Material:	25% Polyester, 75% Vinyl on Polyester
Width:	3000 mm
Weight:	653 g/m ²
Thickness:	1.3 mm

AVAILABLE COLOURS











Eco-friendly: 50% of compound components derived from crop-based feedstocks and minerals while 2/3 of total compound is derived from non-fossil-fuel-based feedstocks.

*Due to the nature of printed brochures, the most up-to-date colours should always be checked with your sales representative

TAYLOR Quality, Innovation & Trust Since 1959 www.taylorblinds.co.za TAYLOR

C-SCREEN



This transparent screen fabric is a must-have for every functional collection. The thin, subtle material has a 5% openness factor and is flame retardant. C-Screen is available in timeless colours and offers possibilities to create a custom-made interior shading plan, meeting the different light, view and acoustic requirements in one building, in the same uniform look and colour.

TECHNICAL FEATURES

\Diamond	Suitable for Moist Conditions
*	Good UV Control
*	Glare and Heat Reduction
7	Easy to Clean
()),	Flame Retardant
ि	Automated or Manual
B	Bacterial and Fungi Resistant

TECHNICAL SPECIFICATIONS

Material:	25% Polyester, 75% Vinyl on Polyester
Openness Factor:	5%
Width:	2500 mm
Weight:	480 g/m ²
Thickness:	0.5 mm




















SOLTIS TOUCH-SCREEN



A uniquely natural effect created by an exclusive weave combining different materials and colours. Soltis Touch plays with light, creating chromatic effects and interplay of transparencies designed to give character to your interiors. Solar protection becomes an essential part of your interior design.



TECHNICAL FEATURES

*	Temperature Regulation
*	Glare Reduction / Natural Light
	Reverberation Reduction (44% of noise absorbed)
7	Easy to Clean
()),	Flame Retardant
ि	Automated or Manual
	Health Safety: Phthalate-Free

TECHNICAL SPECIFICATIONS

Material:	70% PVC, 30% PES
Openness Factor:	5%
Width:	1800 mm - 2700 mm
Weight:	430 g/m ²
Thickness:	0.73 mm

AVAILABLE COLOURS



TAYLOR











SOLTIS HORIZON 86 SCREEN



ROLLER BLINDS • SCREEN • DIM OUT

Enjoy the view even when the shades are closed. These attractive interior and exterior screen blinds are made from the finest threads. Taylor's Soltis Ferrari Horizon 86 allows light to shine in yet withholds heat and UV-rays from seeping through. The outward visibility remains preserved. Now, you can look good on the outside and feel it on the inside too.



TECHNICAL FEATURES

Glare Reduction
Thermal Comfort
Flame Retardant
Easy to Clean
Ideal for large windows
Automated or Manual

TECHNICAL SPECIFICATIONS

Openness Factor:	14%
Material:	Polyester, PVC
Width:	1770 mm - 2670 mm
Weight:	380 g/m ²
Thickness:	0.45 mm









SOLTIS MASTER 99 DIM OUT



Luxurious, discreet interiors. These chic, indoor screen blinds are made from a premium fabric, which is as functional as it is fashionable. Taylor's Soltis Ferrari Master 99 Blinds exude luxury, while offering both heat and UV-protection from the sun. Use your discretion to allow light in or to keep the rays out. They are a cocktail of sophistication, satisfaction and 100% recyclability.




TECHNICAL FEATURES

z² 100% Recyclable

*	Glare Reduction
*	Thermal Comfort
3	Easy to Clean
ि	Automated or Manual
B	Thin and Lightweight
\bigcirc	Antimicrobial Properties
())	Flame Retardant
\Diamond	PreContraint® Technology

TECHNICAL SPECIFICATIONS

Openness Factor:	3%
Material:	Polyester, PVC
Width:	1770 mm - 2670 mm
Weight:	290 g/m ²
Thickness:	0.32 mm



AVAILABLE COLOURS*

TAYLOR Quality, Innovation & Trust Since 1959 www.taylorblinds.co.za

B-RANGE BLOCK OUT



This plain Block Out fabric has a textile look and feel with a subtle texture. It's suitable for moist and humid environments and can be easily cleaned with a damp cloth.

TECHNICAL FEATURES		
٥	Suitable for Moist Conditions	
*	Good UV Control	
<u>%</u> -	Glare and Heat Reduction	

IICAL FEATURES	
Suitable for Moist Conditions	
Good UV Control	
Glare and Heat Reduction	
Easy to Clean	
Automated or Manual	

TECHNICAL SPECIFICATIONS

AVAILABLE COLOURS











LE REVE BLOCK OUT



A Block Out fabric that's good to look at. Le Reve brings elegant texture to the Taylor Blinds fabric collection, making this Block Out blind an ideal feature in your home or office, while providing a high-quality atmosphere for your interior. Le Reve fabric has a foam-coated acrylic backing on the reverse side of the textured interior-facing fabric.



TECHNICAL FEATURES

*	Good UV Control
*	Glare and Heat Reduction
ि	Automated or Manual
7	Easy to Clean

TECHNICAL SPECIFICATIONS

Openness Fact	or: 100% Block Out
Material:	100% Polyester with colour co-ordinated foamed acrylic backing
Finish:	Block Out Coated
Weight:	410 g/m ²

AVAILABLE COLOURS*







MÜNCHEN BLOCK OUT



ROLLER BLINDS • BLOCK OUT

This translucent plain fabric has a textile look and feel and a heat-resistant pearl-coated backing. This fabric is suitable for moist and humid environments.

\Diamond	Suitable for Moist Conditions
*	Good UV Control
*	Glare Reduction
7	Easy to Clean
<u>্</u>	Automated or Manual

ECHNICAL SPECIFICATIONS	
Base Material:	100% PES
Finish:	Translucent
Width:	2000 mm - 2800 mm
Weight:	200 g/m ²

0.35 mm

Thickness:

AVAILABLE COLOURS*













PVC BLOCK OUT



Our PVC range offers 100% Block Out, which delivers privacy and room darkening throughout the day (and night). An excellent choice for rooms needing total sun Block Out, such as boardrooms, bedrooms and environments requiring an option of total darkness.



TECHNICAL FEATURES

٥	Suitable for Moist Conditions
*	Good UV Control
*	- Glare Reduction
3	Easy to Clean
ô	Automated or Manual
())	Flame Retardant
	, Crack Resistant

TECHNICAL SPECIFICATIONS

Finish:	Block Out Coated
Material:	Fiberglass core laminated to 3 layers of PVC vinyl
Width:	1800 mm
Weight:	340 g/m ²
Thickness:	0.25 mm

AVAILABLE COLOURS

















*Due to the nature of printed brochures, the most up-to-date colours should always be checked with your sales representative

TAYLOR TAYLOR Quality, Innovation & Trust Since 1959 www.taylorblinds.co.za

V-RANGE BLOCK OUT



Our premium V-Range fabric offers 100% Block Out without the PVC backing. The PVC-free fabric, with acrylic coating has anti-fade, easy-to-clean and anti-fungal properties.

TECHNICAL FEATURES

Fade Resistant

- Glare and Heat Reduction

ಶ್⇔ PVC-Free

Easy to Clean

Antimicrobial Treatment

Crack Resistant


C Lead-Free

a Automated or Manual

TECHNICAL SPECIFICATIONS

Finish:	Block Out Coated
Material:	100% Polyester
Weight:	360 g/m ²

AVAILABLE COLOURS*








ROLLER BLIND ANATOMY






A Bottom bar (rail) options for your selection:






- **A1** Standard: aluminium bottom bar Dimensions: 30 mm (length) x 15 mm (depth), Weight: 243 g, Material: aluminium
- **A2** Standard half: half covered PVC bottom bar Dimensions: 30 mm (length) x 15 mm (depth), Weight: 127 g, Material: PVC (only available in B-Range)
- A3 Large: aluminium bottom bar for widths exceeding 2400 mm - Dimensions: 35 mm (length) x 15 mm (depth), Weight: 475 g, Material: aluminium
- **B** Choose to include or exclude a cassette with your installation



- C Day / night bracket
- **D** All roller blinds come with the option of Steel or Plastic chains (available in White, Black or Grey)




E Child-safety clip



13

ZEBRA ROLLER BLINDS





Thanks to the double layer fabric of light-filtering (transparent) and non-light-filtering (dim out) stripes, you can play with light and create a modern look. The light-filtering (transparent) stripes allow maximum light in and create a feeling of space, while the non-light-filtering (dim out fabric) darkens the room, providing you with more privacy.

TECHNICAL FEATURES

3	Easy to Clean
٥	Suitable for Moist Conditions
*	Insulation against Heat and Cold
ि	Automated or Manual
())	Flame Retardant (Parga only)

FABRIC COLOUR CHART

PARG/

This sheer translucent, flame retardant double roller blind fabric has a delicate woven structure and a subtle silk gloss.




ZAKYNTHOS

This translucent double roller blind fabric is available in five colours. Yarns in the colour of the closed stripes have been woven into the transparent stripes.



TECHNICAL SPECIFICATIONS

Base Material:	100% PES
Sheer Fabric Finish:	Parga Fabric - Impregnated
Solid Fabric Finish:	Zakynthos Fabric - Coated
Width:	2800 mm
Sheer Fabric Thickness:	Parga Fabric - 0.19 mm
Solid Fabric Thickness:	Zakynthos - 0.31 mm
Sheer Fabric Height:	50 mm
Solid Fabric Height:	50 mm



CRITICAL INFORMATION TO NOTE

These blinds will function best if they are NOT rolled up around the cassette, revealing an open window. Zebra Roller Blinds are meant to hang permanently — only moving the blind to either a sheer fabric or a solid (dim out) fabric. If the blinds are constantly rolled up and down it could impact the fabric lines and balance, resulting in skew fabric lines. If this is not a suitable solution for you, consider the DAY/NIGHT bracket, which can house both sheer screens and block out and allow for both the blinds to be drawn up, revealing an open window.

VENETIAN BLINDS





Versatile and practical, our collection features Aluminium, Styro-Wood, Bamboo Wood, and Wood versions. The beauty of Taylor's Venetian Blind Collection is timeless and sophisticated. Bold, natural and neutral tones add a tranquil and welcoming touch to any room, framing your windows and providing shade when needed. Control the lighting, your privacy and your view with these chic, durable blinds.

WOODEN VENETIAN BLINDS



The beauty of Taylor's Wooden Venetian Blind Collection is timeless and sophisticated, a true classic taste for all seasons. These popular blinds add warmth and contemporary flair to your room or space, letting nature in to work her magic.

The natural material and neutral tones of Taylor's Wooden Venetian Blinds add a tranquil and welcoming touch to a room, framing your windows and providing shade when needed. The streamlined design adds simplicity to window dressings and a classic, contemporary feel. The blinds are durable and versatile.

Taylor's Venetian Wood Blinds are made from wood sourced from renewable plantations in the Far East. The 50 mm slat blinds are available in a variety of subtle hues, colours and textures.



Wooden Venetian Blinds in Oak

TECHNICAL FEATURES

Easy to Clean

Cords, Tapes, Head and Bottom Rails are Colour Co-ordinated

Made from Natural Materials

Wood has a Special UV Protective Coating

TECHNICAL SPECIFICATIONS

Collection:	Styro-Wood Range, Deluxe Rai
Sizes:	Available in a 50 mm slat wi Min-Max blind width: 600 mm - 2430 mm Min-Max blind height: 650 mm - 2600 mm
Benefits:	UV Protective Coating

AVAILABLE COLOURS*



EXCLUSIVE WOOD RANGE 50 MM



*Due to the nature of printed brochures, the most up-to-date colours should always be checked with your sales representative

STYRO-WOOD VENETIAN BLINDS



Versatile and practical. The wood-substitute Venetian blind, Styro-Wood, is made from a polystyrene resin base and offers the benefits of a wood look and feel but without the negative characteristics that come with natural wood (e.g. warping, fading). This style of blind is therefore an ideal choice for bathrooms, kitchens or damp areas.

Styro-Wood Venetian Blinds are available in a 50 mm slat.



TECHNICAL FEATURES

7	Easy to Clean	
1	Easy to Pull Up	

Cords, Tapes, Head and Bottom Rails are Colour Co-ordinated

Styro-Wood Range is Suitable for use in Damp Areas (e.g. bathrooms)

AVAILABLE COLOURS*



BAMBOO WOOD VENETIAN BLINDS



VENETIAN BLINDS

Inspired by nature. Perfected by Taylor. Taylor's Bamboo Venetian Blinds are perfect for creating a serene and nurturing environment with a touch of strength and elegance. Bamboo Wood Venetian Blinds offer many unique design benefits: they lend elegance to almost any room décor and their durability makes them reliable, as they fulfil the functions of the traditional blind with little to no maintenance.

Bamboo Wood Venetian Blinds are eco-friendly and this, as many agree, is a big part of the natural ambiance that bamboo blinds lend to a room. The natural elements of bamboo make it a perfect material for use in the manufacturing of window-covering products. They are deceptively durable and can withstand sunlight for extended periods of time.



TECHNICAL FEATURES

\longleftrightarrow	Can be Fitted to any Window or Door
7	Easy to Clean and Easy to Pull Up
o	Cords, Tapes, Head and Bottom Rails are Colour Co-ordinated
0	Made from Natural Materials
*	Bamboo has a Special UV Protective Coating

TECHNICAL SPECIFICATIONS

Range:	Bamboo Wood Venetian
Sizes:	Available in a 50 mm slat width Min-Max blind width: 600 mm - 2430 mm Min-Max blind height: 650 mm - 2600 mm
Weight:	90 g/m ² Slat Thickness: 2 mm
Safety:	Child-Safe cord breaks if pulled too hard

AVAILABLE COLOURS*







*Due to the nature of printed brochures, the most up-to-date colours should always be checked with your sales representa

ALUMINIUM VENETIAN BLINDS



Blinds for the contemporary and trendy. Our modern range of made-to-measure Aluminium Venetian Blinds offers a wide variety and choice of colours, finishes and trend-led designs inspired by global architecture. Control the lighting, your privacy and your view with chic, durable Aluminium Venetian Blinds.

The aluminium slats are available in 25 mm and 50 mm width. The stainless steel pins are used to ease the cord pull, which means they won't corrode, rust or damage the cords.





TECHNICAL FEATURES

	Short Stacking Height
1	OHOLL OLDONING HUISH

Cords, Tapes, Head and Bottom Rails are Colour Co-ordinated

Lightweight and Easy to Pull Up



TECHNICAL SPECIFICATIONS

Sizes:	Slat widths: 25 mm & 50 mm Min-Max blind width: 600 mm - 3000 mm Min-Max blind height: 650 mm - 3150 mm	
--------	---	--

Child-Safe cord breaks

if pulled too hard

Safety:

COLOUR CHART*



VENETIAN BLINDS

25 MM ALUMINIUM VENETIAN BLINDS



50 MM ALUMINIUM VENETIAN BLINDS





50 mm Alu Cherry 50 mm Alu Grey



50 mm Alu Iron Grev 50 mm Alu Magnolia





50 mm Alu Oak 50 mm Alu Redwood



50 mm Alu Silver 50 mm Alu Teak



50 mm Alu White 50 mm Alu Alabaste



VERTICAL BLINDS





The simplicity of Taylor's Vertical Blinds creates a chic and trendy window dressing and is especially popular in offices and contemporary homes. Vertical Blinds are back in fashion for home décor too. They work with any size window or patio door — parting left, right or splitting evenly on either side — and their perfect straight lines allow you to control the light that enters a room, your privacy and your views.

They are easy to clean and offer excellent insulation against heat and cold. The washable fabric strips are available in widths of 90 mm and 127 mm and you have a variety of colours and textures to choose from, including a total Block Out PVC option. Our patented stainless steel rods will not corrode, and guarantee years of trouble-free service.

VERTICAL BLINDS





TECHNICAL FEATURES

Easy to Clean

-X- Control of Light

-X- Insulation against Heat and Cold

Patented Stainless Steel Rods will not corrode and ensure years of trouble-free service

← They work with any size window or patio door

TECHNICAL SPECIFICATIONS

Blind vane widths: 90 mm or 127 mm size vanes Min-Max finished blind window

or door width: 560 mm - 5520 mm Min-Max finished blind window or door height: 920 mm - 3320 mm


Privacy Yes. When vanes and blinds Control: and are drawn closed


TAYLOR TAYLOR Quality, Innovation & Trust Since 1959 www.taylorblinds.co.za

COLOUR CHART*



VERTICAL BLINDS







*Due to the nature of printed brochures, the most up-to-date colours should always be checked with your sales representative.

Quality, Innovation & Trust Since 1959

MOIIO

MOTION





Taylor's MOTION technology makes life easier, safer and more sustainable. Your roller blinds can now be motorised and automated to open and close at the the pull of a cord, click of a button, from the command of your voice, and even when you're not there, thanks to our MOTION smartphone app.

MOTION



TAYLOR MOTION

The MOTION app makes it possible to control window coverings from anywhere in the world by smartphone, and to programme scenes and timers.

MOTION enables voice control through smart speakers.

The app, If This Then That (IFTTT) links an array of other applications, resulting in smart homes that are fully adapted to the users' lifestyle.

FEATURES:

Pull of a Cord


Click of a Button

Command of your Voice

App Control

Smart Home Connectivity

Smart home window coverings for homes and buildings. Smart. Safe. Simple.



SOMFY MOTION

Control your interior blinds using a remote control, tablet or smartphone.

Play with natural light, and create your own ambiances to achieve privacy, peace and tranquillity.

Thanks to their sun sensors, your motorised interior blinds become smart and connected, allowing them to adjust automatically to outside conditions. As a result, they'll help you control your energy spending much more effectively.

BENEFITS:

Improved thermal & visual comfort

Reduced maintenance costs

Energy savings

Infinite architectural possibilities

5-year guarantee, subject to wear and tear

Motorised / Battery Operated Available



3 DIFFERENT OPERATING SYSTEMS

PULL OF A CORD.

Pull control is a steady add-on to remote and smart operating options. Having the option to manually override can be very useful.



CLICK OF A BUTTON.

Various blinds can be combined in operating channels, allowing entire rooms or scenes to be controlled with the press of a button.



COMMAND OF YOUR VOICE.









Quality, Innovation & Trust Since 1959

SMART HOME CONNECTIVITY



By adding just one component, the MOTION Wi-Fi bridge, unlocks as many as three new control options:

CMD 01 WIFI BRIDGE



App control Voice control If This Then That (IFTTT)



APP CONTROL

The MOTION app makes it possible to control window coverings from anywhere in the world by smartphone, and to programme scenes and timers. MOTION enables voice control through smart speakers. The app, If This Then That (IFTTT) links an array of other applications, resulting in smart homes that are fully adapted to the users' lifestyle.



Compatible with different types of blinds.



Set scene with preset position: for example, "Morning blinds go up".

www.taylorblinds.co.za



Set the blind to any desired position: for example, "Set blinds to 60%".



Add timer to automate scenes.



Create rooms with multiple blinds.



TAYLOR

MOTORISATION





Designed to provide convenience, comfort and energy savings, Somfy's automated solutions are an important enhancement for homes and commercial buildings. At the push of a button, or automatically, they will open or close, providing shade and privacy.

Motorised blinds add a level of ease and convenience with the touch of a single button.

Blinds are an essential addition to a home or office's energy-savings. Your windows release a lot of the temperature from within a home or office building — heat in winter and coolness in summer. Electric motors for interior shades or blinds are easy to operate and work smoothly to keep your window coverings beautiful and functioning longer.

SOMFY MOTORISATION



A RANGE OF SILENT MOTORS FOR SOMFY MOTORISED INTERIOR BLINDS



Sonesse® 30 WireFree Li-ion RTS Ref.1003128

Ref. 9020810

Sonesse® 30

Li-ion RTS

BENEFITS

Improved thermal and visual comfort

Reduced maintenance costs

Energy savings

Infinite architectural possibilities

TECHNICAL FEATURES

Originates from France

5-year guarantee, subject to wear and tear

Motorised / Battery Operated Available

No Side Channels Available

Motors are rated 45 DBA at 1 m (near silent)

Comply with European and International Standards

Available Locally

Handheld and Wall-mounted Remotes Available

YOUR RESPONSE TO COMMERCIAL BUILDING REQUIREMENTS

Design-inspired, sustainable architecture with bioclimatic façades performance is the driving force behind our product development processes.

Sonesse® motors are compatible with Somfy's bioclimatic façade management systems. They act as automatic, intelligent filters that adjust the amount of natural light let in without affecting noise levels.

PEOPLE: OUR NUMBER ONE PRIORITY

Silence, simplicity, privacy, thermal comfort, natural light quality and sustainable performance are the driving forces behind our product development processes.

Sonesse® range offers an unrivalled choice of motors and accessories designed with occupant well-being.



SOMFY CONNECTED SOLUTIONS

somfy.





A FULLY CONNECTED HOUSE - THE 3 KEY FUNCTIONS OF THE APP

- Multi-equipment: over 100 devices by Somfy are compatible with TaHoma
- Multi-brand: connected home devices and appliances from the major brands are compatible with TaHoma

INTUITIVE

- Customised interface
- 3 intuitive menus:
- Scenario: to create connected life moments
- Agenda: to live in line with your desires
- Smart: to define advanced programming (sensors, detectors, clock, etc.)

SIMPLICITY

- Simple to install: each device added without reconfiguring the system.
- Easy to use.



Explore a new way to control the solar protection devices. Just by using a smartphone, Connexoon Window RTS application controls our motorised solutions such as interior blinds, in just one click. Intuitive, smart, playful and in keeping with the times, the application offers greater comfort and peace of mind for a better home experience.







CENTRALISATION

One click to open and close all the devices.

Programming for the equipment at preferred times each day, to simulate presence.

Run programmed ambiances with 1 click. For instance, run the "Film Evening" ambiance to close the sitting room curtains, turn on the lights, and close all the devices.

OUR RANGE OF CONTROLS FOR INTERIOR BLINDS



MOTORISATION



SITUO 2 RTS ROSE GOLD, PURE AND SILVER

2 channels, ideal for double curtains (sheer and block out) Ref. 1811433 | Ref. 1811 418 | Ref. 1811419



TELIS 6 CHRONIS RTS PURE AND SILVER

- 6-channel radio remote with a timer function
- To control 6 blinds or/and group of motorised blinds
- Up, Down and Stop functions
- Favourite position "my"

Ref. 1805209 | Ref. 1805210



SITUO 5 RTS ROSE GOLD, PURE AND SILVER

5 channels for your best convenience Ref. 1811421 | Ref. 1811 435 | Ref. 181 1420



TELIS 16 RTS PURE AND SILVER

- 16-channel radio remote
- To control 16 products or group of products
- Up, Down and Stop functions
- Favourite position "my"

Ref. 1811020 | Ref. 1811021



iPhone, iPad, MacBook and App Store are registered trademarks of Apple Inc. - Google Play is a registered trademark of Google Inc.

FABRIC MATRIX



FABRIC MATRIX

	LIGHT FILTERING			SCREEN	
	B-RANGE	MÜNCHEN	MELBOURNE	C-SCREEN	SHEERWEAVE
OPENNESS FACTOR	3% - 10%	3% - 10%	28%	5%	5%
BASE MATERIAL	100% PES	100% PES	100% PES Trevira CS	70% PVC 30% PES	DOW Ecolibrium bio-based plasticisers
FINISH	Transparent coated	Impregnated	Impregnated	-	-
CLEANING	Damp cloth	Damp cloth	Damp cloth	Damp cloth	Clean with warm water and mild detergent
ROLL LENGTH	35 m	40 m - 50 m	35 m	27,4 m	20 m
SHRINKAGE	≤ 1%	≤ 0,5%	≤ 1,5%	-	-
WIDTH	2000 mm - 2500 mm	2000 mm - 2800 mm	3000 mm	3000 mm	2000 mm - 2500 mm
WEIGHT	210 g/m²	180 g/m²	180 g/m²	653 g/m²	480 g/m²
THICKNESS	0,3 mm	0,35 mm	0,7 mm	0,68 mm	0,61 mm
LIGHT FASTNESS	4-6 ISO 105 - B02: 2014	6-7 ISO 105 - B02: 2014 6	> 6 ISO 105 - B02: 2014	ISO105 - B02 grade 8	ISO 105 - B02: 2014 6 Blue Scale
CUTTING	Cold cut	Cold cut	Hot cut	Ultrasonic/ cold cut possible	Ultrasonic
WELDING	Thermal or HF-welding	Thermal or HF-welding	Sealing film	Thermal or HF-welding	-
SUITABLE FOR MOIST CONDITIONS	~	~	~	~	×
FIRE RETARDANT	× (some colours available FR)	×	DIN 4102, Class B1	×	~
OTHER	-	-	-	BS EN ISO 846 (UK) - Fungi and Bacterial Resistant	95% UV Block
PROTECTION	-	-	-	-	Microban® Protection, Lead-Free, Green Guard Gold Accredited


		BLOCK OUT				
	B-RANGE	LE REVE	MÜNCHEN	PVC	V-RANGE	
OPENNESS FACTOR	0%	0%	0%	0%	0%	
BASE MATERIAL	100% PES	100% polyester	100% PES	Fiberglass core laminated to 3 layers of PVC vinyl	100% polyester	
FINISH	Block-out coated	Colour glue on both sides	Block-out coated	PVC Vinyl, both sides	Acrylic coating	
CLEANING	Damp cloth	Damp cloth	Damp cloth	Easy to Clean	Clean with duster or soft cloth, wipe with damp sponge	
ROLL LENGTH	35 m	25 m	30 m - 40 m	27 m	20 m	
SHRINKAGE	≤ 1%	≤ 0,1%	≤ 0,5%	< 0,5%	-	
WIDTH	2000 mm - 2500 mm	2500 mm	2000 mm - 2800 mm 1800 mm - 3000 mm	1800 mm	2000 mm - 2500 mm	
WEIGHT	330 g/m²	330 g/m ²	320 g/m ²	340 g/m²	360 g/m ² – 400 g/m ²	
THICKNESS	0,45 mm	0,3 mm	0,35 mm	0,25 mm - 0,33 mm	0,33 mm - 0,36 mm	
LIGHT FASTNESS	4 - 6 ISO 105-B02: 2014	3 - 4	6 - 7 ISO 105	6 - 8	ISO 105-B02: 2014	
CUTTING	Cold cut	Cold cut	Cold cut	Cold cut	Ultrasonic, Crush, Knife	
WELDING	Thermal or HF-welding	Thermal or HF-welding	Thermal or HF-welding	HF-welding	-	
SUITABLE FOR MOIST CONDITIONS	~	×	~	~	Dust and Mould- Resistant	
FIRE RETARDANT	(some colours available FR)	×	×	"Tested to NF PA 701, French M-1, Italian Class 1, Australian Code"	×	
OTHER	-	-	-	-	×	
PROTECTION	-	-	-	-	PVC-Free, Lead-Free, Green Guard Gold Accredited	

FABRIC MATRIX



	SOLTIS	SOLTIS DIM OUT	
	HORIZON 86	ТОИСН	MASTER 99
OPENNESS FACTOR	14%	14%	3%
WEIGHT	380 g/m ²	280 g/m²	290 g/m²
THICKNESS	0,32 mm	0,32 mm	0,32 mm
LENGTH OF ROLL	50 m	50 m	50 m
TENSILE STRENGTH	230/160 daN/5 cm	230/160 daN/5 cm	160/170 daN/5 cm
TEAR STRENGTH	45/20 daN	45/20 daN	11/13 daN
FLAME RETARDANCY	✓	✓	✓
FLAME RETARDANCY RATING	B-s2,d0	B-s2,d0	B-s2,d0
ISO QUALITY	ISO 9001	ISO 9001	ISO 9001
CERTIFICATIONS, LABELS, WARRANTIES, RECYCLING	Recyclable / GreenGuard / BIM Object / Serge + Standards	Recyclable / GreenGuard / BIM Object / Serge + Standards	Recyclable / GreenGuard / BIM Object / Serge + Standards

EXCLUSIVE PRECONTRAINT® TECHNOLOGY



Patented worldwide, the Précontraint® technology by Serge Ferrari involves keeping the composite under tension throughout the manufacturing cycle. It gives our materials exceptional performance that enable them to surpass market standards in terms of dimensional stability, mechanical strength, coating thickness and flatness.

- High-tenacity polyester micro-yarn base cloth Superior elongation and tear resistance
- A coating with fabrics under biaxial constant tension in both warp and weft directions
 No deformation during processing and use
- Greater coating at the top of the yarns and a dirt-resistant surface treatment
 Superior aesthetic and mechanical durability
- Exceptional flatness and thinness
 Smooth finish, easy to clean, space-saving and easy rolling

QUALITY. INNOVATION. TRUST.

WHO ARE WE

For over 60 years, Taylor has been synonymous with providing service excellence and innovative, elegant, quality products. Be it stylish aluminium or wood-substitute shutters, contemporary security gates, the streamlined simplicity of venetian, vertical, roller or woven blinds, Taylor has the perfect solution for your home or office.

Taylor innovation is savvy – merging design and functionality to provide stylish, sleek and practical window and door covering custom-made solutions.

WHY WE'RE DIFFERENT?

We know everyone has unique tastes so we work alongside home owners, designers and architects to provide Taylor-made-to-measure, locally manufactured, top quality products that are delivered and installed within our committed time frame to you.

We pride ourselves in our quality and service and offer a warranty on all products manufactured in our factory, that they will be free from defects in material and workmanship, for a set period ranging from 2 to 10 years from date of delivery. This warranty is given subject to certain conditions.

QUICK TURNAROUNI

We have an 8000 m² purpose-built factory and are able to manufacture within a maximum of two weeks from signed-off order*. Our service ethic includes the highest quality control, which is why we confidently offer 2- to 10-year warranties, depending on the product.

SECURITY WITH STYL

Security shouldn't come at the expense of style. ShutterGuard® Aluminium Shutters are stylish, rustproof and perhaps, more importantly, through innovative construction, they also provide high-end security when closed. So you'll have complete peace of mind when away from home. Think of it as a haute couture suit of armour.

*Excluding delivery, which requires 5 working days.





OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | sales@taylorblinds.co.za JHB: Unit 9, Moon River, 6 River Close, Barbeque Downs, Kyalami | +27 (0) 11 794-1743 | salesjhb@taylorblinds.co.za

www.taylorblinds.co.za

36 TAYLOR Quality, Innovation & Trust Since 1959