

Image courtesy of Keens Kenmar.  
Photography colinstephenson.com

# SHUTTER COLLECTION

SHUTTERGUARD® SHUTTERSTYLE® HURRICANE THERMOWOOD® TIMBER WOOD

OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | [sales@taylorblinds.co.za](mailto:sales@taylorblinds.co.za)

JHB: Unit 9, Moon River, 6 River Close, Barbeque Downs, Kyalami | +27 (0) 11 794-1743 | [salesjhb@taylorblinds.co.za](mailto:salesjhb@taylorblinds.co.za)

[www.taylorblinds.co.za](http://www.taylorblinds.co.za)

**TAYLOR**  
BLINDS & SHUTTERS Est.1959





Image courtesy of Keens Kenmar.  
Photography colinstephenson.com

SHUTTERGUARD®  
Like GI Jane, they're pretty but tough.

- SECURITY
- 10-YEAR WARRANTY
- RUSTPROOF
- OUTDOOR
- INDOOR
- CUSTOM COLOURS



Image courtesy of Keens Kenmar.  
Photography colinstephenson.com

# SHUTTERGUARD® ALUMINIUM SECURITY SHUTTERS



ShutterGuard® Aluminium Security Shutters are a savvy, stylish, safety solution for windows or doors – offering security without compromising on the aesthetics of your home, commercial or retail space.


The patented gear lock keeps the shutters in place. A 60 mm patented bolt secures the shutters to the floor, leaving no leverage to lift the lock out of the track. A 34 mm bolt secures the top track when locked. The Cisa system allows you to lock the shutters with a unique security key. Should you wish to have a double-sided lock, please request this from us.

### TECHNICAL SPECIFICATIONS

|                 |                      |
|-----------------|----------------------|
| UV Blockage:    | 100% when closed     |
| Weight:         | 14 kg/m <sup>2</sup> |
| Min/Max Width:  | 250 - 850 mm         |
| Min/Max Height: | 650 - 2900 mm        |
| Material:       | Aluminium            |

### TECHNICAL FEATURES

|                                  |
|----------------------------------|
| Impervious to moisture           |
| Easy to clean                    |
| Control of noise and temperature |
| Control light with Astragal lip  |
| Rustproof                        |




60 mm patented bolt secures shutters to floor when locked



Ergonomically designed shutter lock and louvre locking system



### STANDARD COLOURS



### CUSTOM COLOURS

Custom colours are available, please speak to your sales representative. An additional fee will apply to all custom colours. Manufacture lead times require an extra 5 days.





# SHUTTERSTYLE® ALUMINIUM BARRIER SECURITY SHUTTERS



EASY TO CLEAN

5-YEAR WARRANTY

RUSTPROOF

OUTDOOR

INDOOR

CUSTOM COLOURS



Image courtesy of Keens Kenmar.  
Photography colinstephenson.com

Image courtesy of Keens Kenmar.  
Photography colinstephenson.com

## SHUTTERSTYLE® ALUMINIUM BARRIER SECURITY SHUTTERS



Introducing Taylor’s sleek ShutterStyle® Shutters. New ShutterStyle® Security Shutters. Playing it patently safe.

Introducing Taylor’s new sleek ShutterStyle® Shutters. Innovation that’s both affordable and aesthetically pleasing. These beautiful shutters offer a lightweight alternative to traditional security shutters. For the last 6 years, we’ve refined our technique to bring you a product with the Taylor seal of security and renowned quality. Featuring a 60 mm bolt, and a sleek new slide action and push-lock system, ShutterStyle® Shutters don’t compromise on beauty and functionality. They are made from slim, yet robust aluminium. Suitable for both indoors and outdoors, these stylish shutters offer modular track options, new-to-market light-blocking system and seamless lines.

TECHNICAL SPECIFICATIONS

|                 |                                                                                                    |
|-----------------|----------------------------------------------------------------------------------------------------|
| Min/Max Width:  | 250 - 850 mm                                                                                       |
| Min/Max Height: | 600 - 2900 mm<br>300 x 2900 mm<br>850 x 2900 mm<br>Except (Bypass)<br>Width 1200 mm Height 2900 mm |
| Material:       | Aluminium                                                                                          |

SECURITY


|                                                             |
|-------------------------------------------------------------|
| ShutterStyle® uses a new slide action and push-lock system  |
| Patented integrated louvre lock                             |
| 60 mm patented throw bolt secures the shutters to the floor |
| 34 mm bolt secures shutters to top track                    |

UNIQUE FEATURES

|                                 |                                                                                                                                                            |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lightweight & Robust Aluminium  | Operating mechanisms of the shutter are concealed with only one visible fixing.                                                                            |
| Modular Track System            | Range of profiles that will accommodate multiple tracks, raised and recess combinations and also the covering of rough edges to floor finishes.            |
| Light-blocking System           | Flexible clip fits eliminate incoming light between shutter panels.                                                                                        |
| Trimming of Panels              | Allows for shutter panels to be trimmed with minimum replacement of components.                                                                            |
| Flush Lock                      | Easy to lock and unlock with the new sliding flush lock, allowing you to conveniently operate the sliding lock without locking the shutters automatically. |
| No-show seamless tilt mechanism | Tilt rods are fitted inside the shutter panels meaning fewer unsightly hinges.                                                                             |
| Bypass System Versatility       | Bypass system can be a bottom roller instead of top hung, allowing for more opportunities to install the shutter.                                          |
| Wider Panel Practicality        | The beauty of aluminium allows us to manufacture wider panels, eliminating the need for additional shutter panels in your window or door opening.          |



Unique New Flush Lock



Unique New Light-blocking System



Patented New Internal Tilt Rod Mechanism


### STANDARD COLOURS

Matte White

Matte Light Grey

Matte Stone Grey

Matte Anthracite Grey



60 mm patented bolt secures shutters to floor when locked

### CUSTOM COLOURS

Custom colours are available, please speak to your sales representative. An additional fee will apply to all custom colours. Manufacture lead times require an extra 5 days.

[www.taylorblinds.co.za](http://www.taylorblinds.co.za)

TAYLOR





# SHUTTERGUARD® VS. SHUTTERSTYLE®



## SHUTTERGUARD® VS. SHUTTERSTYLE®

|            | SHUTTERGUARD®                                                                                                                                                                                                                                                                                                                          | SHUTTERSTYLE®                                                                                                                                                                                                                                                               | VERDICT: WINNER                                                                                                                                           |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| SECURITY   | <ul style="list-style-type: none"><li>- Patented Cassette System</li><li>- 2-way Gear Locking System</li><li>- 60 mm Bolt In Bottom Track</li><li>- 34 mm Bolt In Top Track</li><li>- Louvre Locks</li><li>- Definite For A Free-Standing Home</li><li>- Premium Offering</li><li>- Strong Aluminium</li><li>- Builder's Key</li></ul> | <ul style="list-style-type: none"><li>- Sliding Action and Push-lock System</li><li>- Patented Integrated Louvre Locks</li><li>- 60 mm Bolt Into Bottom Track</li><li>- 34 mm Bolt Into Top Track</li><li>- Keyed Alike</li><li>- Perfect Choice For Estate Homes</li></ul> | <p><b>SHUTTERGUARD® WINS ON SECURITY</b></p> <p>For the security conscious: ShutterGuard® offers enhanced patented security with style.</p>               |
| AESTHETICS | <ul style="list-style-type: none"><li>- Modern Design Face Plate</li><li>- Light Filtering Styles</li></ul>                                                                                                                                                                                                                            | <ul style="list-style-type: none"><li>- Minimalist Design</li><li>- Patented Hidden Tilt Rod</li><li>- Less Bulky &amp; Lighter</li><li>- Seamless Finishes</li><li>- Light Gap Eliminating Technology</li><li>- Easy To Lock/Unlock</li></ul>                              | <p><b>SHUTTERSTYLE® WINS ON AESTHETICS</b></p> <p>For the style conscious: ShutterStyle® offers premium affordable style with security functionality.</p> |

### SHUTTERGUARD®



For the security conscious:  
ShutterGuard® offers enhanced patented security with style.

### SHUTTERSTYLE®



For the style conscious:  
ShutterStyle® offers premium affordable style with security functionality.

### UNIQUE PATENTS

Flush Lock

Easy to lock and unlock with the new sliding flush lock, allowing you to conveniently operate the sliding lock without locking the shutters automatically.

No-show seamless tilt mechanism

Tilt rods are fitted inside the shutter panels meaning fewer unsightly hinges.





Image courtesy of Keens Kenmar.  
Photography colinstephenson.com

# HURRICANE

Let the good days in. Keep the bad days out.



- ✓ 10-YEAR WARRANTY
- 🛡️ RUSTPROOF
- ☀️ OUTDOOR
- 🏠 INDOOR
- 🎨 CUSTOM COLOURS



Image courtesy of Keens Kenmar.  
Photography colinstephenson.com

# HURRICANE ALUMINIUM SHUTTERS



The folding louvre Hurricane Shutters will open up any space, letting the outside in, while controlling the light, noise and temperature of your room.

Hello sunshine, goodbye dark and stormy days. With Taylor's Hurricane Shutters you can weather the storms and bask in sunlight on the lovely days. Hurricane Aluminium Shutters were originally designed to protect windows and doors from storms and high winds without compromising the aesthetics of a space. Suitable for both homes and offices, these stylish shutters, made entirely from aluminium, are not only beautiful but are functional, durable, won't rust, are easy to clean and come with up to 10-year warranties.

### TECHNICAL SPECIFICATIONS

|                 |                      |
|-----------------|----------------------|
| UV Blockage:    | 100% when closed     |
| Weight:         | 14 kg/m <sup>2</sup> |
| Min/Max Width:  | 250 - 850 mm         |
| Min/Max Height: | 500 - 2900 mm        |
| Material:       | Aluminium            |

### TECHNICAL FEATURES


|    |                                  |
|----|----------------------------------|
| 🛡️ | Rustproof                        |
| 🧼  | Easy to clean                    |
| 🎵  | Control of noise and temperature |
| ☀️ | Control light                    |
| 🔩  | Will not crack, split or warp    |



Ergonomically designed turn bolt




Ergonomically designed shutter lock and louvre locking system



60 mm patented bolt secures shutters to floor when locked

### STANDARD COLOURS



### CUSTOM COLOURS

Custom colours are available, please speak to your sales representative. An additional fee will apply to all custom colours. Manufacture lead times require an extra 5 days.





**THERMOWOOD®**  
A breath of fresh air.

- ✓ 3-YEAR WARRANTY
- 🛡️ RUSTPROOF
- 🏠 INDOOR ONLY
- ☀️ CONTROL LIGHT, NOISE & TEMPERATURE



# THERMOWOOD® SHUTTERS



Thermowood® Shutters are practical, custom-made louvre door shutters, manufactured from a durable, specially engineered wood substitute – extruded PVC – that has been thoroughly tested under stringent humid, hot and dry conditions to ensure longevity.

Natural light. Privacy on demand. Modern day living with our beautiful climate begs for spaces to be opened up to let in natural light and fresh air while maximising the views. Retractable, stacking shutters merge indoor and outdoor living, extending your living space.

## TECHNICAL SPECIFICATIONS

|                 |                  |
|-----------------|------------------|
| UV Blockage:    | 100% when closed |
| Weight:         | 8 kg/m²          |
| Min/Max Width:  | 240 - 600 mm     |
| Min/Max Height: | 450 - 2900 mm    |
| Material:       | Extruded PVC     |

## TECHNICAL FEATURES

- 💧 Impervious to moisture
- 🧽 Easy to clean
- 🛡️ Will not crack, split or warp




Side profile of Thermowood® louvre



Thermowood® louvres with tilt rod

## AVAILABLE STANDARD COLOURS

-  Holland
-  Lime-wash
-  Magnolia
-  Satin-white
-  Ash Grey
-  White

\*Kindly note: no custom colours are available for Thermowood®.





**TIMBER WOOD**  
Solid, reliable, beautiful and affordable.  
Four words you don't often see together.



- 5-YEAR WARRANTY
- RUSTPROOF
- OUTDOOR
- INDOOR
- CUSTOM COLOURS
- NATURAL TIMBER WOOD



# TIMBER WOOD SHUTTERS



Beautifully finished and manufactured in South Africa from hand-selected solid timber, our Timber Wood range of shutters is 100% custom made. For those whose sense of style often outweighs their budget, these shutters offer a stylish, yet affordable solution.

They are available in all the configurations you have come to expect from Taylor; however, our timber range also offers you further design flexibility by adding a variety of shapes like circular, triangle, half circles - in fact, practically any shape you can think of.

Style should not sacrifice the ability to withstand inclement weather conditions, so these shutters are suited to both indoors and exteriors. Our components and materials are up to 30% thicker and more robust than imported alternatives. This continues our now legendary reputation for manufacturing to the highest standards of quality, backed by a full 5-year warranty.

## TECHNICAL SPECIFICATIONS


|                   |                  |
|-------------------|------------------|
| UV Blockage:      | 100% when closed |
| Max Panel Width:  | 850 mm           |
| Max Panel Height: | 2900 mm          |
| Material:         | Solid Timber     |

## TECHNICAL FEATURES

|  |                                  |
|--|----------------------------------|
|  | Rustproof                        |
|  | Easy to clean                    |
|  | Control of noise and temperature |
|  | 100% customisable shapes         |
|  | Indoors and Outdoors             |
|  | 5-year warranty                  |



Hinges used to join shutter panels



Aluminium latch lock




Louvre with timber tilt rod (optional)

## STAINED STANDARD TIMBER COLOURS\*



## PAINTED STANDARD TIMBER COLOURS\*




\*Kindly note: no custom colours are available for Timber Wood.





# SHUTTER TRACK AND CONFIGURATION OPTIONS


## TRACK OPTIONS - ALL SHUTTERS



## CONFIGURATIONS - ALL SHUTTERS




## PIVOT OPTIONS - ALL SHUTTERS




## TIMBER WOOD® AND THERMOWOOD®


### FRAMES



### TILT ROD



## \*CUSTOMISED FRAME SHAPE EXAMPLES - TIMBER WOOD®



# HOW OUR RANGE OF SHUTTERS STACK UP

|                               | SHUTTERGUARD®<br>ALUMINIUM SECURITY SHUTTERS                                                                                                                                                                                                        | SHUTTERSTYLE®<br>ALUMINIUM BARRIER SECURITY SHUTTERS                                                                                            | HURRICANE<br>ALUMINIUM SHUTTERS                                                                             | THERMOWOOD®<br>SHUTTERS                                                                                                                                  | TIMBER WOOD<br>SHUTTERS                                                                                                                                  |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| MATERIAL                      | Aluminium                                                                                                                                                                                                                                           | Aluminium                                                                                                                                       | Aluminium                                                                                                   | Extruded PVC                                                                                                                                             | Solid Timber                                                                                                                                             |
| INTERNAL USE                  | ✓                                                                                                                                                                                                                                                   | ✓                                                                                                                                               | ✓                                                                                                           | ✓                                                                                                                                                        | ✓                                                                                                                                                        |
| EXTERNAL USE                  | ✓                                                                                                                                                                                                                                                   | ✓                                                                                                                                               | ✓                                                                                                           | ✗                                                                                                                                                        | ✓                                                                                                                                                        |
| RUSTPROOF                     | ✓                                                                                                                                                                                                                                                   | ✓                                                                                                                                               | ✓                                                                                                           | ✓                                                                                                                                                        | ✓                                                                                                                                                        |
| DELIVER ON SECURITY           | ✓                                                                                                                                                                                                                                                   | ✓                                                                                                                                               | ✗                                                                                                           | ✗                                                                                                                                                        | ✗                                                                                                                                                        |
| STACKABLE                     | ✓                                                                                                                                                                                                                                                   | ✓                                                                                                                                               | ✓                                                                                                           | ✓                                                                                                                                                        | ✓                                                                                                                                                        |
| SUITABLE FOR DOORS & WINDOWS  | ✓                                                                                                                                                                                                                                                   | ✓                                                                                                                                               | ✓                                                                                                           | ✓                                                                                                                                                        | ✓                                                                                                                                                        |
| WARRANTY                      | 10 Years                                                                                                                                                                                                                                            | 5 Years                                                                                                                                         | 10 Years                                                                                                    | 3 Years                                                                                                                                                  | 5 Years                                                                                                                                                  |
| COLOURS                       | Matte White, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey<br><i>Custom colours available**</i>                                                                                                                                         | Matte White, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey, Matte Anthracite Grey<br><i>Custom colours available**</i>              | Matte White, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey<br><i>Custom colours available**</i> | Holland, Lime-wash, Magnolia, Satin-white, Ash Grey, White<br><i>No custom colours available</i>                                                         | Our timber range is available in standard painted and stained colours<br><i>Custom colours available**</i>                                               |
| MANUFACTURE TIME              | 2 Weeks: Matte White<br>3 Weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey                                                                                                                                                          | 3 - 4 Weeks: All standard colours                                                                                                               | 2 Weeks: Matte White<br>3 Weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey                  | 2 Weeks: All standard colours                                                                                                                            | 20 Days: Standard painted colours<br>25 Days: Stained or custom colours and custom frame manufacture                                                     |
| CONFIGURATIONS                | Bifold, Bipass, Slider, Cottage Style or Cottage Arch Frame configuration                                                                                                                                                                           | Bifold, Bipass, Slider, Cottage Style or Cottage Arch Frame configuration                                                                       | Bifold, Bipass, Slider, Cottage Style or Cottage Arch Frame configuration                                   | Bifold, Bipass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview® option | Bifold, Bipass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview® option |
| MAXIMUM & MINIMUM PANEL SIZES | Min-Max shutter width: 250 - 850 mm<br>Min-Max shutter height: 650 - 2900 mm                                                                                                                                                                        | Min-Max shutter width: 250 - 850 mm<br>Min-Max shutter height: 650 - 2900 mm<br>300 - 2900 mm<br>850 - 2900 mm<br>Except Bipass: 1200 - 2900 mm | Min-Max shutter width: 250 - 850 mm<br>Min-Max shutter height: 500 - 2900 mm                                | Min-Max shutter width: 240 - 600 mm<br>Min-Max shutter height: 450 - 2900 mm                                                                             | Min-Max shutter width: 250 - 850 mm<br>Min-Max shutter height: 450 - 2900 mm                                                                             |
| ACCESSORIES                   | Security keys and louvre locks                                                                                                                                                                                                                      | Security key                                                                                                                                    | Louvre locks only as an optional extra*                                                                     |                                                                                                                                                          |                                                                                                                                                          |
| LIGHT CONTROL                 | Yes. Astragal frame removes light gap between shutter panels                                                                                                                                                                                        | Yes. Patented light gap eliminating technology                                                                                                  | Astragal frame removes light gap between shutter panels. This is only applied as an optional extra*         | Yes. Light control depends on the louvres' tilt when closing/opening                                                                                     | Yes. Light control depends on the louvres' tilt when closing/opening                                                                                     |
| PRIVACY CONTROL               | 85 - 100% (not possible to see through closed shutters)                                                                                                                                                                                             | 85 - 100% (not possible to see through closed shutters)                                                                                         | 85 - 100% (not possible to see through closed shutters)                                                     | 85 - 100% (not possible to see through closed shutters)                                                                                                  | 85 - 100% (not possible to see through closed shutters)                                                                                                  |
| SECURITY                      | ShutterGuard® is a security shutter system which includes a patented Taylor 2-way aluminium gear lock system. 60 mm patented bolt secures shutters to the floor while a 34 mm bolt secures the shutters to the top track. Patented louvre cassette. | New sliding action Push-lock system Integrated louvre lock Patented internal tilt mechanism                                                     | Hurricane Shutters are not a security shutter system                                                        | Thermowood® is not a security shutter system                                                                                                             | Timber Wood Shutters are not a security shutter system                                                                                                   |
| NEW FEATURES                  |                                                                                                                                                                                                                                                     | Lighter aluminium Integrated tilt mechanism No unsightly rivets Modular track                                                                   |                                                                                                             |                                                                                                                                                          |                                                                                                                                                          |
| CONSUMER                      | Security conscious: ShutterGuard® offers enhanced patented security                                                                                                                                                                                 | Style conscious: ShutterStyle® offers affordable premium style with security functionality                                                      | Weather barrier conscious                                                                                   |                                                                                                                                                          |                                                                                                                                                          |

\*Optional extras for Hurricane Shutters include: Astragal Frame to remove light gap between shutter panels and louvre locks to lock louvres.  
\*\*Custom colours and frame shapes are available at a surcharge and will add an extra 1 week to the lead time.



# QUALITY. INNOVATION. TRUST.

## WHO ARE WE?

For over 60 years, Taylor has been synonymous with providing service excellence and innovative, elegant, quality products. Be it stylish aluminium or wood-substitute shutters, contemporary security gates, the streamlined simplicity of venetian, vertical, roller or woven blinds, Taylor has the perfect solution for your home or office.

Taylor innovation is savvy – merging design and functionality to provide stylish, sleek and practical window and door covering custom-made solutions.

## HOW ARE WE DIFFERENT?

We know everyone has unique tastes so we work alongside home owners, designers and architects to provide Taylor-made-to-measure, locally manufactured, top quality products that are delivered and installed within our committed time frame to you.

We pride ourselves on our quality and service and offer a warranty on all products manufactured in our factory that they will be free from defects in material and workmanship, for a set period ranging from 2 to 10 years from date of delivery. This warranty is given subject to certain conditions.

## QUICK TURNAROUND

We have an 8000 m<sup>2</sup> purpose-built factory and are able to manufacture within a maximum of two weeks from signed-off order\*. Our service ethic includes the highest quality control, which is why we confidently offer 2 to 10-year warranties, depending on the product.

## SECURITY WITH STYLE

Security shouldn't come at the expense of style. ShutterGuard® Aluminium Shutters are stylish, rustproof and perhaps, more importantly, through innovative construction, they also provide high-end security when closed. So you'll have complete peace of mind when away from home. Think of it as a haute couture suit of armour.

\*Excluding delivery, which requires 5 working days.

## OFFICES & SHOWROOMS | 0861-1-TAYLOR (829567)

CPT: 10 Hoist Avenue, Montague Gardens | +27 (0) 21 552-5080 | [sales@taylorblinds.co.za](mailto:sales@taylorblinds.co.za)

JHB: Unit 9, Moon River, 6 River Close, Barbeque Downs, Kyalami | +27 (0) 11 794-1743 | [salesjhb@taylorblinds.co.za](mailto:salesjhb@taylorblinds.co.za)

[www.taylorblinds.co.za](http://www.taylorblinds.co.za)

**TAYLOR**  
BLINDS & SHUTTERS